Info@AFT-Corp.com (469) 865-2800

Martin Tools

INDUSTRIAL HAND TOOLS

C A T A L O G

www.aftfasteners.com

Index
TOOLS

BODY AND FENDER TOOLS ..... J87 - J94
"C" Clamps J86
Chisels and Punches ..... J80 - J81
Chisel and Punch Sets J79
Eye Bolts J86
HAMMERS ..... J73 - J76
Handles, Crank J85
Handles, Hammer, Wood J76
Manual of Body Repairs J92
Pipe Wrench J18
Pliers ..... J82 - J84
Pry Bars Rolling, HD J86
Screwdrivers ..... J77 - J78
SOCKETS, SETS & ATTACHMENTS ..... J32 - J72
- 1/4" Sq. Drive ..... J32 - J34
- 3/8" Sq. Drive ..... J35 - J48
- 1/2" Sq. Drive ..... J49 - J63
- 3/4" Sq. Drive ..... J64 - J67
- 1" Sq. Drive ..... J68 - J71
- 1 1/2" Sq. Drive J72

WRENCHES ..... J2 - J29
- Adjustable J19
- Auto Wrench Type, Adj. J19
- Box, Double Offset, Long ..... J8 - J9
- Box, Double Offset, Short ..... J8 - J9
- Box, Striking Face ..... J25 - J26
  - Offset, 12 Pt. J26
  - Straight, 6 Pt. & 12 Pt. J25
- Box, 12 Pt. Single End J25
- Check Nut (Thin) J14
- Combination (Open-End and Box) ..... J4 - J5
- Construction J24
- Flare Nut J15
- Hex Keys J27
- Hydraulic, (Angle) Open-End ..... J10 - J11
- Mechanics Tool Sets ..... J30 - J31
- Offset Socket J28
- Open-End (Double Head) ..... J6 - J7
- Open-End Engineer's (Single) J20
- Pipe Wrench J18
- Ratcheting Box ..... J16 - J17
- Service, Straight Opening ..... J12 - J13
- Service, 30-Deg. Opening ..... J12 - J13
- Set Screw J19
- Spanner, Various Types ..... J21 - J22
- Structural (Open-End) J23
- Structural Box J23
- "T" Handle Sockets J29

Tool Board pages (all assortments) ..... J95 - J108
Part Number Interchange ..... J109 - J112

Combination Wrenches



American Alloy Steel

Drop Forged
Long Pattern
15° Angle
12 Point Box

Versatile, General Purpose Wrench in a Complete Range of Openings, ¼" thru 2½". Chrome and Industrial Black Finish.

Wrench Opening	Open End		Box End		Overall Length	Weight Ea.-Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	Diameter	Thickness	Diameter	Thickness			Part No.	Part No.		
	A	B	C	D	E					
1/4	19/32	11/64	7/16	7/32	5	.04	1158	BLK1158	6	1/4
5/16	5/16	11/16	33/64	1/4	5 1/2	.05	1159	BLK1159	6	5/16
11/32	11/16	3/16	33/64	1/4	5 1/2	.05	1159A	BLK1159A	6	11/32
3/8	13/16	3/16	17/32	9/32	6	.08	1160	BLK1160	6	3/8
7/16	15/16	7/32	11/16	5/16	6 1/2	.13	1161	BLK1161	6	7/16
1/2	1 1/16	1/4	25/32	11/32	7 1/8	.17	1162	BLK1162	6	1/2
9/16	1 3/16	9/32	27/32	3/8	7 3/4	.25	1163	BLK1163	6	9/16
5/8	1 5/16	9/32	15/16	13/32	8 1/2	.30	1164	BLK1164	6	5/8
11/16	1 7/16	5/16	1 1/32	7/16	9 1/4	.38	1165	BLK1165	6	11/16
3/4	1 9/16	11/32	1 1/8	15/32	10 1/8	.43	1166	BLK1166	6	3/4
13/16	1 11/16	23/64	1 13/64	1/2	11	.55	1167A	BLK1167A	6	13/16
7/8	1 13/16	3/8	1 9/32	17/32	12	.64	1167	BLK1167	6	7/8
15/16	1 15/16	13/32	1 3/8	9/16	13	.77	1168	BLK1168	6	15/16
1	2 1/16	13/32	1 15/32	19/32	14	.92	1170	BLK1170	6	1
1 1/16	2 3/16	7/16	1 9/16	5/8	15	1.07	1171	BLK1171	6	1 1/16
1 1/8	2 5/16	15/32	1 41/64	21/32	16 1/8	1.37	1172	BLK1172	6	1 1/8
1 3/16	2 9/16	1/2	1 13/16	23/32	17 3/16	1.37	1172A	BLK1172A	6	1 3/16
1 1/4	2 9/16	1/2	1 13/16	23/32	17 3/16	1.8	1173	BLK1173	1	1 1/4
1 5/16	2 11/16	17/32	1 7/8	3/4	18	2.1	1174	BLK1174	1	1 5/16
1 3/8	2 13/16	9/16	1 31/32	25/32	18 3/4	2.1	1175	BLK1175	1	1 3/8
1 7/16	2 15/16	19/32	2 1/16	13/16	19 1/2	3.6	1176	BLK1176	1	1 7/16
1 1/2	3 1/16	5/8	2 5/32	27/32	20 1/2	3.4	1177	BLK1177	1	1 1/2
1 9/16	3 15/16	21/32	2 11/32	7/8	21 1/2	3.4	1178A	BLK1178A	1	1 9/16
1 5/8	3 5/16	21/32	2 11/32	7/8	21 1/2	4.5	1180	BLK1180	1	1 5/8
1 11/16	3 7/16	11/16	2 7/16	29/32	22 1/2	4.5	1182	BLK1182	1	1 11/16
1 3/4	3 11/16	23/32	2 5/8	31/32	24	7.1	1184	BLK1184	1	1 3/4
1 13/16	3 11/16	23/32	2 5/8	31/32	24	7.0	1186	BLK1186	1	1 13/16
1 7/8	4 1/16	25/32	2 7/8	1 1/16	25 3/4	6.9	1188	BLK1188	1	1 7/8
2	4 1/16	25/32	2 7/8	1 1/16	25 3/4	6.8	1190	BLK1190	1	2
2 1/16	4 9/32	13/16	3 1/16	1 9/64	27 1/2	8.3	1191	BLK1191	1	2 1/16
2 1/8	4 9/32	13/16	3 1/16	1 1/8	27 1/2	8.2	1192	BLK1192	1	2 1/8
2 3/16	4 17/32	7/8	3 7/32	1 3/16	29 1/4	7.9	1193	BLK1193	1	2 3/16
2 1/4	4 17/32	7/8	3 7/32	1 3/16	29 1/4	7.7	1194	BLK1194	1	2 1/4
2 3/8	5	31/32	3 17/32	1 5/16	31	12.1	1195	BLK1195	1	2 3/8
2 1/2	5	31/32	3 17/32	1 5/16	31	11.7	1196	BLK1196	1	2 1/2

Combination Wrench Sets

Convenient Sets Provide Popular Wrench Sizes Ranging from 3/8″ thru 2″ Openings. Sets are Available in 4 Sizes: 5, 7, 11 and 14 Wrenches, Packaged in a Handcrafted Fabric and Vinyl Roll Up Kit.

Chrome Sets

C7K

OPENING	PART NO.
3/8	1160
7/16	1161
1/2	1162
9/16	1163
5/8	1164
11/16	1165
3/4	1166
KIT BAG	C187

C11K

OPENING	PART NO.
3/8	1160
7/16	1161
1/2	1162
9/16	1163
5/8	1164
11/16	1165
3/4	1166
13/16	1167A
7/8	1167
15/16	1168
1	1170
KIT BAG	C110

C14K

OPENING	PART NO.
3/8	1160
7/16	1161
1/2	1162
9/16	1163
5/8	1164
11/16	1165
3/4	1166
13/16	1167A
7/8	1167
15/16	1168
1	1170
1 1/16	1171
1 1/8	1172
1 1/4	1173
KIT BAG	C140

HC5K

OPENING	PART NO.
1 1/4	1173
1 1/16	1176
1 5/8	1180
1 13/16	1186
2	1190
KIT BAG	C55

Industrial Black Sets

CB7K

OPENING	PART NO.
3/8	BLK1160
7/16	BLK1161
1/2	BLK1162
9/16	BLK1163
5/8	BLK1164
11/16	BLK1165
3/4	BLK1166
KIT BAG	C187

CB11K

OPENING	PART NO.
3/8	BLK1160
7/16	BLK1161
1/2	BLK1162
9/16	BLK1163
5/8	BLK1164
11/16	BLK1165
3/4	BLK1166
13/16	BLK1167A
7/8	BLK1167
15/16	BLK1168
1	BLK1170
KIT BAG	C110

CB14K

OPENING	PART NO.
3/8	BLK1160
7/16	BLK1161
1/2	BLK1162
9/16	BLK1163
5/8	BLK1164
11/16	BLK1165
3/4	BLK1166
13/16	BLK1167A
7/8	BLK1167
15/16	BLK1168
1	BLK1170
1 1/16	BLK1171
1 1/8	BLK1172
1 1/4	BLK1173
KIT BAG	C140

HCB5K

OPENING	PART NO.
1 1/4	BLK1173
1 1/16	BLK1176
1 5/8	BLK1180
1 13/16	BLK1186
2	BLK1190
KIT BAG	C55

TOOLS

Combination Wrenches – Metric



American Alloy Steel

Drop Forged
Long Pattern
15° Angle
12 Point Box

Versatile, General Purpose Wrench in a Complete Range of Openings, 6mm thru 60mm. Chrome and Industrial Black Finish.

Wrench Opening	Open End		Box End		Overall Length	Weight Ea.-Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	Diameter	Thickness	Diameter	Thickness			Part No.	Part No.		
	A	B	C	D	E					
6 mm	15.0 mm	4.1 mm	11.2 mm	5.6 mm	127.0 mm	.04	1106MM	BLK1106MM	6	6 mm
7 mm	15.0 mm	4.1 mm	11.2 mm	5.6 mm	127.0 mm	.05	1107MM	BLK1107MM	6	7 mm
8 mm	17.5 mm	4.8 mm	13.2 mm	6.4 mm	139.7 mm	.05	1108MM	BLK1108MM	6	8 mm
9 mm	20.8 mm	5.6 mm	15.7 mm	7.4 mm	152.4 mm	.08	1109MM	BLK1109MM	6	9 mm
10 mm	24.1 mm	6.4 mm	17.8 mm	8.1 mm	165.1 mm	.13	1110MM	BLK1110MM	6	10 mm
11 mm	24.1 mm	6.4 mm	17.8 mm	8.1 mm	165.1 mm	.13	1111MM	BLK1111MM	6	11 mm
12 mm	26.9 mm	6.9 mm	20.3 mm	9.1 mm	180.8 mm	.17	1112MM	BLK1112MM	6	12 mm
13 mm	26.9 mm	6.9 mm	20.3 mm	9.1 mm	180.8 mm	.17	1113MM	BLK1113MM	6	13 mm
14 mm	30.2 mm	7.6 mm	22.1 mm	9.7 mm	196.9 mm	.25	1114MM	BLK1114MM	6	14 mm
15 mm	33.3 mm	8.1 mm	24.1 mm	10.9 mm	215.9 mm	.30	1115MM	BLK1115MM	6	15 mm
16 mm	33.3 mm	8.1 mm	24.1 mm	10.9 mm	215.9 mm	.30	1116MM	BLK1116MM	6	16 mm
17 mm	38.9 mm	8.9 mm	26.4 mm	11.7 mm	235.0 mm	.38	1117MM	BLK1117MM	6	17 mm
18 mm	38.9 mm	8.9 mm	26.4 mm	11.7 mm	235.0 mm	.38	1118MM	BLK1118MM	6	18 mm
19 mm	39.6 mm	9.4 mm	28.7 mm	12.7 mm	257.0 mm	.43	1119MM	BLK1119MM	6	19 mm
20 mm	42.9 mm	10.2 mm	31.0 mm	13.5 mm	279.4 mm	.55	1120MM	BLK1120MM	6	20 mm
21 mm	42.9 mm	10.2 mm	31.0 mm	13.5 mm	279.4 mm	.55	1121MM	BLK1121MM	6	21 mm
22 mm	46.0 mm	10.7 mm	33.0 mm	14.2 mm	304.8 mm	.64	1122MM	BLK1122MM	6	22 mm
23 mm	49.3 mm	11.4 mm	35.1 mm	15.0 mm	330.2 mm	.77	1123MM	BLK1123MM	6	23 mm
24 mm	49.3 mm	11.4 mm	35.1 mm	15.0 mm	330.2 mm	.77	1124MM	BLK1124MM	6	24 mm
25 mm	52.3 mm	10.4 mm	37.3 mm	15.0 mm	355.6 mm	.92	1125MM	BLK1125MM	6	25 mm
26 mm	55.6 mm	11.2 mm	39.6 mm	15.7 mm	381.0 mm	1.07	1126MM	BLK1126MM	6	26 mm
27 mm	55.6 mm	11.2 mm	39.6 mm	15.7 mm	381.0 mm	1.07	1127MM	BLK1127MM	1	27 mm
28 mm	58.9 mm	13.5 mm	41.7 mm	17.5 mm	409.4 mm	1.40	1128MM	BLK1128MM	1	28 mm
29 mm	58.9 mm	13.5 mm	41.7 mm	17.5 mm	409.4 mm	1.34	1129MM	BLK1129MM	1	29 mm
30 mm	65.5 mm	14.7 mm	46.0 mm	19.1 mm	436.6 mm	1.80	1130MM	BLK1130MM	1	30 mm
32 mm	68.3 mm	13.5 mm	47.8 mm	19.1 mm	457.2 mm	1.80	1132MM	BLK1132MM	1	32 mm
34 mm	71.4 mm	14.2 mm	50.0 mm	19.8 mm	476.3 mm	2.10	1134MM	BLK1134MM	1	34 mm
36 mm	74.7 mm	15.0 mm	52.3 mm	20.6 mm	495.3 mm	3.60	1136MM	BLK1136MM	1	36 mm
41 mm	84.1 mm	16.8 mm	59.4 mm	22.4 mm	546.1 mm	4.50	1141MM	BLK1141MM	1	41 mm
46 mm	93.7 mm	18.3 mm	66.5 mm	24.6 mm	609.6 mm	7.00	1146MM	BLK1146MM	1	46 mm
50 mm	103.1 mm	19.8 mm	73.2 mm	26.9 mm	654.1 mm	6.80	1150MM	BLK1150MM	1	50 mm
55 mm	115.1mm	22.4 mm	81.8 mm	30.2 mm	743.0 mm	7.90	1155MM	BLK1155MM	1	55 mm
60 mm	127.0 mm	24.6 mm	89.7 mm	33.3 mm	787.4 mm	12.10	1160MM	BLK1160MM	1	60 mm

Combination Wrench Sets – Metric

Convenient Sets Provide Popular Wrench Sizes Ranging from 7 mm thru 32 mm Openings. Sets are Available in 5 Sizes: 7, 9, 11, 15 and 18 Wrenches, Packaged in a Handcrafted Fabric and Vinyl Roll Up Kit.

Chrome Sets

C7KM

11 mm	1111MM
12 mm	1112MM
13 mm	1113MM
14 mm	1114MM
16 mm	1116MM
17 mm	1117MM
19 mm	1119MM
Kit Bag	C187

C9KM

7 mm	1107MM
8 mm	1108MM
9 mm	1109MM
10 mm	1110MM
11 mm	1111MM
12 mm	1112MM
13 mm	1113MM
14 mm	1114MM
15 mm	1115MM
Kit Bag	C90

C11KM



7 mm	1107MM
8 mm	1108MM
9 mm	1109MM
10 mm	1110MM
11 mm	1111MM
12 mm	1112MM
13 mm	1113MM
14 mm	1114MM
15 mm	1115MM
16 mm	1116MM
17 mm	1117MM
Kit Bag	C111

C15KM

7 mm	1107MM
8 mm	1108MM
10 mm	1110MM
12 mm	1112MM
14 mm	1114MM
16 mm	1116MM
18 mm	1118MM
20 mm	1120MM
22 mm	1122MM
24 mm	1124MM
26 mm	1126MM
28 mm	1128MM
29 mm	1129MM
30 mm	1130MM
32 mm	1132MM
Kit Bag	C150

C18KM

7 mm	1107MM
8 mm	1108MM
9 mm	1109MM
10 mm	1110MM
11 mm	1111MM
12 mm	1112MM
13 mm	1113MM
14 mm	1114MM
15 mm	1115MM
16 mm	1116MM
17 mm	1117MM
18 mm	1118MM
19 mm	1119MM
20 mm	1120MM
21 mm	1121MM
22 mm	1122MM
23 mm	1123MM
24 mm	1124MM
Kit Bag	C180

Industrial Black Sets

CB7KM

11 mm	BLK1111MM
12 mm	BLK1112MM
13 mm	BLK1113MM
14 mm	BLK1114MM
16 mm	BLK1116MM
17 mm	BLK1117MM
19 mm	BLK1119MM
Kit Bag	C187

CB9KM

7 mm	BLK1107MM
8 mm	BLK1108MM
9 mm	BLK1109MM
10 mm	BLK1110MM
11 mm	BLK1111MM
12 mm	BLK1112MM
13 mm	BLK1113MM
14 mm	BLK1114MM
15 mm	BLK1115MM
Kit Bag	C90

CB11KM

7 mm	BLK1107MM
8 mm	BLK1108MM
9 mm	BLK1109MM
10 mm	BLK1110MM
11 mm	BLK1111MM
12 mm	BLK1112MM
13 mm	BLK1113MM
14 mm	BLK1114MM
15 mm	BLK1115MM
16 mm	BLK1116MM
17 mm	BLK1117MM
Kit Bag	C111

CB15KM

7 mm	BLK1107MM
8 mm	BLK1108MM
10 mm	BLK1110MM
12 mm	BLK1112MM
14 mm	BLK1114MM
16 mm	BLK1116MM
18 mm	BLK1118MM
20 mm	BLK1120MM
22 mm	BLK1122MM
24 mm	BLK1124MM
26 mm	BLK1126MM
28 mm	BLK1128MM
29 mm	BLK1129MM
30 mm	BLK1130MM
32 mm	BLK1132MM
Kit Bag	C150

CB18KM

7 mm	BLK1107MM
8 mm	BLK1108MM
9 mm	BLK1109MM
10 mm	BLK1110MM
11 mm	BLK1111MM
12 mm	BLK1112MM
13 mm	BLK1113MM
14 mm	BLK1114MM
15 mm	BLK1115MM
16 mm	BLK1116MM
17 mm	BLK1117MM
18 mm	BLK1118MM
19 mm	BLK1119MM
20 mm	BLK1120MM
21 mm	BLK1121MM
22 mm	BLK1122MM
23 mm	BLK1123MM
24 mm	BLK1124MM
Kit Bag	C180

Double Head
Open End Wrenches



American Alloy Steel
Drop Forged

15° Angle

Comfortable Grip

Chrome and
Industrial Black

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	A × B	C	D		Part No.		Part No.		
¼ × 5/16	19/32 × ¾	5/32	4½	.03	1020	6	BLK-1020	6	¼ × 5/16
5/16 × 11/32	19/32 × ¾	5/32	4½	.04	1720	6	BLK1720	6	5/16 × 11/32
5/16 × ⅜	19/32 × ¾	5/32	4½	.04	1721	6	BLK1721	6	5/16 × ⅜
5/16 × 13/32	19/32 × ¾	5/32	4½	.04	1021	6	BLK1021	6	5/16 × 13/32
⅜ × 7/16	¾ × 29/32	13/64	4⅞	.06	1723	6	BLK1723	6	⅜ × 7/16
⅜ × ½	¾ × 29/32	13/64	4⅞	.06	1723A	6	BLK1723A	6	⅜ × ½
7/16 × ½	29/32 × 1⅛	¼	5¾	.13	1725	6	BLK1725	6	7/16 × ½
7/16 × 9/16	29/32 × 1⅛	¼	5¾	.13	1725A	6	BLK1725A	6	7/16 × 9/16
½ × 9/16	1 1/16 × 1⅛	¼	6⅛	.19	1725B	6	BLK1725B	6	½ × 9/16
½ × ⅝	1¼ × 1⅜	¼	6⅛	.32	1726	6	BLK1726	6	½ × ⅝
9/16 × ⅝	1⅛ × 1¼	17/64	6¾	.20	1727	6	BLK1727	6	9/16 × ⅝
9/16 × 11/16	1 3/16 × 1 7/16	19/64	7½	.27	1027C	6	BLK1027C	6	9/16 × 11/16
19/32 × 11/16	1 3/16 × 1 7/16	19/64	7½	.27	1027	6	BLK1027	6	19/32 × 11/16
⅝ × 11/16	1 3/16 × 1 7/16	19/64	7½	.27	1027B	6	BLK1027B	6	⅝ × 11/16
9/16 × ¾	1 5/16 × 1½	19/64	7½	.41	1728	6	BLK1728	6	9/16 × ¾
⅝ × ¾	1 5/16 × 1⅝	5/16	8½	.41	1729	6	BLK1729	6	⅝ × ¾
11/16 × ¾	1 5/16 × 1⅝	5/16	8½	.41	1029B	6	BLK1029B	6	11/16 × ¾
11/16 × 25/32	1 5/16 × 1⅝	5/16	8½	.41	1029	6	BLK1029	6	11/16 × 25/32
11/16 × 13/16	1 5/16 × 1⅝	5/16	8½	.40	1029C	6	BLK1029C	6	11/16 × 13/16
11/16 × ⅞	1 5/16 × 1⅝	5/16	8½	.40	1030	6	BLK-1030	6	11/16 × ⅞
¾ × 13/16	1⅝ × 1¾	11/32	9⅝	.50	1731	6	BLK1731	6	¾ × 13/16
¾ × ⅞	1⅝ × 1¾	11/32	9⅝	.50	1731A	6	BLK1731A	6	¾ × ⅞
13/16 × ⅞	1⅝ × 1¾	11/32	9⅝	.50	1731B	6	BLK1731B	6	13/16 × ⅞
⅞ × 15/16	1 11/16 × 1 15/16	⅜	10⅝	.75	1033A	6	BLK1033A	6	⅞ × 15/16
⅞ × 1	1 11/16 × 1 15/16	⅜	10⅝	.72	1733	6	BLK1733	6	⅞ × 1
15/16 × 1	1⅞ × 2⅛	7/16	11½	1.05	1033C	6	BLK1033C	6	15/16 × 1
⅞ × 1 1/16	1⅞ × 2⅛	7/16	11½	1.03	1034	6	BLK1034	6	⅞ × 1 1/16
15/16 × 1 1/16	1⅞ × 2⅛	7/16	11½	1.01	1034A	6	BLK1034A	6	15/16 × 1 1/16
1 × 1⅛	2⅛ × 2¼	7/16	12½	1.18	1735	6	BLK1735	6	1 × 1⅛
1 1/16 × 1⅛	2⅛ × 2¼	7/16	12½	1.16	1036B	6	BLK1036B	6	1 1/16 × 1⅛
1 1/16 × 1¼	2¼ × 2⅝	½	13¾	1.6	1037	6	BLK1037	6	1 1/16 × 1¼
1⅛ × 1¼	2¼ × 2⅝	½	13¾	1.6	1737	6	BLK1737	6	1⅛ × 1¼
1⅛ × 1 5/16	2¼ × 2⅝	½	13¾	1.6	1037A	6	BLK1037A	6	1⅛ × 1 5/16
1¼ × 1 5/16	2¾ × 2⅞	9/16	15½	2.1	1039B	6	BLK1039B	1	1¼ × 1 5/16
1¼ × 1 7/16	2¾ × 2⅞	9/16	15½	2.1	1039	6	BLK1039	1	1¼ × 1 7/16
1 5/16 × 1½	2¾ × 2⅞	9/16	15½	2.1	1039A	6	BLK1039A	1	1 5/16 × 1½
1⅜ × 1 7/16	2¾ × 2⅞	9/16	15½	2.0	1039C	6	BLK1039C	1	1⅜ × 1 7/16
1¼ × 1⅝	2¾ × 2⅞	9/16	15½	2.0	1040	6	BLK1040	1	1¼ × 1⅝
1 7/16 × 1⅝	2¾ × 3¼	⅝	17	3.1	1041	1	BLK1041	1	1 7/16 × 1⅝
1½ × 1⅝	2¾ × 3½	⅝	17	3.1	1041B	1	BLK1041B	1	1½ × 1⅝
1 11/16 × 1⅞	3¾ × 4⅛	⅞	19½	7.2	—	—	BLK44A	1	1 11/16 × 1⅞
1 13/16 × 2	3¾ × 4⅛	⅞	19½	6.9	—	—	BLK45	1	1 13/16 × 2
2 5/16 × 2⅜	4 13/16 × 4⅞	1⅛	23	11.8	—	—	BLK49	1	2 5/16 × 2⅜
2¼ × 2 7/16	4 13/16 × 4⅞	1⅛	23	11.7	—	—	BLK49A	1	2¼ × 2 7/16

Double Head Open End Wrench Sets

6 Sets of Popular Sizes Provide a Wide Range of Openings in Chrome or Industrial Black Finish.

Chrome Sets

OE6K

OPENING	PART NO.
3/8 × 7/16	1723
1/2 × 9/16	1725B
5/8 × 11/16	1027B
3/4 × 13/16	1731
7/8 × 15/16	1033A
1 × 1 1/8	1735
Kit Bag	C60B

OE8K

OPENING	PART NO.
1/4 × 5/16	1020
3/8 × 7/16	1723
1/2 × 9/16	1725B
5/8 × 11/16	1027B
3/4 × 13/16	1731
7/8 × 15/16	1033A
1 × 1 1/8	1735
1 1/16 × 1 1/4	1037
Kit Bag	C81

OE11K

OPENING	PART NO.
1/4 × 5/16	1020
5/16 × 3/8	1721
3/8 × 7/16	1723
7/16 × 1/2	1725
1/2 × 9/16	1725B
9/16 × 5/8	1727
5/8 × 11/16	1027B
3/4 × 13/16	1731
7/8 × 15/16	1033A
1 × 1 1/8	1735
1 1/16 × 1 1/4	1037
Kit Bag	C110

Industrial Black Sets

BOE6K

OPENING	PART NO.
3/8 × 7/16	BLK1723
1/2 × 9/16	BLK1725B
5/8 × 11/16	BLK1027B
3/4 × 13/16	BLK1731
7/8 × 15/16	BLK1033A
1 × 1 1/8	BLK1735
Kit Bag	C60B

BOE8K

OPENING	PART NO.
1/4 × 5/16	BLK-1020
3/8 × 7/16	BLK1723
1/2 × 9/16	BLK1725B
5/8 × 11/16	BLK1027B
3/4 × 13/16	BLK1731
7/8 × 15/16	BLK1033A
1 × 1 1/8	BLK1735
1 1/16 × 1 1/4	BLK1037
Kit Bag	C81

BOE11K



OPENING	PART NO.
1/4 × 5/16	BLK-1020
5/16 × 3/8	BLK1721
3/8 × 7/16	BLK1723
7/16 × 1/2	BLK1725
1/2 × 9/16	BLK1725B
9/16 × 5/8	BLK1727
5/8 × 11/16	BLK1027B
3/4 × 13/16	BLK1731
7/8 × 15/16	BLK1033A
1 × 1 1/8	BLK1735
1 1/16 × 1 1/4	BLK1037
Kit Bag	C110

TOOLS

Double Offset Box Wrenches



American Alloy Steel

Drop Forged

12 Point Box

Double Offset 45° for Obstruction Clearance

Different Opening in Each End.

Short Pattern

Wrench Opening	Diameter of Head		Thickness of Head		Length	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Opening
A × B	A_1	B_1	A_2	B_2	C		Part No.	Part No.		A × B
5/16 × 3/8	15/32	35/64	7/32	1/4	4 1/4	.06	9721	BLK9721	6	5/16 × 3/8
3/8 × 7/16	17/32	5/8	17/64	5/16	4 5/8	.08	9723	BLK9723	6	3/8 × 7/16
7/16 × 1/2	5/8	23/32	5/16	11/32	5 1/16	.10	9725	BLK9725	6	7/16 × 1/2
1/2 × 9/16	23/32	13/16	11/32	3/8	5 1/2	.13	9725B	BLK9725B	6	1/2 × 9/16
9/16 × 5/8	13/16	7/8	3/8	7/16	5 15/16	.19	9727	BLK9727	6	9/16 × 5/8
5/8 × 11/16	7/8	1 1/32	7/16	15/32	6 1/2	.26	9727A	BLK9727A	6	5/8 × 11/16
5/8 × 3/4	7/8	1 1/32	7/16	15/32	6 1/2	.25	9729	BLK9729	6	5/8 × 3/4

Long Pattern

Wrench Opening	Diameter of Head		Thickness of Head		Length	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Opening
A × B	A_1	B_1	A_2	B_2	C		Part No.	Part No.		A × B
3/8 × 7/16	17/32	19/32	9/32	9/32	6 15/32	.15	8723	BLK8723	6	3/8 × 7/16
7/16 × 1/2	5/8	11/16	5/16	5/16	7 3/4	.16	8725	BLK8725	6	7/16 × 1/2
1/2 × 9/16	11/16	13/16	3/8	3/8	8 5/8	.25	8725B	BLK8725B	6	1/2 × 9/16
9/16 × 5/8	25/32	7/8	3/8	3/8	9 1/2	.34	8727	BLK8727	6	9/16 × 5/8
5/8 × 11/16	7/8	31/32	13/32	13/32	10 5/16	.37	8727A	BLK8727A	6	5/8 × 11/16
5/8 × 3/4	7/8	1 1/32	29/64	29/64	11 3/16	.43	8729	BLK8729	6	5/8 × 3/4
11/16 × 3/4	1 1/32	1 5/32	15/32	15/32	11 7/8	.56	8029B	BLK8029B	6	11/16 × 3/4
3/4 × 7/8	1 1/32	1 3/16	1/2	1/2	12 9/16	.68	8731A	BLK8731A	6	3/4 × 7/8
13/16 × 7/8	1 5/32	1 7/32	17/32	17/32	13 5/16	.74	8731B	BLK8731B	6	13/16 × 7/8
7/8 × 15/16	1 5/16	1 13/32	9/16	9/16	14 1/16	1.0	8033A	BLK8033A	6	7/8 × 15/16
15/16 × 1	1 5/16	1 13/32	9/16	9/16	14 1/16	1.0	8033C	BLK8033C	6	15/16 × 1
1 × 1 1/8	1 13/32	1 17/32	21/32	21/32	15 3/16	1.4	8735	BLK8735	6	1 × 1 1/8
1 1/16 × 1 1/8	1 13/32	1 17/32	21/32	21/32	15 3/16	1.4	8735A	BLK8735A	6	1 1/16 × 1 1/8
1 1/16 × 1 1/4	1 9/16	1 13/16	11/16	11/16	17 3/16	1.8	8037	BLK8037	1	1 1/16 × 1 1/4
1 1/8 × 1 5/16	1 9/16	1 13/16	11/16	11/16	17 3/16	1.8	8037A	BLK8037A	1	1 1/8 × 1 5/16
1 1/4 × 1 5/16	1 7/8	2 1/16	3/4	3/4	18 3/8	2.4	8039B	BLK8039B	1	1 1/4 × 1 5/16
1 1/4 × 1 7/16	1 7/8	2 1/16	3/4	3/4	18 3/8	2.4	8039	BLK8039	1	1 1/4 × 1 7/16
1 5/16 × 1 1/2	2	2 1/16	25/32	13/16	20 1/16	2.8	8040A	BLK8040A	1	1 5/16 × 1 1/2
1 3/8 × 1 7/16	2	2 1/16	25/32	13/16	20 1/16	2.8	8040C	BLK8040C	1	1 3/8 × 1 7/16
1 3/8 × 1 1/2	2	2 1/16	25/32	13/16	20 1/16	2.8	8040	BLK8040	1	1 3/8 × 1 1/2
1 7/16 × 1 1/2	2	2 1/16	25/32	13/16	20 1/16	2.8	8040B	BLK8040B	1	1 7/16 × 1 1/2

Double Offset Box Wrench Sets

Chrome Sets

BO6K

3/8 × 7/16	8723
7/16 × 1/2	8725
1/2 × 9/16	8725B
9/16 × 5/8	8727
11/16 × 3/4	8029B
13/16 × 7/8	8731B
Kit Bag	C60B

BO11K

3/8 × 7/16	8723
7/16 × 1/2	8725
1/2 × 9/16	8725B
9/16 × 5/8	8727
5/8 × 11/16	8727A
11/16 × 3/4	8029B
13/16 × 7/8	8731B
15/16 × 1	8033C
1 1/16 × 1 1/8	8735A
1 1/16 × 1 1/4	8037
1 1/4 × 1 5/16	8039B
Kit Bag	C110

Industrial Black Sets

BBO6K

3/8 × 7/16	BLK8723
7/16 × 1/2	BLK8725
1/2 × 9/16	BLK8725B
9/16 × 5/8	BLK8727
11/16 × 3/4	BLK8029B
13/16 × 7/8	BLK8731B
Kit Bag	C60B

BBO11K

3/8 × 7/16	BLK8723
7/16 × 1/2	BLK8725
1/2 × 9/16	BLK8725B
9/16 × 5/8	BLK8727
5/8 × 11/16	BLK8727A
11/16 × 3/4	BLK8029B
13/16 × 7/8	BLK8731B
15/16 × 1	BLK8033C
1 1/16 × 1 1/8	BLK8735A
1 1/16 × 1 1/4	BLK8037
1 1/4 × 1 5/16	BLK8039B
Kit Bag	C110

Hydraulic Wrenches
Angle Openings SAE & Metric



American Alloy Steel
Drop Forged

Permits Work in Extremely Tight Clearance

Thin Head

Same Opening Each End

Wrench Openings	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Openings
	A	B	C		Part No.	Part No.		
11/32 X 11/32	0.8	0.2	4.8	.07	3710A	BLK3710A	6	11/32 X 11/32
3/8 X 3/8	0.8	0.2	4.8	.07	3710	BLK3710	6	3/8 X 3/8
7/16 X 7/16	0.9	0.2	5.0	.08	3711	BLK3711	6	7/16 X 7/16
1/2 X 1/2	1.0	0.2	5.5	.10	3712	BLK3712	6	1/2 X 1/2
9/16 X 9/16	1.1	0.3	6.0	.12	3713	BLK3713	6	9/16 X 9/16
5/8 X 5/8	1.2	0.3	6.3	.18	3714	BLK3714	6	5/8 X 5/8
11/16 X 11/16	1.3	0.3	7.0	.22	3715	BLK3715	6	11/16 X 11/16
3/4 X 3/4	1.4	0.3	7.3	.24	3716	BLK3716	6	3/4 X 3/4
13/16 X 13/16	1.6	0.3	7.5	.29	3717	BLK3717	6	13/16 X 13/16
7/8 X 7/8	1.7	0.3	8.3	.35	3718	BLK3718	6	7/8 X 7/8
15/16 X 15/16	1.8	0.3	9.0	.38	3719	BLK3719	6	15/16 X 15/16
1 X 1	1.9	0.3	9.8	.52	3720	BLK3720	6	1 X 1
1 1/16 X 1 1/16	2.1	0.3	10.0	.60	3721	BLK3721	6	1 1/16 X 1 1/16
1 1/8 X 1 1/8	2.3	0.3	11.0	.75	3722	BLK3722	6	1 1/8 X 1 1/8
1 3/16 X 1 3/16	2.3	0.3	11.0	.74	3722A	BLK3722A	6	1 3/16 X 1 3/16
1 1/4 X 1 1/4	2.4	0.3	11.5	.83	3723	BLK3723	6	1 1/4 X 1 1/4
1 3/8 X 1 3/8	2.7	0.4	12.5	1.2	3724	BLK3724	6	1 3/8 X 1 3/8
1 7/16 X 1 7/16	2.7	0.4	12.5	1.2	3725	BLK3725	6	1 7/16 X 1 7/16
1 1/2 X 1 1/2	2.7	0.4	12.5	1.2	3726	BLK3726	6	1 1/2 X 1 1/2
1 5/8 X 1 5/8	3.2	0.5	15.8	3.0	3727	BLK3727	1	1 5/8 X 1 5/8
1 11/16 X 1 11/16	3.3	0.5	16.5	3.4	3728	BLK3728	1	1 11/16 X 1 11/16
1 3/4 X 1 3/4	3.4	0.5	17.0	3.8	3729	BLK3729	1	1 3/4 X 1 3/4
1 13/16 X 1 13/16	3.6	0.5	17.8	4.5	3730	BLK3730	1	1 13/16 X 1 13/16
1 7/8 X 1 7/8	3.7	0.6	18.5	5.2	3731	BLK3731	1	1 7/8 X 1 7/8
2 X 2	3.9	0.6	19.3	5.9	3732	BLK3732	1	2 X 2

Wrench Openings	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Wrench Openings
	A	B	C		Part No.		
9 mm	19.8	5.6	120.7	.07	3709 MM	6	9 mm
10 mm	19.8	5.6	120.7	.07	3710 MM	6	10 mm
11 mm	22.4	5.6	127.0	.08	3711 MM	6	11 mm
12 mm	22.4	5.6	127.0	.08	3712 MM	6	12 mm
13 mm	25.4	5.6	139.7	.10	3713 MM	6	13 mm
14 mm	28.4	6.4	152.4	.12	3714 MM	6	14 mm
15 mm	28.4	6.4	152.4	.22	3715 MM	6	15 mm
16 mm	30.2	7.1	158.8	.18	3716 MM	6	16 mm
17 mm	30.2	7.1	158.8	.18	3717 MM	6	17 mm
18 mm	33.3	7.1	177.8	.22	3718 MM	6	18 mm
19 mm	36.6	7.1	184.2	.24	3719 MM	6	19 mm
20 mm	36.6	7.1	184.2	.24	3720 MM	6	20 mm
21 mm	40.4	7.1	190.5	.29	3721 MM	6	21 mm
22 mm	40.4	7.1	190.5	.29	3722 MM	6	22 mm
23 mm	42.9	7.1	209.6	.35	3723 MM	6	23 mm
24 mm	46.0	7.1	228.6	.38	3724 MM	6	24 mm
27 mm	52.3	7.9	254.0	.52	3727 MM	6	27 mm
30 mm	57.2	7.9	279.4	.60	3730 MM	6	30 mm
32 mm	60.5	8.6	292.1	.83	3732 MM	6	32 mm
34 mm	67.6	10.4	317.5	1.2	3734 MM	6	34 mm
36 mm	67.6	10.4	317.5	1.2	3736 MM	6	36 mm

Hydraulic Wrench Sets
Angle Openings SAE & Metric

Convenient Angle Wrench Sets Keep Popular Sizes in Handy, Easy to Carry Roll Bags. 8 Sets Provide the Full Range of Openings in Chrome or Industrial Black Finish.

Chrome Sets SAE & Metric

OB7K

OPENING	PART NO.
OB7K	
3/8 × 3/8	3710
7/16 × 7/16	3711
1/2 × 1/2	3712
9/16 × 9/16	3713
5/8 × 5/8	3714
11/16 × 11/16	3715
3/4 × 3/4	3716
Roll Bag	C70
OB7KM	
10mm	3710MM
11mm	3711MM
12mm	3712MM
13mm	3713MM
14mm	3714MM
15mm	3715MM
16mm	3716MM
Roll Bag	C70

OB11K

OPENING	PART NO.
OB11K	
3/8 × 3/8	3710
7/16 × 7/16	3711
1/2 × 1/2	3712
9/16 × 9/16	3713
5/8 × 5/8	3714
11/16 × 11/16	3715
3/4 × 3/4	3716
13/16 × 13/16	3717
7/8 × 7/8	3718
15/16 × 15/16	3719
1 × 1	3720
Roll Bag	C111

OB15K

OPENING	PART NO.
OB15K	
3/8 × 3/8	3710
7/16 × 7/16	3711
1/2 × 1/2	3712
9/16 × 9/16	3713
5/8 × 5/8	3714
11/16 × 11/16	3715
3/4 × 3/4	3716
13/16 × 13/16	3717
7/8 × 7/8	3718
15/16 × 15/16	3719
1 × 1	3720
1 1/16 × 1 1/16	3721
1 1/8 × 1 1/8	3722
1 3/16 × 1 3/16	3722
1 1/4 × 1 1/4	3723
Roll Bag	C180

OPENING	PART NO.
OB15KM	
10mm	3710MM
11mm	3711MM
12mm	3712MM
13mm	3713MM
14mm	3714MM
15mm	3715MM
16mm	3716MM
17mm	3717MM
18mm	3718MM
19mm	3719MM
21mm	3721MM
22mm	3722MM
24mm	3724MM
27mm	3727MM
30mm	3730MM
Roll Bag	C180

OB18K



OPENING	PART NO.
OB18K	
11/32 × 11/32	3710A
3/8 × 3/8	3710
7/16 × 7/16	3711
1/2 × 1/2	3712
9/16 × 9/16	3713
5/8 × 5/8	3714
11/16 × 11/16	3715
3/4 × 3/4	3716
13/16 × 13/16	3717
7/8 × 7/8	3718
15/16 × 15/16	3719
1 × 1	3720
1 1/16 × 1 1/16	3721
1 1/8 × 1 1/8	3722
1 1/4 × 1 1/4	3723
1 3/8 × 1 3/8	3724
1 7/16 × 1 7/16	3725
1 1/2 × 1 1/2	3726
Roll Bag	C180

OPENING	PART NO.
OB18KM	
9mm	3709MM
10mm	3710MM
11mm	3711MM
12mm	3712MM
13mm	3713MM
14mm	3714MM
15mm	3715MM
16mm	3716MM
17mm	3717MM
18mm	3718MM
19mm	3719MM
21mm	3721MM
22mm	3722MM
24mm	3724MM
27mm	3727MM
32mm	3732MM
34mm	3734MM
36mm	3736MM
Roll Bag	C180

Industrial Black Sets

BOB7K



OPENING	PART NO.
3/8 × 3/8	BLK3710
7/16 × 7/16	BLK3711
1/2 × 1/2	BLK3712
9/16 × 9/16	BLK3713
5/8 × 5/8	BLK3714
11/16 × 11/16	BLK3715
3/4 × 3/4	BLK3716
Roll Bag	C70

BOB11K

OPENING	PART NO.
3/8 × 3/8	BLK3710
7/16 × 7/16	BLK3711
1/2 × 1/2	BLK3712
9/16 × 9/16	BLK3713
5/8 × 5/8	BLK3714
11/16 × 11/16	BLK3715
3/4 × 3/4	BLK3716
13/16 × 13/16	BLK3717
7/8 × 7/8	BLK3718
15/16 × 15/16	BLK3719
1 × 1	BLK3720
Roll Bag	C111

BOB15K

OPENING	PART NO.
3/8 × 3/8	BLK3710
7/16 × 7/16	BLK3711
1/2 × 1/2	BLK3712
9/16 × 9/16	BLK3713
5/8 × 5/8	BLK3714
11/16 × 11/16	BLK3715
3/4 × 3/4	BLK3716
13/16 × 13/16	BLK3717
7/8 × 7/8	BLK3718
15/16 × 15/16	BLK3719
1 × 1	BLK3720
1 1/16 × 1 1/16	BLK3721
1 1/8 × 1 1/8	BLK3722
1 3/16 × 1 3/16	BLK3722A
1 1/4 × 1 1/4	BLK3723
Roll Bag	C180

BOB18K

OPENING	PART NO.
11/32 × 11/32	BLK3710A
3/8 × 3/8	BLK3710
7/16 × 7/16	BLK3711
1/2 × 1/2	BLK3712
9/16 × 9/16	BLK3713
5/8 × 5/8	BLK3714
11/16 × 11/16	BLK3715
3/4 × 3/4	BLK3716
13/16 × 13/16	BLK3717
7/8 × 7/8	BLK3718
15/16 × 15/16	BLK3719
1 × 1	BLK3720
1 1/16 × 1 1/16	BLK3721
1 1/8 × 1 1/8	BLK3722
1 1/4 × 1 1/4	BLK3723
1 3/8 × 1 3/8	BLK3724
1 7/16 × 1 7/16	BLK3725
1 1/2 × 1 1/2	BLK3726
Roll Bag	C180

TOOLS

Service Wrenches – SAE & Metric





30° Angle



Straight

30° Angle Service Wrenches

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Chrome Part No.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
3/4	1 11/16	1/4	6 5/16	.22	1224	BLK-1224	6	3/4
13/16	1 11/16	1/4	6 5/16	.22	1226	BLK1226	6	13/16
7/8	1 11/16	1/4	6 5/16	.22	1228	BLK1228	6	7/8
15/16	1 7/8	1/4	6 7/8	.25	1230	BLK-1230	6	15/16
1	1 7/8	1/4	6 7/8	.25	1232	BLK1232	6	1
1 1/16	1 7/8	1/4	6 7/8	.25	1234	BLK1234	6	1 1/16
1 1/8	2 1/16	1/4	7 3/16	.31	1236	BLK1236	6	1 1/8
1 3/16	2 1/16	1/4	7 3/16	.31	1238	BLK1238	6	1 3/16
1 1/4	2 1/16	1/4	7 3/16	.30	1240	BLK1240	6	1 1/4
1 5/16	2 1/16	1/4	7 3/16	.30	1236S	BLK1236S	6	1 5/16
1 5/16	2 1/2	9/32	7 11/16	.45	1242	BLK1242	6	1 5/16
1 3/8	2 1/2	9/32	7 11/16	.44	1244	BLK1244	6	1 3/8
1 7/16	2 1/2	9/32	7 11/16	.43	1246	BLK1246	6	1 7/16
1 1/2	2 1/2	9/32	7 11/16	.42	1248	BLK1248	6	1 1/2
1 9/16	2 5/8	9/32	7 15/16	.43	1250	BLK1250	6	1 9/16
1 5/8	2 5/8	9/32	7 15/16	.43	1252	BLK1252	6	1 5/8
1 11/16	2 5/8	9/32	7 15/16	.42	1254	BLK1254	6	1 11/16
1 3/4	3 1/8	5/16	8 9/16	.70	1256	BLK1256	6	1 3/4
1 13/16	3 1/8	5/16	8 9/16	.69	1258	BLK1258	6	1 13/16
1 7/8	3 1/8	5/16	8 9/16	.69	1260	BLK1260	6	1 7/8
1 15/16	3 1/8	5/16	8 9/16	.68	1262	BLK1262	6	1 15/16
2	3 1/2	5/16	9 1/2	.66	1264	BLK1264	6	2
2 1/8	3 1/2	5/16	9 1/2	.65	1268	BLK1268	6	2 1/8
2 1/4	3 1/2	5/16	9 1/2	.61	1272	BLK1272	6	2 1/4
2 3/8	3 1/2	5/16	9 1/2	.61	1276	BLK1276	6	2 3/8
2 1/2	3 1/2	5/16	9 1/2	.59	1272S	BLK1272S	6	2 1/2
2 9/16	3 1/2	5/16	9 1/2	.57	1264S	BLK1264S	6	2 9/16

Chrome Set 30°

SW11K

OPENING	CHROME PART NO.	BLACK PART NO.
3/4	1224	BLK-1224
13/16	1226	BLK1226
7/8	1228	BLK1228
15/16	1230	BLK-1230
1	1232	BLK1232
1 1/16	1234	BLK1234
1 1/8	1236	BLK1236
1 3/16	1238	BLK1238
1 1/4	1240	BLK1240
1 3/8	1244	BLK1244
1 1/2	1248	BLK1248
Kit Bag		C111

Industrial Black Set 30°

BSW11K

Straight Service Wrenches

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Chrome Part No.	Std. Pkg. Qty.	Wrench Opening
1	2 1/2	1/4	12 1/4	.77	1932	6	1
1 1/8	2 1/2	1/4	12 1/4	.73	1936	6	1 1/8
1 1/2	2 7/8	9/32	12 1/4	.93	1948	6	1 1/2
1 5/8	2 7/8	9/32	12 1/4	.92	1952	6	1 5/8
1 3/4	3 7/16	5/16	12 1/4	1.3	1956	6	1 3/4
2	3 7/16	5/16	12 1/4	1.3	1964	6	2
2 1/4	3 7/16	5/16	12 1/4	1.3	1972	6	2 1/4

TOOLS

Service Wrenches – Metric

- Pump Wrenches - Chrome
- Thin Pattern for Use on Jam Nuts and in Confined Areas
- 30º Angle Heads





30° Angle

30° Angle Service Wrenches

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Chrome Part No.	Std. Pkg. Qty.	Wrench Opening
19 mm	42.9 mm	6.4 mm	160.3 mm	.22	1219MM	6	19 mm
21 mm	42.9 mm	6.4 mm	160.3 mm	.22	1221MM	6	21 mm
22 mm	42.9 mm	6.4 mm	160.3 mm	.22	1222MM	6	22 mm
24 mm	47.6 mm	6.4 mm	174.8 mm	.25	1224MM	6	24 mm
27 mm	47.6 mm	6.4 mm	174.8 mm	.25	1227MM	6	27 mm
30 mm	52.4 mm	6.4 mm	182.6 mm	.31	1230MM	6	30 mm
32 mm	52.4 mm	6.4 mm	182.6 mm	.30	1232MM	6	32 mm
36 mm	63.5 mm	7.1 mm	195.3 mm	.45	1236MM	6	36 mm
37 mm	63.5 mm	7.1 mm	195.3 mm	.43	1237MM	6	37 mm
38 mm	63.5 mm	7.1 mm	195.3 mm	.42	1238MM	6	38 mm
40 mm	66.7 mm	7.1 mm	201.7 mm	.43	1240MM	6	40 mm
41 mm	66.7 mm	7.1 mm	201.7 mm	.43	1241MM	6	41 mm
42 mm	66.7 mm	7.1 mm	201.7 mm	.43	1242MM	6	42 mm
44 mm	66.7 mm	7.1 mm	201.7 mm	.43	1244MM	6	44 mm
46 mm	79.4 mm	7.9 mm	217.4 mm	.70	1246MM	6	46 mm
48 mm	79.4 mm	7.9 mm	217.4 mm	.70	1248MM	6	48 mm
50 mm	79.4 mm	7.9 mm	217.4 mm	.68	1250MM	6	50 mm
52 mm	88.9 mm	7.9 mm	242.1 mm	.66	1252MM	6	52 mm
55 mm	88.9 mm	7.9 mm	242.1 mm	.66	1255MM	6	55 mm
60 mm	88.9 mm	7.9 mm	242.1 mm	.61	1260MM	6	60 mm
65 mm	88.9 mm	7.9 mm	242.1 mm	.57	1265MM	6	65 mm

Chrome Set 30º

SW11KM

OPENING	CHROME PART NO.
19 mm	1219MM
21 mm	1221MM
22 mm	1222MM
24 mm	1224MM
27 mm	1227MM
30 mm	1230MM
32 mm	1232MM
36 mm	1236MM
37 mm	1237MM
38 mm	1238MM
40 mm	1240MM
Kit Bag	C111

TOOLS

Check Nut Wrenches – Fractional & Metric



Thin Pattern

15% Angle

Use on Check Nuts, Stop Nuts, Jam Nuts, Hydraulic Fitting

Smaller Sizes Compliment Service Wrenches

Check Nut Wrench - Fractional

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
7/16	1	1/8	4	.05	601A	6	7/16
1/2	1	1/8	4	.05	601	6	1/2
9/16	1 1/4	5/32	4 1/2	.11	602A	6	9/16
19/32	1 1/4	5/32	4 1/2	.11	602	6	19/32
5/8	1 1/2	3/16	5 1/8	.13	603A	6	5/8
11/16	1 1/2	3/16	5 1/8	.13	603	6	11/16
3/4	1 5/8	7/32	5 7/8	.19	604A	6	3/4
13/16	1 13/16	1/4	6 5/8	.28	605A	6	13/16
7/8	1 13/16	1/4	6 5/8	.28	605	6	7/8
15/16	2	9/32	7 1/2	.36	606A	6	15/16
1	2	9/32	7 1/2	.35	606B	6	1
1 1/16	2 7/16	5/16	8 1/2	.66	607	6	1 1/16
1 1/8	2 7/16	5/16	8 1/2	.65	607A	6	1 1/8
1 1/4	2 5/8	3/8	10	1.12	608	6	1 1/4
1 5/16	2 5/8	3/8	10	1.12	608A	6	1 5/16
1 1/2	3 3/8	7/16	11 3/8	1.5	609A	6	1 1/2
1 5/8	3 7/16	1/2	13	2.3	610	6	1 5/8
1 11/16	3 7/16	1/2	13	2.2	610A	6	1 11/1

Check Nut Wrench - Metric

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
10 mm	25.40 mm	3.17 mm	101.59 mm	.05	610MM	6	10 mm
11 mm	25.40 mm	3.17 mm	101.59 mm	.05	611MM	6	11 mm
12 mm	25.40 mm	3.17 mm	101.59 mm	.05	612MM	6	12 mm
13 mm	25.40 mm	3.17 mm	101.59 mm	.05	613MM	6	13 mm
14 mm	31.75 mm	3.97 mm	114.29 mm	.11	614MM	6	14 mm
15 mm	31.75 mm	3.97 mm	114.29 mm	.11	615MM	6	15 mm
16 mm	38.10 mm	4.76 mm	130.16 mm	.13	616MM	6	16 mm
17 mm	38.10 mm	4.76 mm	130.16 mm	.13	617MM	6	17 mm
18 mm	38.10 mm	4.76 mm	130.16 mm	.13	618MM	6	18 mm
19 mm	41.28 mm	5.56 mm	155.58 mm	.19	619MM	6	19 mm
21 mm	46.03 mm	6.35 mm	168.25 mm	.28	621MM	6	21 mm
22 mm	46.03 mm	6.35 mm	168.25 mm	.28	622MM	6	22 mm
24 mm	50.79 mm	7.14 mm	190.48 mm	.36	624MM	6	24 mm
27 mm	61.90 mm	7.94 mm	215.87 mm	.66	627MM	6	27 mm
30 mm	61.90 mm	7.94 mm	215.87 mm	.66	630MM	6	30 mm
32 mm	66.67 mm	9.52 mm	253.97 mm	1.12	632MM	6	32 mm
36 mm	66.67 mm	9.52 mm	253.97 mm	1.12	636MM	6	36 mm
37 mm	85.71 mm	11.11 mm	288.88 mm	1.50	637MM	6	37 mm
38 mm	85.71 mm	11.11 mm	288.88 mm	1.50	638MM	6	38 mm
41 mm	87.30 mm	12.70 mm	330.16 mm	2.1	641MM	6	41 mm

Sets

CN7K

OPENING	PART NO.
7/16	601A
1/2	601
9/16	602A
5/8	603A
11/16	603
3/4	604A
7/8	605
Kit Bag	C70

CN9KM

OPENING	PART NO.
10 mm	610MM
11 mm	611MM
12 mm	612MM
13 mm	613MM
14 mm	614MM
15 mm	615MM
16 mm	616MM
17 mm	617MM
19 mm	619MM
Kit Bag	C90

Flare Nut Wrenches

American Alloy Steel

Chrome or Black Finish

12 Point Opening

Drop Forged

Flare Nut Wrench

Wrench Opening	Diameter of Head	Thickness of Head	Width of Slot	Length	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	A	B	C	D		Part No.	Part No.		
3/8	25/32	5/16	9/32	6 13/32	.18	4112	BLK4112	6	3/8
7/16	27/32	5/16	11/32	6 15/32	.20	4114	BLK4114	6	7/16
1/2	29/32	3/8	3/8	6 25/32	.28	4116	BLK4116	6	1/2
9/16	1 1/32	7/16	7/16	6 25/32	.30	4118	BLK4118	6	9/16
5/8	1 1/16	1/2	1/2	7 1/8	.38	4120	BLK4120	6	5/8
11/16	1 1/8	1/2	9/16	7 3/16	.45	4122	BLK4122	6	11/16
3/4	1 7/32	9/16	5/8	7 7/16	.53	4124	BLK4124	6	3/4
13/16	1 7/32	5/8	21/32	7 1/2	.60	4126	BLK4126	6	13/16
7/8	1 3/8	5/8	11/16	7 1/2	.60	4128	BLK4128	6	7/8
15/16	1 7/16	5/8	3/4	7 13/16	.63	4130	BLK4130	6	15/16
1	1 9/16	11/16	3/4	7 13/16	.69	4132	BLK4132	6	1
1 1/16	1 5/8	3/4	13/16	7 15/16	.78	4134	BLK4134	6	1 1/16
1 1/8	1 11/16	25/32	7/8	7 15/16	.83	4136	BLK4136	6	1 1/8
1 1/4	1 23/32	13/16	1	7 15/16	.83	4140	BLK4140	6	1 1/4
1 3/8	2 3/32	29/32	1 1/16	9	1.3	4144	BLK4144	6	1 3/8
1 1/2	2 3/16	7/8	1 1/8	10	1.6	4148	BLK4148	6	1 1/2

Ratcheting Box Wrenches & Sets – Straight Pattern



Chrome Finish

Different Openings on Each End in Size from ¼″ thru ⅞″.

12 Point with 6 Point Also Available on RB810, 1214 and 1618.

Wrench Openings A × B	Type Opening	Diameter of Head A_1	Diameter of Head B_1	Thickness of Head C	Overall Length D	Wt. Ea. Lbs.	Chrome Part No.	Std. Pkg. Qty.	Wrench Openings A × B
¼ × 5/16	6 pt.	9/16	5/8	3/8	4¼	.12	RB810	6	¼ × 5/16
¼ × 5/16	12 pt.	9/16	5/8	3/8	4¼	.13	RB810DH	6	¼ × 5/16
3/8 × 7/16	6 pt.	5/8	7/8	3/8	5½	.18	RB1214	6	3/8 × 7/16
3/8 × 7/16	12 pt.	5/8	7/8	3/8	5½	.19	RB1214DH	6	3/8 × 7/16
½ × 9/16	6 pt.	1	1⅛	½	6¾	.42	RB1618	6	½ × 9/16
½ × 9/16	12 pt.	1	1⅛	½	6¾	.42	RB1618DH	6	½ × 9/16
5/8 × 11/16	12 pt.	1¼	1 7/16	½	8	.54	RB2022	6	5/8 × 11/16
5/8 × ¾	12 pt.	1¼	1 7/16	½	8	.52	RB2024	6	5/8 × ¾
11/16 × 13/16	12 pt.	1 7/16	1 9/16	½	9¼	.78	RB2226	6	11/16 × 13/16
¾ × ⅞	12 pt.	1 7/16	1 9/16	½	9¼	.74	RB2428	6	¾ × ⅞

Sets

RB5K

OPENING	PART NO.
¼ × 5/16	RB810
3/8 × 7/16	RB1214
½ × 9/16	RB1618
5/8 × 11/16	RB2022
¾ × ⅞	RB2428
Kit Bag	C185

RB7K

OPENING	PART NO.
¼ × 5/16	RB810
3/8 × 7/16	RB1214
½ × 9/16	RB1618
5/8 × 11/16	RB2022
5/8 × ¾	RB2024
11/16 × 13/16	RB2226
¾ × ⅞	RB2428
Kit Bag	C187

Ratcheting Box Wrenches & Sets – 25° Offset Pattern

Chrome Finish

25° Offset

Size Openings from ¼″ thru ⅞″ with Different Openings on Each End.

RBO810 thru RBO1618
6 Point

RBO2022 thru RBO2428
12 Point



Wrench Openings	Type Opening	Diameter of Head		Thickness of Head	Overall Length	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Wrench Openings
A × B		A_1	B_1	C	D		Part No.		A × B
¼ × 5/16	6 pt.	9/16	⅝	⅜	4 3/32	.12	RBO810	6	¼ × 5/16
⅜ × 7/16	6 pt.	⅝	⅞	⅜	5 7/32	.18	RBO1214	6	⅜ × 7/16
½ × 9/16	6 pt.	1	1⅛	½	6 15/32	.42	RBO1618	6	½ × 9/16
⅝ × 11/16	12 pt.	1¼	1 7/16	½	7 21/32	.54	RBO2022	6	⅝ × 11/16
⅝ × ¾	12 pt.	1¼	1 7/16	½	7 21/32	.52	RBO2024	6	⅝ × ¾
11/16 × 13/16	12 pt.	1 7/16	1 9/16	½	8¾	.78	RBO2226	6	11/16 × 13/16
¾ × ⅞	12 pt.	1 7/16	1 9/16	½	8¾	.74	RBO2428	6	¾ × ⅞

Sets

RBO5K

OPENING	PART NO.
¼ × 5/16	RBO810
⅜ × 7/16	RBO1214
½ × 9/16	RBO1618
⅝ × 11/16	RBO2022
¾ × ⅞	RBO2428
Kit Bag	C185

RBO7K

OPENING	PART NO.
¼ × 5/16	RBO810
⅜ × 7/16	RBO1214
½ × 9/16	RBO1618
⅝ × 11/16	RBO2022
⅝ × ¾	RBO2024
11/16 × 13/16	RBO2226
¾ × ⅞	RBO2428
Kit Bag	C187

Heavy Duty Pipe Wrenches

Straight Iron Handle

Size	Capacity	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
6	¾″	½	PW6	6
8	1″	¾	PW8	6
10	1½″	1¾	PW10	6
12	2″	2¾	PW12	6
14	2″	3½	PW14	6
18	2½″	5¾	PW18	6
24	3″	9¾	PW24	3
36	5″	17	PW36	3
48	6″	34	PW48	1

Straight Aluminum Handle

Size	Capacity	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
—	—	—	—	—
—	—	—	—	—
10	1½	1	PWA10	6
—	—	—	—	—
14	2	2	PWA14	6
18	2½	3½	PWA18	6
24	3	5¾	PWA24	6
36	5	10	PWA36	3
48	6	17	PWA48	1

Pipe Wrench Parts

Hook Jaw		Heel Jaw & Pin		Flat Spring & Ball		Nut	
Part No.	Size	Part No.	Size	Part No.	Size	Part No.	Size
PW6HJ	6″	PW6HP	6″	PW6SFC	6″	PW6N	6″
PW8HJ	8″	PW8HP	8″	PW8SFC	8″	PW8N	8″
PW10HJ	10″	PW10HP	10″	PW10SFC	10″	PW10N	10″
PW12HJ	12″	PW12HP	12″	PW12SFC	12″	PW12N	12″
PW14HJ	14″	PW14HP	14″	PW14SFC	14″	PW14N	14″
PW18HJ	18″	PW18HP	18″	PW18SFC	18″	PW18N	18″
PW24HJ	24″	PW24HP	24″	PW24SFC	24″	PW24N	24″
PW36HJ	36″	PW36HP	36″	PW36SFC	36″	PW36N	36″
PW48HJ	48″	PW48HP	48″	PW48SFC	48″	PW48N	48″

†Limited Supply

Adjustable Wrenches
Auto Wrench
Set Screw Wrenches



Adjustable Wrench

- Drop Forged American Alloy Steel
- Extra Wide Capacity
- Light Weight
- Thin Tapered Head
- 22-1/2 Degree Angle
- Nickel & Industrial Black Finish

Size Length	Capacity	Thickness of Head		Wt. Ea. Lbs.	Cobalt	Industrial Black	Std. Pkg. Qty.	Size Length
		Jaw Tip	Extreme					
A	B	C	D		Part No.	Part No.		A
6	15/16	7/32	3/8	.26	A6	A6T	6	6
8	1 1/8	17/64	1/2	.48	A8	A8T	6	8
10	1 5/16	23/64	19/32	.80	A10	A10T	6	10
12	1 1/2	15/32	23/32	1.30	A12	A12T	6	12
15	1 3/4	19/32	31/32	3.00	A15	A15T	6	15
18	2 3/16	23/32	1 3/16	5.65	A18	A18T	1	18
24	2 1/2	7/8	1 3/8	8.60	A24	A24T	1	24

Drop Forged, Machined, and Heat Treated. Well Suited for General Repair Work.

A	Max. Jaw Capacity	B	C	Weight Each-Lbs.	Chrome Part No.	Std. Pkg. Qty.
11	3	7/16	1 1/2	1.5	89311	1



ADJUSTABLE AUTO WRENCH



Set Screw Wrench

Set Screw Wrench

For Hard Square Set Screws, Cap Screws & Nuts

High Grade Carbon Steel

Machined to Industry Standards

Wrench Openings	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Wrench Openings
A × B	$A_1 \times B_1$	C	D		Part No.		A× B
3/16 × 1/4	27/32 × 1 1/16	9/32	4 1/4	.13	523	6	3/16 × 1/4
1/4 × 5/16	27/32 × 1 1/16	9/32	4 1/4	.13	525	6	1/4 × 5/16
5/16 × 3/8	1 × 1 5/16	11/32	5	.21	527	6	5/16 × 3/8
3/8 × 7/16	1 1/4 × 1 3/8	3/8	5 3/4	.33	529	6	3/8 × 7/16
3/8 × 1/2	1 1/4 × 1 3/8	13/32	5 3/4	.35	530	6	3/8 × 1/2
7/16 × 1/2	1 1/4 × 1 3/8	13/32	5 3/4	.35	531	6	7/16 × 1/2
1/2 × 5/8	1 3/4 × 1 7/8	9/16	8 1/2	.90	534	6	1/2 × 5/8

TOOLS

Single Head Open End Engineers Wrench



American High Carbon Steel

Precision Forged and thru Hardened.

1⅝″ and Larger Sizes Have Tapered Handles

Industrial Black Finish

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.		
1/2	1	5/16	4 5/8	.16	1	6	1/2
9/16	1 3/16	5/16	5 1/2	.19	702	6	9/16
5/8	1 3/8	11/32	6 3/8	.32	703	6	5/8
11/16	1 3/8	11/32	6 3/8	.32	3	6	11/16
3/4	1 9/16	3/8	7 1/4	.44	704	6	3/4
13/16	1 3/4	7/16	8 1/8	.64	705	6	13/16
7/8	1 3/4	7/16	8 1/8	.64	5	6	7/8
15/16	2	7/16	9 1/4	.80	6A	6	15/16
1	2	7/16	9 1/4	.82	706	6	1
1 1/16	2 1/4	9/16	10 1/2	1.26	7	6	1 1/16
1 1/8	2 1/4	9/16	10 1/2	1.22	707	6	1 1/8
1 1/4	2 3/4	19/32	12	2.1	8	6	1 1/4
1 5/16	2 3/4	19/32	12	2.0	8A	6	1 5/16
1 3/8	2 3/4	19/32	12	2.0	708A	6	1 3/8
1 7/16	3	5/8	13 1/2	2.5	9	6	1 7/16
1 1/2	3	5/8	13 1/2	2.5	709	6	1 1/2
1 5/8	3 1/2	7/8	15	3.6	10	1	1 5/8
1 11/16	3 1/2	7/8	15	3.5	10A	1	1 11/16
1 13/16	3 3/4	15/16	16 1/2	5.0	11	1	1 13/16
1 7/8	3 3/4	15/16	16 1/2	5.0	11A	1	1 7/8
2	4 1/8	1	18 1/4	6.2	12	1	2
2 1/16	4 1/8	1	18 1/4	6.2	12A	1	2 1/16
2 3/16	4 1/2	1 1/16	20	8.0	13	1	2 3/16
2 1/4	4 1/2	1 1/16	20	8.0	13A	1	2 1/4
2 3/8	4 5/8	1 1/8	22	9.6	14	1	2 3/8
2 7/16	4 5/8	1 1/8	22	9.6	14A	1	2 7/16
2 9/16	5 1/4	1 3/16	24	13.2	15	1	2 9/16
2 5/8	5 1/4	1 3/16	24	13.1	15A	1	2 5/8
2 3/4	6	1 1/4	27	12.9	16	1	2 3/4
2 13/16	6	1 1/4	27	16.0	16B	1	2 13/16
2 15/16	6	1 1/4	27	16.0	16A	1	2 15/16
3	6 3/8	1 1/2	30	23.7	17A	1	3
3 1/8	6 3/8	1 1/2	30	23.7	17	1	3 1/8
3 3/8	7 1/2	1 5/8	34	31.6	18A	1	3 3/8
3 1/2	7 1/2	1 5/8	34	31.6	18	1	3 1/2
3 3/4	8	1 3/4	37	33.0	19B	1	3 3/4
3 7/8	8	1 3/4	37	33.0	19	1	3 7/8
4 1/8	8	1 3/4	37	32.5	19C	1	4 1/8
4 1/4	8	1 3/4	37	32.0	19A	1	4 1/4
4 1/2	10 1/4	1 7/8	42	50.5	20B	1	4 1/2
4 5/8	10 1/4	1 7/8	42	50.5	20	1	4 5/8
5	10 1/4	1 7/8	42	50.4	20A	1	5

Spanner Wrenches

Adjustable Face Spanner

Extreme Capacity	Diameter of Pin	Length of Pin	Overall Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
	A	B	C		Part No.	
2	3/16	7/32	6 1/4	.31	482	6
3	1/4	9/32	8 1/4	.52	483	6
4	5/16	11/32	10 1/4	1.02	484	6





Pin Spanner

For Circle Diameter	Diameter of Pin	Length of Pin	Overall Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
	A	B	C		Part No.	
1	3/16	3/16	4	.08	452	6
1 1/4	13/64	3/16	4 1/2	.11	453	6
1 1/2	7/32	7/32	5	.13	454	6
1 3/4	15/64	7/32	5 1/2	.17	455	6
2	1/4	1/4	6	.20	456	6
2 1/4	17/64	1/4	6 1/2	.24	457	6
2 1/2	9/32	9/32	7	.28	458	6
2 3/4	19/64	9/32	7 1/2	.37	459	6
3	5/16	5/16	8	.43	460	6
3 1/4	21/64	5/16	8 1/2	.47	461	6
3 1/2	11/32	11/32	9	.50	462	6
3 3/4	23/64	11/32	9 1/2	.59	463	6
4	3/8	3/8	10	.69	464	6
5	7/16	7/16	12	1.15	466	6
6	1/2	1/2	14	1.90	468	6

Face Spanner

Center Distance of Pins	Pins		Span of Jaws in Clear	Length from Center of Pins	Thick-ness	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
	Dia.	Length						
A	B	C	D	E	F		Part No.	
1	3/16	3/16	11/16	4 1/2	3/16	.12	418	6
1 1/4	7/32	7/32	7/8	5	3/16	.13	420	6
1 1/2	7/32	7/32	1 1/8	5 1/2	3/16	.23	422	6
1 3/4	7/32	7/32	1 3/8	6	7/32	.30	424	6
2	1/4	1/4	1 19/32	6 1/2	7/32	.39	426	6
2 1/4	1/4	1/4	1 27/32	7	7/32	.42	428	6
2 1/2	9/32	9/32	2 1/32	7 1/2	1/4	.52	430	6
2 3/4	9/32	9/32	2 9/32	8	1/4	.59	432	6
3	5/16	5/16	2 1/2	8 1/2	1/4	.70	434	6
3 1/4	5/16	5/16	2 3/4	9 1/8	1/4	.82	436	6
3 1/2	5/16	5/16	3	9 3/4	1/4	.89	438	6
3 3/4	3/8	3/8	3 3/16	10 3/8	1/4	1.0	440	6
4	3/8	3/8	3 7/16	11	1/4	1.1	442	6



TOOLS

Spanner Wrenches & Sets – Adjustable



Adjustable Hook Spanner

Capacity Range	Thickness of Handle	Thickness of Hook	Depth of Hook	Overall Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
	A	B	C	D		Part No.	
¾ to 2	¼	⅜	⅛	6½	.23	471	6
1¼ to 3	9/32	½	5/32	8 1/16	.43	472	6
2 to 4¾	11/32	17/32	7/32	11 3/16	1.03	474	6
4½ to 6¼	11/32	17/32	¼	12	1.07	474A	6
6⅛ to 8¾	11/32	17/32	5/16	13 5/16	1.40	474B	6



Adjustable Pin Spanner

Capacity Range	Thickness		Pin Size		Overall Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
	Handle	Hook	Diameter	Length			Part No.	
	A	B	C	D	E			
¾ to 2	¼	⅜	⅛	⅛	6½	.23	0471	6
¾ to 2	¼	⅜	3/16	5/32	6½	.23	0471A	6
1¼ to 3	9/32	½	3/16	3/16	8 1/16	.42	0472	6
1¼ to 3	9/32	½	¼	7/32	8 1/16	.42	0472A	6
2 to 4¾	11/32	17/32	¼	¼	11 3/16	.99	0474	6
4½ to 6¼	11/32	17/32	⅜	¼	12 3/16	1.08	0474A	6

Adjustable Spanner Wrench Sets

SPW6K
0471
0471A
0472
0472A
0474
0474A
C60B Kit Bag

SHW5K
471
472
474
474A
474B
C60B Kit Bag



Adjustable Pin Spanner



Pins fit into the holes or slots on the side of the flange or collar.



Adjustable Hook Spanner





Pins fit into the holes or slots on the face of the flange or collar.

Adjustable Face Spanner

TOOLS



Structural Box Wrench Heads are Offset from Handle to Permit Clearance of Obstructions.

Industrial Black

Handles are Tapered to Align Bolt Holes.

Structural Box Wrenches

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Offset at End D	Wt. Ea. Lbs.		Std. Pkg. Qty.	Wrench Opening
13/16	1 15/32	11/16	12	1 25/32	1.3	8905A	1	13/16
7/8	1 15/32	11/16	12	1 25/32	1.3	8905	1	7/8
15/16	1 5/8	13/16	13	1 61/64	1.3	8906	1	15/16
1	1 5/8	13/16	13	1 61/64	1.3	8906B	1	1
1 1/16	1 53/64	7/8	15	2 9/64	1.9	8907	1	1 1/16
1 1/8	1 53/64	7/8	15	2 9/64	1.9	8907A	1	1 1/8
1 1/4	2 5/64	15/16	17	2 21/64	2.6	8908	1	1 1/4
1 5/16	2 5/64	15/16	17	2 21/64	2.0	8908A	1	1 5/16
1 7/16	2 3/8	1 1/8	19	2 3/4	3.5	8909	1	1 7/16
1 1/2	2 3/8	1 1/8	19	2 3/4	3.5	8909A	1	1 1/2
1 5/8	2 5/8	1 3/16	21	2 7/8	4.8	8910	1	1 5/8
1 11/16	2 5/8	1 3/16	21	2 7/8	4.7	8910A	1	1 11/16
1 13/16	2 29/32	1 1/4	23	3	6.6	8911	1	1 13/16
1 7/8	2 29/32	1 1/4	23	3	6.6	8911A	1	1 7/8
2	3 5/32	1 3/8	24 1/2	3 5/32	6.5	8912	1	2
2 3/16	3 15/32	1 1/2	26	3 1/2	7.3	8913	1	2 3/16
2 3/8	3 23/32	1 5/8	28	3 11/16	8.5	8914	1	2 3/8
2 9/16	3 29/32	1 3/4	29	3 13/16	9.2	8915	1	2 9/16
2 3/4	4 5/32	1 7/8	30	3 3/32	9.8	8916	1	2 3/4

Structural Wrench Offset

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Handle at Head D	Offset at End E	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
9/16	1 9/16	7/16	12	13/16	1 11/16	.56	901B	1	9/16
5/8	1 9/16	7/16	12	13/16	1 11/16	.56	903A	1	5/8
11/16	1 9/16	7/16	12	13/16	1 11/16	.56	903	1	11/16
3/4	1 9/16	7/16	12	13/16	1 11/16	.70	904A	1	3/4
13/16	2	17/32	14 1/2	15/16	1 7/8	1.3	905A	1	13/16
7/8	2	17/32	14 1/2	15/16	1 7/8	1.3	905	1	7/8
15/16	2	17/32	14 1/2	15/16	1 7/8	1.3	906C	1	15/16
1	2	17/32	14 1/2	15/16	1 7/8	1.3	906B	1	1
1 1/16	2 1/4	5/8	16	1 1/16	2 3/8	1.9	907	1	1 1/16
1 1/8	2 1/4	5/8	16	1 1/16	2 3/8	1.9	907A	1	1 1/8
1 1/4	2 13/16	11/16	19	1 1/4	2 3/4	2.6	908	1	1 1/4
1 5/16	2 13/16	11/16	19	1 1/4	2 3/4	2.6	908A	1	1 5/16
1 7/16	3 3/8	3/4	20	1 1/4	3 1/16	3.5	909	1	1 7/16
1 1/2	3 3/8	3/4	20	1 1/4	3 1/16	3.5	909A	1	1 1/2
1 5/8	3 19/32	13/16	23	1 1/2	3 3/8	4.8	910	1	1 5/8
1 11/16	3 19/32	13/16	23	1 1/2	3 3/8	4.7	910A	1	1 11/16
1 13/16	4 1/8	13/16	24	1 5/8	3 11/16	6.6	911	1	1 13/16
1 7/8	4 1/8	13/16	24	1 5/8	3 11/16	6.6	911A	1	1 7/8
2	4 1/8	13/16	24	1 5/8	3 11/16	6.5	912	1	2



Structural Wrench Heads are Offset from Handle to Permit Clearance of Obstructions.

Handles are Tapered to Align Bolt Holes.

TOOLS

Construction and Box Wrenches

Construction Wrench 15° Angle

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
5/8	1 9/16	7/16	12	.62	203A	1	5/8
11/16	1 9/16	7/16	12	.62	203	1	11/16
3/4	1 9/16	7/16	12	.58	204A	1	3/4
7/8	2	17/32	14 1/2	2.0	205	1	7/8
15/16	2	17/32	14 1/2	2.0	206C	1	15/16
1	2	17/32	14 1/2	2.0	206B	1	1
1 1/16	2 1/4	5/8	17	1.8	207	1	1 1/16
1 1/8	2 1/4	5/8	17	1.8	207A	1	1 1/8
1 1/4	2 5/8	11/16	19	2.7	208	1	1 1/4
1 5/16	2 5/8	11/16	19	2.7	208A	1	1 5/16
1 7/16	2 5/8	11/16	19	2.6	209	1	1 7/16
1 1/2	2 5/8	11/16	19	2.6	209A	1	1 1/2
1 5/8	4	15/16	22 11/16	7.0	210	1	1 5/8
1 11/16	4	15/16	22 11/16	7.0	210A	1	1 11/16
1 13/16	4	15/16	22 11/16	6.9	211	1	1 13/16
1 7/8	4	15/16	22 11/16	6.9	211A	1	1 7/8
2	4	15/16	22 11/16	6.8	212	1	2

Drop Forged from High Grade Carbon Steel, thru Hardening.

Straight Handle with 15° Angle Opening.

Handles are Tapered to Align Bolt Holes.





12 Point Box Opening

Box Wrenches

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
1/2	29/32	3/8	6 25/32	.28	801	6	1/2
9/16	1 1/32	7/16	6 25/32	.30	802A	6	9/16
5/8	1 1/16	1/2	7 1/8	.38	803A	6	5/8
11/16	1 1/8	1/2	7 3/16	.45	803	6	11/16
3/4	1 7/32	9/16	7 7/16	.53	804A	6	3/4
7/8	1 3/8	5/8	7 1/2	.60	805	6	7/8
15/16	1 7/16	5/8	7 13/16	.63	806	6	15/16
1	1 9/16	11/16	7 13/16	.69	806B	6	1
1 1/16	1 5/8	3/4	7 15/16	.78	807	6	1 1/16
1 1/8	1 11/16	25/32	7 15/16	.83	807A	6	1 1/8
1 1/4	1 23/32	13/16	7 15/16	.83	808	6	1 1/4
1-1/2	2 3/16	7/8	10	1.6	809A	6	1 1/2

TOOLS

Striking Face
6 Point Box Wrenches SAE
12 Point Box Wrenches SAE & Metric

Wrench Opening (Nut Size)	Diameter of Head A	Length B	Thickness of Head C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening (Nut Size)
1 1/16	1 25/32	9 7/8	5/8	1.9	RN7063	1	1 1/16
1 1/4	2	10 1/4	23/32	2.1	RN7075	1	1 1/4
1 7/16	2-17/64	10 9/16	7/8	2.6	RN7088	1	1 7/16
1 5/8	2-31/64	11	61/64	2.9	RN7100	1	1 5/8
1 13/16	2 21/32	11 5/16	63/64	3.5	RN7113	1	1 13/16
2	3 1/32	11 11/16	1 7/32	4.0	RN7125	1	2
2 3/16	3 9/32	12	1 1/4	5.2	RN7138	1	2 3/16
2 3/8	3 13/32	12 3/8	1 7/16	6.0	RN7150	1	2 3/8
2 9/16	3 3/4	12 11/16	1 17/32	6.6	RN7163	1	2 9/16
2 3/4	4 1/64	13 1/16	1 17/32	7.5	RN7175	1	2 3/4
2 15/16	4 23/64	13 7/16	1 17/32	7.9	RN7188	1	2 15/16
3 1/8	4 31/64	13 13/16	1 5/8	9.4	RN7200	1	3 1/8
3 1/2	4 31/32	14 1/8	1 23/32	10.5	RN7225	1	3 1/2
3 7/8	5 35/64	14 1/2	1 23/32	13.3	RN7250	1	3 7/8



Roughneck "Hammer Wrench"

Straight Pattern — 6 Point
Alloy Steel — Drop Forged

Wrench Opening (Nut Size)	Diameter of Head A	Length B	Thickness of Head C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening (Nut Size)
1	1 25/32	9 7/8	5/8	1.9	1807B	1	1
1 1/16	1 25/32	9 7/8	5/8	1.9	1807	1	1 1/16
1 1/8	1 25/32	9 7/8	5/8	1.9	1807A	1	1 1/8
1 3/16	2	10 1/4	23/32	2.1	1808B	1	1 3/16
1 1/4	2	10 1/4	23/32	2.1	1808	1	1 1/4
1 5/16	2	10 1/4	23/32	2.1	1808A	1	1 5/16
1 3/8	2 17/64	10 9/16	7/8	2.6	1809B	1	1 3/8
1 7/16	2 17/64	10 9/16	7/8	2.6	1809	1	1 7/16
1 1/2	2 17/64	10 9/16	7/8	2.6	1809A	1	1 1/2
1 5/8	2 31/64	11	61/64	2.9	1810	1	1 5/8
1 11/16	2 31/64	11	61/64	2.9	1810A	1	1 11/16
1 3/4	2 21/32	11 5/16	63/64	3.5	1811B	1	1 3/4
1 13/16	2 21/32	11 5/16	63/64	3.5	1811	1	1 13/16
1 7/8	2 21/32	11 5/16	63/64	3.5	1811A	1	1 7/8
2	3 1/32	11 11/16	1 7/32	4.0	1812	1	2
2 1/16	3 1/32	11 11/16	1 7/32	4.0	1812B	1	2 1/16
2 1/8	3 9/32	12	1 1/4	5.2	1813B	1	2 1/8
2 3/16	3 9/32	12	1 1/4	5.2	1813	1	2 3/16
2 1/4	3 13/32	12 3/8	1 7/16	6.0	1813A	1	2 1/4
2 3/8	3 13/32	12 3/8	1 7/16	6.0	1814	1	2 3/8
2 7/16	3 3/4	12 11/16	1-17/32	6.5	1815B	1	2 7/16
2 1/2	3 3/4	12 11/16	1-17/32	6.5	1815C	1	2 1/2
2 9/16	3 3/4	12 11/16	1-17/32	6.5	1815	1	2 9/16
2 5/8	3 3/4	12 11/16	1-17/32	6.5	1815A	1	2 5/8
2 3/4	4 1/64	13 1/16	1-17/32	7.5	1816	1	2 3/4
2 13/16	4 23/64	13 7/16	1-17/32	7.9	1816C	1	2 13/16
2 15/16	4 23/64	13 7/16	1-17/32	7.9	1816B	1	2 15/16
3	4 31/64	13 13/16	1-5/8	9.4	1817A	1	3
3 1/8	4 31/64	13 13/16	1-5/8	9.4	1817	1	3 1/8
3 3/8	4 31/32	14 1/8	1 23/32	10.5	1818A	1	3 3/8
3-1/2	4 31/32	14 1/8	1 23/32	10.5	1818	1	3 1/2
3 3/4	5 35/64	14 1/2	1 23/32	13.3	1819B	1	3 3/4
3 7/8	5 35/64	14 1/2	1 23/32	13.3	1819	1	3 7/8
4 1/8	6 3/4	16 7/32	2 7/8	20.8	1820B	1	4 1/8
4 1/4	6 3/4	16 7/32	2 7/8	20.1	1820	1	4 1/4
4 1/2	7 1/4	18 7/32	3	35.2	1821B	1	4 1/2
4 5/8	7 1/4	18 7/32	3	38.0	1821	1	4 5/8
4 3/4	7 1/4	18 7/32	3	38.2	1822	1	4 3/4
32mm	50.8	260.4	18.3	2.1	1832MM	1	32 mm
36mm	57.7	268.2	22.4	2.6	1836MM	1	36 mm
41mm	63.0	279.4	24.1	2.9	1841MM	1	41 mm
46mm	67.6	287.3	24.9	3.5	1846MM	1	46 mm
50mm	67.6	287.3	24.9	3.5	1850MM	1	50 mm
55mm	83.3	304.8	31.8	5.2	1855MM	1	55 mm
60mm	86.6	314.5	36.6	6.0	1860MM	1	60 mm
65mm	95.3	322.3	38.9	6.6	1865MM	1	65 mm
70mm	105.9	331.7	38.9	7.5	1870MM	1	70 mm
75mm	110.7	341.4	38.9	7.9	1875MM	1	75 mm
80 mm	113.8	350.8	41.1	9.4	1880MM	1	80 mm



Roughneck "Hammer Wrench"

Straight Pattern — 12 Point
Alloy Steel — Drop Forged

TOOLS

Striking Face Box Wrenches Offset Style



45° Offset Pattern — 12 Point

Black Industrial Finish Drop Forged

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
1	1 25/32	3/4	10	1.9	8807 B	1	1
1 1/16	1 25/32	3/4	10	1.9	8807	1	1 1/16
1 1/8	1 25/32	3/4	10	1.8	8807A	1	1 1/8
1 3/16	2 1/16	27/32	11	2.6	8808B	1	1 3/16
1 1/4	2 1/16	27/32	11	2.6	8808	1	1 1/4
1 5/16	2 1/16	27/32	11	2.6	8808A	1	1 5/16
1 3/8	2 25/64	15/16	11 1/2	3.4	8809B	1	1 3/8
1 7/16	2 25/64	15/16	11 1/2	3.4	8809	1	1 7/16
1 1/2	2 25/64	15/16	11 1/2	3.3	8809A	1	1 1/2
1 5/8	2 21/32	1 1/16	12	4.0	8810	1	1 5/8
1 11/16	2 21/32	1 1/16	12	4.0	8810A	1	1 11/16
1 3/4	2 21/32	1 1/16	12	3.9	8811B	1	1 3/4
1 13/16	3 3/32	1 3/16	13	5.4	8811	1	1 13/16
1 7/8	3 3/32	1 3/16	13	5.4	8811A	1	1 7/8
1 15/16	3 3/32	1 3/16	13	5.3	8812A	1	1 15/16
2	3 3/32	1 3/16	13	5.2	8812	1	2
2 1/8	3 17/32	1 5/16	13 1/2	6.9	8813B	1	2 1/8
2 3/16	3 17/32	1 5/16	13 1/2	6.9	8813	1	2 3/16
2 1/4	3 17/32	1 5/16	13 1/2	6.7	8813A	1	2 1/4
2 5/16	3 13/16	1 7/16	14	8.1	8814A	1	2 5/16
2 3/8	3 13/16	1 7/16	14	7.8	8814	1	2 3/8
2 1/2	3 13/16	1 7/16	14	7.8	8815B	1	2 1/2
2 9/16	4 7/32	1 5/8	15	10.6	8815	1	2 9/16
2 5/8	4 7/32	1 5/8	15	10.5	8815A	1	2 5/8
2 3/4	4 7/32	1 5/8	15	10.2	8816	1	2 3/4
2 7/8	4 25/32	1 7/8	16	14.0	8816C	1	2 7/8
2 15/16	4 25/32	1-7/8	16	13.8	8816B	1	2 15/16
3	4 25/32	1 7/8	16	13.7	8817	1	3
3 1/8	4 25/32	1 7/8	16	13.3	8817A	1	3 1/8
3 3/8	6 1/4	2 3/8	18	26.7	8818A	1	3 3/8
3 1/2	6 1/4	2 3/8	18	26.3	8818	1	3 1/2
3 3/4	6 1/4	2 3/8	18	25.3	8819B	1	3 3/4
3 7/8	6 1/4	2 3/8	18	24.8	8819	1	3 7/8
4 1/8	6 1/4	2 3/8	18	23.6	8819C	1	4 1/8
4 1/4	6 1/4	2 3/8	18	22.9	8819A	1	4 1/4

Metric



45° Offset Pattern — 12 Point

Black Industrial Finish Drop Forged

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
32 mm	2 1/16	27/32	11	2.6	8832 mm	1	32 mm
36 mm	2 25/64	15/16	11 1/2	3.4	8836 mm	1	36 mm
41 mm	2 21/32	1 1/16	12	4.0	8841 mm	1	41 mm
46 mm	3 3/32	1 3/16	13	5.4	8846 mm	1	46 mm
50 mm	3 3/32	1 3/16	13	5.2	8850 mm	1	50 mm
55 mm	3 17/32	1 5/16	13 1/2	6.9	8855 mm	1	55 mm
60 mm	3 13/16	1 7/16	14	7.8	8860 mm	1	60 mm
65 mm	4 7/32	1 5/8	15	10.6	8865 mm	1	65 mm
70 mm	4 7/32	1 5/8	15	10.2	8870 mm	1	70 mm
75 mm	4 25/32	1 7/8	16	13.8	8875 mm	1	75 mm
80 mm	4 25/32	1 7/8	16	13.3	8880 mm	1	80 mm

Hex Key Sets

Hex Key Wrench Sets

Number	Approx. Wt. Lbs.	Quantity
13S	.75	1

Contains 13 keys, short arm series, each in a separate size-marked pocket, inch sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8.
Kit Bag C691

Number	Approx. Wt. Lbs.	Quantity
11SA	.6	1

11 keys, short arm series, inch sizes: .050, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8.
Kit Bag C691

Number	Approx. Wt. Lbs.	Quantity
9L	.9	1

9 keys, 6″ long arm series, inch sizes: 5/64, 3/32, 1/8, 5/32, 3/16, 17/32, 1/4, 5/16, 3/8. Kit Bag C591

Number	Approx. Wt. Lbs.	Quantity
9S	.30	1

9 keys, short arm series, inch sizes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8. Kit Bag C691

Number	Approx. Wt. Lbs.	Quantity
9SM	.58	1

9 metric keys, short arm series, mm sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10. Kit Bag C691

Number	Approx. Wt. Lbs.	Quantity
7S	.25	1

7 keys, short arm series, inch sizes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4. Kit Bag C791

Number	Approx. Wt. Lbs.	Quantity
11S	1.6	1

11 keys, short arm series, inch sizes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16. Kit Bag C691

Number	Approx. Wt. Lbs.	Quantity
7SM	.66	1

7 metric keys, short arm series, mm sizes: 2, 2.5, 3, 4, 5, 6, 8. Kit Bag C691

JacKey Wrench Sets

Number	Approx. Wt. Lbs.	Quantity
5LK	1.62	1

JacKey® Set with 5 long bits in inch sizes: 3/16, 7/32, 1/4, 5/16, 3/8. Bit lengths 3⅜″-5″. Handle length 5¼″.

Number	Approx. Wt. Lbs.	Quantity
9LK	1.06	1

JacKey® Set with 9 bits in inch sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16.

Number	Approx. Wt. Lbs.	Quantity
7LKM	.15	1

Metric JacKey® Set with 7 bits in mm sizes: 1.5, 2, 2.5, 3, 4, 5, 6. Bit lengths 38-50 mm; handle length 100 mm.

Number	Approx. Wt. Lbs.	Quantity
8SK	.3	1

JacKey® Set with 8 bits in inch sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32. Bit lengths 2″-2½″. Handle length 3″.

Number	Approx. Wt. Lbs.	Quantity
8LK	2.02	1

JacKey® Set with 8 long bits in inch sizes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4. Bit lengths 5″-5½″. Handle length 6¼″.

Number	Approx. Wt. Lbs.	Quantity
9SK	1.06	1

JacKey® Set with 9 bits in inch sizes: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4. Bit lengths 3″-3½″. Handle length 4″.

Number	Approx. Wt. Lbs.	Quantity
8SC	.34	1

Handle Length: 3½″.
Contains 8 bits in inch sizes:
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32.

Number	Approx. Wt. Lbs.	Quantity
7SCM	.4	1

Handle Length: 3½″.
Contains 7 bits in metric sizes:
1.5, 2, 2.5, 3, 4, 5, 6.

Number	Approx. Wt. Lbs.	Quantity
9SC	.34	1

Handle Length: 3½″.
Contains 9 bits in inch sizes:
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16.

Number	Approx. Wt. Lbs.	Quantity
9SAC	.6	1

Handle Length: 4¼″.
Contains 9 bits in inch sizes:
5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4.

Number	Approx. Wt. Lbs.	Quantity
7SCT	.34	1

Handle Length: 4¼″.
Contains 7 TORX® bits:
T-10, T-15, T-20, T-25, T-27, T-30, T-40.

Offset Socket Wrenches

Forged from High Grade Carbon Steel

Special Bends, Lengths Available as Made-to-Order



Square Opening

Square Opening 4-Point

Wrench Opening	Handle Offset in Clear from Face of Wrench	Diameter of Head	Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.		
1/4	13/16	1/2	3 3/8	.07	261J	6	1/4
5/16	1	5/8	3 7/8	.12	262H	6	5/16
3/8	1 1/8	11/16	4 5/16	.23	263H	6	3/8
7/16	1 1/8	7/8	5 7/8	.42	265H	6	7/16
1/2	1 1/4	1	6 1/4	.59	266H	6	1/2
9/16	1 7/16	1 1/8	6 3/4	.85	267H	6	9/16
5/8	1 9/16	1 1/4	7 1/2	.94	268H	6	5/8
3/4	1 5/8	1 3/8	8 3/8	1.2	269H	6	3/4
1 1/4	3	2 3/8	14 7/8	5.3	276H	1	1 1/4



Hexagon Opening

Hexagon Opening 6-Point

Wrench Opening	Handle Offset in Clear from Face of Wrench	Diameter of Head	Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.		
7/16	1 1/8	11/16	4 5/16	.21	263D	6	7/16
1/2	1 1/4	3/4	5 1/8	.33	264A	6	1/2
9/16	1 7/16	7/8	5 7/8	.46	265D	6	9/16
5/8	1 9/16	1	6 1/4	.53	266D	6	5/8
3/4	1 5/8	1 1/8	6 3/4	.79	267D	6	3/4
7/8	2 1/4	1 3/8	8 3/8	1.02	269A	6	7/8
15/16	2 1/4	1 1/2	9 1/8	1.7	270S	6	15/16
1 1/16	2 3/4	1 5/8	10	1.8	271A	1	1 1/16
1 1/8	2 3/4	1 5/8	10	1.9	271D	1	1 1/8
1 1/4	3	1 7/8	11 5/8	2.7	273A	1	1 1/4
1 7/16	3 1/4	2 1/8	13 1/4	4.1	275A	1	1 7/16
1 1/2	3 1/4	2 1/8	13 1/4	4.1	275D	1	1 1/2
1 5/8	3 1/2	2 3/8	14 7/8	5.8	276A	1	1 5/8

Tee-Handle Socket Wrenches

Upset Forged from Carbon Steel

Special Lengths Can Be Ordered in Quantities.

Pin Handle Can Be Removed, Enabling Use of a Wrench on Hex End of Shank.

Square Opening 4-Point

Wrench Opening	Diameter of Head A	Size Hex on Handle End B	Length of Pin Handle C	Overall Length D	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
3/16	1/2	13/32	4 1/2	4 1/4	.12	961H	6	3/16
1/4	1/2	13/32	4 1/2	4 1/4	.12	961J	6	1/4
5/16	5/8	17/32	4 1/2	4 1/2	.17	962H	6	5/16
3/8	1 1/16	5/8	4 1/2	4 7/8	.29	963H	6	3/8
7/16	7/8	3/4	5 1/2	5 3/4	.57	965H	12	7/16
1/2	1	3/4	6 1/8	6 1/8	.68	966H	12	1/2
9/16	1 1/8	7/8	6 1/8	6 1/2	.94	967H	6	9/16
5/8	1 1/4	7/8	7	7	1.18	968H	6	5/8
3/4	1 3/8	7/8	7	7 3/8	1.20	969H	1	3/4
7/8	1 5/8	1 1/4	8 1/4	8 1/4	2.2	971H	1	7/8





Square Opening

Hexagon Opening 6-Point

Wrench Opening	Diameter of Head A	Size Hex on Handle End B	Length of Pin Handle C	Overall Length D	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Wrench Opening
5/16	1/2	13/32	4-1/2	4-1/4	.12	961A	6	5/16
3/8	5/8	17/32	4-1/2	4-1/2	.17	962D	6	3/8
7/16	1 1/16	5/8	4-1/2	4-7/8	.28	963D	6	7/16
1/2	3/4	11/16	5-1/2	5-1/4	.40	964A	12	1/2
9/16	7/8	3/4	5-1/2	5-3/4	.56	965D	12	9/16
5/8	1	3/4	6-1/8	6-1/8	.68	966D	12	5/8
11/16	1-1/8	7/8	6-1/8	6-1/2	.94	967A	6	11/16
3/4	1-1/8	7/8	6-1/8	6-1/2	.91	967D	6	3/4
7/8	1-3/8	7/8	7	7-3/8	1.24	969A	1	7/8
15/16	1-1/2	1-1/16	7-7/8	7-7/8	1.8	970S	1	15/16
1	1-1/2	1-1/16	7-7/8	7-7/8	1.9	970D	1	1
1-1/16	1-5/8	1-1/4	8-1/4	8-1/4	2.3	971A	1	1 1/16
1-1/8	1-5/8	1-1/4	8-1/4	8-1/4	2.2	971D	1	1 1/8
1-1/4	1-7/8	1-1/4	8-1/4	9-1/8	3.0	973A	1	1 1/4
1-5/16	1-7/8	1-1/4	8-1/4	9-1/8	2.9	973B	1	1 5/16
1-1/2	2-1/8	1-7/16	8-1/4	10	3.8	975D	1	1 1/2
1-5/8	2-3/8	1-5/8	10-3/8	10-3/8	5.5	976A	1	1 5/8





Hexagon Opening

TOOLS

Mechanic's Starter Set – Industrial

TOOL BOX INCLUDED...BX24

M46K

ADJUSTABLE WRENCHES

6" A6

COMBINATION WRENCH SET

¼"	1158	13/16"	1167A
5/16"	1159	⅞"	1167
⅜"	1160	Kit Bag	C110
7/16"	1161	Kit Bag	C55
½"	1162	15/16"	1168
9/16"	1163	1"	1170
⅝"	1164	1 1/16"	1171
11/16"	1165	1⅛"	1172
¾"	1166	1¼"	1173

⅜" DRIVE SOCKET SET

¼"	B1208	13/16"	B1226
5/16"	B1210	⅞"	B1228
⅜"	B1212	15/16"	B1230
7/16"	B1214	1"	B1232
½"	B1216	7" Rev. Ratchet	B52
9/16"	B1218	3" Ext	B103
⅝"	B1220	6" Ext.	B105
11/16"	B1222	Universal	B140A
¾"	B1224	Flex Handle	B40A

HAMMERS

12 oz. Ball Peen 104G

CHISEL & PUNCH

3/16" Pin Punch P6
¼" Center Punch P38
½" Cold Chisel C16

PLIERS & SCREWDRIVERS

8" Combination Slip Joint Pliers P208
6" Diagonal Cutting Pliers P206
6½" Long Chain Nose Side Cutting Pliers P506
6" Square Blade Screwdriver SDS6
6" No. 3 Phillips Screwdriver SDP6

M46KM

ADJUSTABLE WRENCHES

6" A6

COMBINATION WRENCH SET

7 mm	1107MM	16 mm	1116MM
8 mm	1108MM	17 mm	1117MM
9 mm	1109MM	Kit Bag	C110
10 mm	1110MM	Kit Bag	C55
11 mm	1111MM	24 mm	1124MM
12 mm	1112MM	26 mm	1126MM
13 mm	1113MM	28 mm	1128MM
14 mm	1114MM	29 mm	1129MM
15 mm	1115MM	30 mm	1130MM

⅜" DRIVE SOCKET SET

8 mm	BM1208	17 mm	BM1217
9 mm	BM1209	18 mm	BM1218
10 mm	BM1210	19 mm	BM1219
11 mm	BM1211	Adaptor	BS130
12 mm	BM1212	7" Rev. Ratchet	B52
13 mm	BM1213	3" Ext.	B103
14 mm	BM1214	6" Ext.	B105
15 mm	BM1215	Universal	B140A
16 mm	BM1216	Flex Handle	B40A

HAMMERS

12 oz. Ball Peen 104G

CHISEL & PUNCH

3/16" Pin Punch P6
¼" Center Punch P38
½" Cold Chisel C16

PLIERS & SCREWDRIVERS

8" Combination Slip Joint Pliers P208
6" Diagonal Cutting Pliers P206
6½" Long Chain Nose Side Cutting Pliers P506
6" Square Blade Screwdriver SDS6
6" No. 3 Phillips Screwdriver SDP6

Mechanic's Set –Industrial



TOOL BOX INCLUDED...BX26

M100K

⅜" DRIVE SOCKET SET

¼"	B1208
5/16"	B1210
⅜"	B1212
7/16"	B1214
½"	B1216
9/16"	B1218
⅝"	B1220
11/16"	B1222
¾"	B1224
13/16"	B1226
⅞"	B1228
15/16"	B1230
1"	B1232
3" Ext	B103
6" Ext.	B105
Flex Handle	B40A
Universal Joint	B140A
7" Rev. Ratchet	B52

½" DRIVE SOCKET SET

⅜"	ST1212
7/16"	ST1214
½"	ST1216
9/16"	ST1218
⅝"	ST1220
11/16"	ST1222
¾"	ST1224
13/16"	ST1226
⅞"	ST1228
15/16"	ST1230
1"	ST1232
1 1/16"	ST1234
1⅛"	ST1236
1 3/16"	ST1238
1¼"	ST1240
5" Ext	S110P
10" Ext.	S115P
Flex Handle	SF41
Rev. Ratchet	SF51

COMBINATION WRENCHES

¼"	1158
5/16"	1159
⅜"	1160
7/16"	1161
½"	1162
9/16"	1163
⅝"	1164
11/16"	1165
¾"	1166
13/16"	1167A
⅞"	1167
Kit Bag	C110
5/16"	1168
1"	1170
1 1/16"	1171
1⅛"	1172
1¼"	1173
Kit Bag	C55

C-CLAMPS

0-3"	CC403
0-6 1/16"	CC406

HAMMERS

12 oz.	104G
1.50 lbs.	HSB15
1.25 lbs.	HPD 1

CHISEL & PUNCH

3/16" Pin	P6
3/16" Center	P40
½" Cold	C16
¼" Pin	P8
¼" Center	P42
¾" Cold	C24
1/16" Pin	P2
¼" Taper	P27

FLARE NUT WRENCHES

⅜"	4112
7/16"	4114
½"	4116
9/16"	4118

SCREWDRIVERS & PLIERS

8" Combo	P208
6" Diagonal	P206
6½" Chain Nose	P506
10" Groove	P510
4" Square Blade	SDS4
6" Square Blade	SDS6
10" Square Blade	SDS10
3" Phillips No. 1	SDP3
4" Phillips No. 2	SDP4
6" Phillips No. 3	SDP6
1½" Stubby No. 2	SDP1

HEX KEY WRENCH SET

13 pcs. Short Arm Series ... 13S

ADJUSTABLE & PIPE WRENCHES

6"	A6
10"	A10
10"	PW10

M100KM

⅜" DRIVE SOCKET SET

8 mm	BM1208
9 mm	BM1209
10 mm	BM1210
11 mm	BM1211
12 mm	BM1212
13 mm	BM1213
14 mm	BM1214
15 mm	BM1215
16 mm	BM1216
17mm	BM1217
18 mm	BM1218
19 mm	BM1219
Adaptor	BS130
3" Ext	B103
5" Ext.	B105
Flex Handle	B40A
Universal Joint	B140A
7" Rev. Ratchet	B52

½" DRIVE SOCKET SET

10 mm	STM1210
11 mm	STM1211
12 mm	STM1212
13 mm	STM1213
14 mm	STM1215
17 mm	STM1217
19 mm	STM1219
22 mm	STM1222
23 mm	STM1223
24 mm	STM1224
25 mm	STM1225
26 mm	STM1226
27 mm	STM1227
30 mm	STM1230
32 mm	STM1232
5" Ext	S110P
10" Ext.	S115P
Flex Handle	SF41
Rev. Ratchet	SF51

COMBINATION WRENCHES

7 mm	1107MM
8 mm	1108MM
9 mm	1109MM
10 mm	1110MM
11 mm	1111MM
12 mm	1112MM
13 mm	1113MM
14 mm	1114MM
15 mm	1115MM
16 mm	1116MM
17 mm	1117MM
Kit Bag	C110
24 mm	1124MM
26 mm	1126MM
28 mm	1128MM
29 mm	1129MM
30 mm	1130MM
Kit Bag	C55

C-CLAMPS

0-3"	CC403
0-6 1/16"	CC406

HAMMERS

12 oz.	104G
1.50 lbs.	HSB15
1.25 lbs.	HPD 1

CHISEL & PUNCH

3/16" Pin	P6
3/16" Center	P40
½" Cold	C16
¼" Pin	P8
¼" Center	P42
¾" Cold	C24
1/16" Pin	P2
¼" Taper	P27

FLARE NUT WRENCHES

⅜"	4112
7/16"	4114
½"	4116
9/16"	4118

PLIERS & SCREWDRIVERS

8" Combo	P208
6" Diagonal	P206
6½" Chain Nose	P506
10" Groove	P510
4" Square Blade	SDS4
6" Square Blade	SDS6
10" Square Blade	SDS10
3" Phillips No. 1	SDP3
4" Phillips No. 2	SDP4
6" Phillips No. 3	SDP6
1½" Stubby No. 2	SDP1

HEX KEY WRENCH SET

13 pcs. Short Arm Series ... 13S

ADJUSTABLE & PIPE WRENCHES

6"	A6
10"	A10
10"	PW10

¼" and ⅜" Drive Master Sets

MB20K

¼" DRIVE SOCKET SET
M606 ..... 3/16" 6 pt. Std. Skt.
M607 ..... 7/32" 6 pt. Std. Skt.
M608 ..... ¼" 6 pt. Std. Skt.
M609 ..... 9/32" 6 pt. Std. Skt.
M610 ..... 5/16" 6 pt. Std. Skt.
M611..... 11/32" 6 pt. Std. Skt.

⅜" DRIVE SOCKET SET
B612..... ⅜" 6 pt. Std. Skt.
B614..... 7/16" 6 pt. Std. Skt.
B616..... ½" 6 pt. Std. Skt.
B618..... 9/16" 6 pt. Std. Skt.
B620..... ⅝" 6 pt. Std. Skt.
B622..... 11/16" 6 pt. Std. Skt.
B624..... ¾" 6 pt. Std. Skt.
B626..... 13/16" 6 pt. Std. Skt.

M106 ..... Spinner Handle

B52..... 8" Reversible Ratchet
B103..... 3" Extension
B105..... 6" Extension
BD620P..... ⅝" Spark Plug Skt.
BS129..... Adaptor ⅜"F to ¼"M
98 ..... METAL BOX

MBM20K

METRIC

¼" DRIVE SOCKET SET
MM605.... 5 mm 6 Pt. Std. Skt.
MM606.... 6 mm 6 Pt. Std. Skt.
MM607.... 7 mm 6 Pt. Std. Skt.
MM608.... 8 mm 6 Pt. Std. Skt.
MM609.... 9 mm 6 Pt. Std. Skt.
MM610.... 10 mm 6 Pt. Std. Skt.

⅜" DRIVE SOCKET SET
BM612 .... 12 mm 6 Pt. Std. Skt.
BM613 .... 13 mm 6 Pt. Std. Skt.
BM614 .... 14 mm 6 Pt. Std. Skt.
BM615 .... 15 mm 6 Pt. Std. Skt.
BM616 .... 16 mm 6 Pt. Std. Skt.
BM617 .... 17 mm 6 Pt. Std. Skt.
BM618 .... 18 mm 6 Pt. Std. Skt.
BM619 .... 19 mm 6 Pt. Std. Skt.

M106 ..... Spinner Handle

B52..... 8" Reversible Ratchet
B103..... 3" Extension
B105..... 6" Extension
BD620P..... ⅝" Spark Plug Skt.
BS129..... Adaptor ⅜"F to ¼"M
98 ..... METAL BOX



MB28K

¼" DRIVE SOCKET SET
M608..... ¼" 6 pt. Std. Skt.
M609..... 9/32" 6 pt. Std. Skt.
M610..... 5/16" 6 pt. Std. Skt.
M611 ..... 11/32" 6 pt. Std. Skt.
M612..... ⅜" 6 pt. Std. Skt.

⅜" DRIVE SOCKET SET
B614 ..... 7/16" 6 pt. Std. Skt.
B616 ..... ½" 6 pt. Std. Skt.
B618 ..... 9/16" 6 pt. Std. Skt.
B620 ..... ⅝" 6 pt. Std. Skt.
B622 ..... 11/16" 6 pt. Std. Skt.
B624 ..... ¾" 6 pt. Std. Skt.
BM612 .... 12 mm 6 Pt. Std. Skt.
BM613 .... 13 mm 6 Pt. Std. Skt.
BM614 .... 14 mm 6 Pt. Std. Skt.

MM607.... 7 mm 6 Pt. Std. Skt.
MM608.... 8 mm 6 Pt. Std. Skt.
MM609.... 9 mm 6 Pt. Std. Skt.
MM610.... 10 mm 6 Pt. Std. Skt.
MM611.... 11 mm 6 Pt. Std. Skt.
M106..... Spinner Handle

BM615 .... 15 mm 6 Pt. Std. Skt.
BM617 .... 17 mm 6 Pt. Std. Skt.
BM619 .... 19 mm 6 Pt. Std. Skt.
B52 ..... 8" Reversible Ratchet
B103 ..... 3" Extension
B105 ..... 6" Extension
BD620P .. ⅝" Spark Plug Skt.
BS129..... Adaptor ⅜"F to ¼"M
98..... METAL BOX

¼" Drive Sockets & Attachments — Chrome

Type	Item	Description	Part No.	Std. Pkg. Qty.
Ratchet		Chrome .43 tooth. **Head dia. 1". Length 5½". Weight .40 lbs.**	M52	6
Ratchet Replacement Head		Preassembled Ratchet Replacement Head. **Weight .19 lbs.**	M52RD	1
Extension Bar		3" Extension Bar. **Weight .17 lbs.**	M103	6
Spinner		Spinner Handle. **Length 6".**	M106	6



TYPE I



TYPE II

¼" Square Drive 12 Point Standard

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Pkg. Qty.	Opening
3/16	I	13/16	31/64	5/16	7/32	.01	M1206	6	3/16
7/32	I	13/16	31/64	23/64	15/64	.01	M1207	6	7/32
1/4	I	13/16	31/64	25/64	1/4	.01	M1208	6	1/4
9/32	I	13/16	31/64	7/16	19/64	.02	M1209	6	9/32
5/16	II	13/16	31/64	31/64	21/64	.02	M1210	6	5/16
11/32	II	13/16	33/64	33/64	21/64	.03	M1211	6	11/32
3/8	II	13/16	9/16	9/16	5/16	.03	M1212	6	3/8
7/16	II	13/16	5/8	5/8	21/64	.04	M1214	6	7/16
1/2	II	13/16	45/64	45/64	13/32	.04	M1216	6	1/2

¼" Square Drive 6 Point Standard

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Pkg. Qty.	Opening
5/32	I	13/16	31/64	9/32	7/32	.01	M605	6	5/32
3/16	I	13/16	31/64	5/16	7/32	.01	M606	6	3/16
7/32	I	13/16	31/64	23/64	15/64	.01	M607	6	7/32
1/4	I	13/16	31/64	25/64	1/4	.01	M608	6	1/4
9/32	I	13/16	31/64	7/16	19/64	.02	M609	6	9/32
5/16	II	13/16	31/64	31/64	21/64	.02	M610	6	5/16
11/32	II	13/16	33/64	33/64	21/64	.03	M611	6	11/32
3/8	II	13/16	9/16	9/16	5/16	.03	M612	6	3/8
7/16	II	13/16	5/8	5/8	21/64	.04	M614	6	7/16
1/2	II	13/16	45/64	45/64	13/32	.04	M616	6	1/2

¼" Drive Sockets & Sets — Chrome



TYPE I



TYPE II

¼" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/16	I	1-61/64	15/32	5/16	13/64	.05	MD606	6	3/16
7/32	I	1-61/64	15/32	23/64	15/64	.06	MD607	6	7/32
1/4	I	1-61/64	15/32	25/64	11/32	.06	MD608	6	1/4
9/32	I	1-61/64	15/32	7/16	11/32	.06	MD609	6	9/32
5/16	II	1-61/64	15/32	15/32	13/32	.06	MD610	6	5/16
11/32	II	1-61/64	33/64	33/64	35/64	.06	MD611	6	11/32
3/8	II	1-61/64	37/64	37/64	35/64	.09	MD612	6	3/8
7/16	II	1-61/64	5/8	5/8	35/64	.09	MD614	6	7/16
1/2	II	1-61/64	45/64	45/64	35/64	.11	MD616	6	1/2

¼" Square Drive 6 Point Standard — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
4 mm	I	21.1 mm	12.1 mm	7.1 mm	5.3 mm	.05	MM604	6	4 mm
5 mm	I	21.1 mm	12.1 mm	8.6 mm	5.1 mm	.05	MM605	6	5 mm
6 mm	I	21.1 mm	12.1 mm	10.2 mm	6.6 mm	.05	MM606	6	6 mm
7 mm	I	21.1 mm	12.1 mm	11.2 mm	7.6 mm	.05	MM607	6	7 mm
8 mm	II	21.1 mm	12.1 mm	12.2 mm	8.4 mm	.05	MM608	6	8 mm
9 mm	II	21.1 mm	14.2 mm	14.2 mm	8.4 mm	.06	MM609	6	9 mm
10 mm	II	21.1 mm	14.9 mm	14.9 mm	8.4 mm	.06	MM610	6	10 mm
11 mm	II	21.1 mm	16.0 mm	16.0 mm	8.4 mm	.06	MM611	6	11 mm
12 mm	II	21.1 mm	17.0 mm	17.0 mm	9.1 mm	.07	MM612	6	12 mm
13 mm	II	21.1 mm	17.8 mm	17.8 mm	10.2 mm	.08	MM613	6	13 mm

M12K

M606..... 3/16" 6 Pt. Std. Skt.
M607..... 7/32" 6 Pt. Std. Skt.
M608..... 1/4" 6 Pt. Std. Skt.
M609..... 9/32" 6 Pt. Std. Skt.
M610..... 5/16" 6 Pt. Std. Skt.
M611..... 11/32" 6 Pt. Std. Skt.
M612.....3/8" 6 Pt. Std. Skt.
M614.....7/16" 6 Pt. Std. Skt.
M616.....1/2" 6 Pt. Std. Skt.
M52.....RATCHET
M103.....3" EXTENSION BAR
M106.....6" SPINNER
91.....METAL BOX

M12KM

METRIC

MM604 .....4 mm 6 Pt. Std. Skt.
MM605 .....5 mm 6 Pt. Std. Skt.
MM606 .....6 mm 6 Pt. Std. Skt.
MM607 .....7 mm 6 Pt. Std. Skt.
MM608 .....8 mm 6 Pt. Std. Skt.
MM609 .....9 mm 6 Pt. Std. Skt.
MM610 .....10 mm 6 Pt. Std. Skt.
MM612 .....12 mm 6 Pt. Std. Skt.
MM613 .....13 mm 6 Pt. Std. Skt.
M52 .....RATCHET
M103 .....3" EXTENSION BAR
M106 .....6" SPINNER
91 .....METAL BOX

⅜" Drive Attachments — Chrome

Type		Description	Part No.	Std. Pkg. Qty.
FLEXIBLE HANDLE		Chrome Knurled Grip. **Length 7 13/16". Weight .59 lbs.**	B40A	6
REVERSIBLE RATCHET		Chrome. 41 tooth. **Head dia. 1¼". Length 8". Weight .69 lbs.**	B52	6
		Preassembled Ratchet Replacement Head. **Weight .19 lbs.**	B52RD	1
FLEXIBLE HEAD RATCHET		Flex Head Reversible Ratchet. Chrome. **Length 10½ " .70 lbs.**	B54	6
		Preassembled Flexible Ratchet Replacement Head. **.19 lbs.**	B54RD	1
EXTENSIONS		Chrome. **Length 3". Weight .17 lbs.**	B103	6
		Chrome. **Length 6". Weight .20 lbs.**	B105	6
		Chrome. **Length 12". Weight .42 lbs.**	B112	6
UNIVERSAL JOINT		Chrome. **Weight .13 lbs.**	B140A	6
ADAPTORS		Chrome. ⅜"**F to** ¼"**M. Weight .06 lbs.**	BS129	6
		Chrome. ⅜"**F to** ½"**M. Weight .09 lbs.**	BS130	6
SPEEDER		Chrome. Revolving Grip. **Length 16". Weight 1.1 lbs.**	B15	6

TOOLS

3/8" Drive Socket Wrenches — Chrome



TYPE I



TYPE II

3/8" Square Drive 12 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
1/4	I	1 1/8	5/8	25/64	1/8	.04	B1208	6	1/4
5/16	I	1 1/8	5/8	15/32	9/64	.05	B1210	6	5/16
3/8	I	1 1/8	5/8	35/64	5/32	.05	B1212	6	3/8
7/16	II	1 1/8	—	5/8	7/32	.05	B1214	6	7/16
1/2	II	1 1/8	—	23/32	17/64	.06	B1216	6	1/2
9/16	II	1 1/8	—	25/32	21/64	.08	B1218	6	9/16
5/8	II	1 1/8	—	7/8	3/8	.10	B1220	6	5/8
11/16	II	1 1/8	—	15/16	3/8	.12	B1222	6	11/16
3/4	II	1 1/8	—	1	7/16	.14	B1224	6	3/4
13/16	II	1 3/16	—	1 1/16	29/64	.15	B1226	6	13/16
7/8	II	1 1/4	—	1 9/64	1/2	.18	B1228	6	7/8
15/16	II	1 9/16	—	1 1/4	35/64	.18	B1230	6	15/16
1	II	1 5/8	—	1 5/16	35/64	.19	B1232	6	1

3/8" Square Drive 12 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/8	I	2-7/32	5/8	35/64	5/32	.10	BD1212	6	3/8
7/16	II	2-7/32	—	5/8	7/32	.10	BD1214	6	7/16
1/2	II	2-7/32	—	23/32	17/64	.15	BD1216	6	1/2
9/16	II	2-7/32	—	25/32	21/64	.19	BD1218	6	9/16
5/8	II	2-7/32	—	7/8	3/8	.23	BD1220	6	5/8
11/16	II	2-1/2	—	59/64	3/8	.28	BD1222	6	11/16
3/4	II	2-1/2	—	63/64	7/16	.26	BD1224	6	3/4
13/16	II	2-25/32	—	1-1/16	29/64	.48	BD1226	6	13/16
7/8	II	2-7/8	—	1-5/32	1/2	.39	BD1228	6	7/8





3/8" Drive Crowfoot Wrench — Flare Nut 12 Pt.

Opening	Diameter of Head	Thickness of Head	Width of Slot	Length of Centers	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Opening
	A	B	C	D		Part No.	Part No.		
5/8	15/16	11/16	15/32	47/64	.06	BC20	BLKBC20	6	5/8
11/16	1-1/32	11/16	17/32	25/32	.06	BC22	BLKBC22	6	11/16
3/4	1-1/8	23/32	9/16	53/64	.06	BC24	BLKBC24	6	3/4
13/16	1-13/64	23/32	5/8	7/8	.06	BC26	BLKBC26	6	13/16
7/8	1-19/64	3/4	11/16	15/16	.06	BC28	BLKBC28	6	7/8
15/16	1-3/8	3/4	23/32	15/16	.06	BC30	BLKBC30	6	15/16
1	1-29/64	25/32	3/4	1-1/64	.13	BC32	BLKBC32	6	1
1-1/16	1-17/32	25/32	25/32	1-3/64	.13	BC34	BLKBC34	6	1 1/16

3/8" Drive Socket Wrenches — Chrome



TYPE I



TYPE II

3/8" Square Drive 6 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
1/4	I	1 1/8	5/8	25/64	1/8	.04	B608	6	1/4
5/16	I	1 1/8	5/8	15/32	9/64	.04	B610	6	5/16
3/8	I	1 1/8	5/8	35/64	5/32	.05	B612	6	3/8
7/16	II	1 1/8	—	5/8	7/32	.05	B614	6	7/16
1/2	II	1 1/8	—	23/32	17/64	.07	B616	6	1/2
9/16	II	1 1/8	—	25/32	21/64	.08	B618	6	9/16
5/8	II	1 1/8	—	7/8	3/8	.10	B620	6	5/8
11/16	II	1 1/8	—	15/16	3/8	.13	B622	6	11/16
3/4	II	1 1/8	—	1	7/16	.14	B624	6	3/4
13/16	II	1 3/16	—	1 1/16	29/64	.17	B626	6	13/16
7/8	II	1 1/4	—	1 3/64	1/2	.19	B628	6	7/8
15/16	II	1 9/16	—	1 1/4	35/64	.29	B630	6	15/16
1	II	1 5/8	—	1 5/16	35/64	.33	B632	6	1

3/8" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
1/4	I	2 7/32	5/8	3/8	5/32	.10	BD608	6	1/4
5/16	I	2 7/32	5/8	7/16	5/32	.11	BD610	6	5/16
3/8	I	2 7/32	5/8	35/64	5/32	.12	BD612	6	3/8
7/16	II	2 7/32	—	5/8	7/32	.12	BD614	6	7/16
1/2	II	2 7/32	—	23/32	17/64	.16	BD616	6	1/2
9/16	I	2 1/4	55/64	13/16	11/32	.25	BD618	6	9/16
5/8	I	2 1/4	59/64	57/64	3/8	.30	BD620	6	5/8
11/16	II	2 5/16	—	61/64	3/8	.32	BD622	6	11/16
3/4	II	2 5/16	—	1 3/64	7/16	.37	BD624	6	3/4
13/16	II	2 25/32	—	1 1/16	29/64	.32	BD626	6	13/16
7/8	II	2 7/8	—	1 5/32	1/2	.39	BD628	6	7/8
15/16	II	3 3/64	—	1 1/4	35/64	.41	BD630	6	15/16
1	II	3 3/64	—	1 5/16	35/64	.41	BD632	6	1



TYPE VI

3/8" Drive Hex Bit Sockets

Bit Size	Type	Length	Drive End	Bit End	Bit Length	Wt. Ea. Lbs.	Chrome	Replacement Hex Bits	Std. Pkg. Qty.	Bit Size
		A	B	C	D		Part No.			
1/8	I	2.66	.69	.59	1.59	.06	BA4	BA4B	6	1/8
5/32	I	2.66	.69	.59	1.59	.06	BA5	BA5B	6	5/32
3/16	I	2.66	.69	.59	1.59	.06	BA6	BA6B	6	3/16
7/32	I	2.66	.69	.59	1.59	.07	BA7	BA7B	6	7/32
1/4	VI	2.66	.69	.59	1.59	.08	BA8	BA8B	6	1/4
5/16	VI	2.88	.69	.59	1.81	.10	BA10	BA10B	6	5/16
3/8	VI	2.94	.75	.75	1.75	.13	BA12	BA12B	6	3/8

TOOLS

3/8" Drive Socket Wrenches — Chrome





TYPE VI

3/8" Drive Torx Bit Sockets

Bit Size	Type	Length	Drive End	Bit End	Bit Length	Wt. Ea. Lbs.	Chrome	Replacement Hex Bits	Std. Pkg. Qty.	Bit Size
		A	B	C	D		Part No.			
T10	VI	1.65	0.69	.59	0.59	0.05	BAT10	BAT10B	6	T10
T15	VI	1.65	0.69	.59	0.59	0.1	BAT15	BAT15B	6	T15
T20	VI	1.65	0.69	.59	0.59	0.1	BAT20	BAT20B	6	T20
T25	VI	1.65	0.69	.59	0.59	0.1	BAT25	BAT25B	6	T25
T27	VI	1.65	0.69	.59	0.59	0.1	BAT27	BAT27B	6	T27
T30	VI	1.65	0.69	.59	0.59	0.1	BAT30	BAT30B	6	T30
T40	VI	1.83	0.69	.59	0.77	0.1	BAT40	BAT40B	6	T40
T45	VI	1.83	0.69	.59	0.77	0.1	BAT45	BAT45B	6	T45
T50	VI	1.83	0.69	.59	0.77	0.1	BAT50	BAT50B	6	T50
T55	VI	2.06	0.75	.75	0.89	0.15	BAT55	BAT55B	6	T55



3/8" Square Drive 6 Point Flex Socket

Opening	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
	A	B	C	D		Part No.		
3/8	1 49/64	3/4	37/64	15/64	.09	BU612	6	3/8
7/16	1 55/64	3/4	43/64	5/16	.09	BU614	6	7/16
1/2	1 57/64	3/4	3/4	23/64	.13	BU616	6	1/2
9/16	1 57/64	3/4	13/16	25/64	.13	BU618	6	9/16
5/8	1 15/64	3/4	7/8	7/16	.14	BU620	6	5/8
11/16	1 31/32	3/4	31/32	15/32	.18	BU622	6	11/16
3/4	2 1/8	3/4	1 3/64	33/64	.19	BU624	6	3/4



3/8" Square Drive Spark Plug Sockets — Chrome

Opening	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
	A	B	C	D		Part No.		
5/8	2 1/2	3/4	55/64	51/64	.28	BD620P	6	5/8
13/16	2 3/4	7/8	1 5/64	51/64	.35	BD626P	6	13/16

TOOLS

⅜" Drive Sockets & Sets — Chrome

B7K

BU612 ..... ⅜" 6 Pt. Flex Skt.
BU614 ..... 7⁄16" 6 Pt. Flex Skt.
BU616 ..... ½" 6 Pt. Flex Skt.
BU618 ..... 9⁄16" 6 Pt. Flex Skt.
BU620 ..... ⅝" 6 Pt. Flex Skt.
BU622 ..... 11⁄16" 6 Pt. Flex Skt.
BU624 ..... ¾" 6 Pt. Flex Skt.
247 ..... CLIP RAIL

BA7K

BA4..... ⅛" Hex Bit Skt. ⅜" DR
BA5..... 5⁄32" Hex Bit Skt. ⅜" DR
BA6..... 3⁄16" Hex Bit Skt. ⅜" DR
BA7..... 7⁄32" Hex Bit Skt. ⅜" DR
BA8..... ¼" Hex Bit Skt. ⅜" DR
BA10..... 5⁄16" Hex Bit Skt. ⅜" DR
BA12..... ⅜" Hex Bit Skt. ⅜" DR
247 ..... Twist Lock Clip Rail

BC8K

BC20 ..... ⅝" 12 Pt. Crowfoot
BC22 ..... 11⁄16" 12 Pt. Crowfoot
BC24 ..... ¾" 12 Pt. Crowfoot
BC26 ..... 13⁄16" 12 Pt. Crowfoot
BC28 ..... ⅞" 12 Pt. Crowfoot
BC30 ..... 15⁄16" 12 Pt. Crowfoot
BC32 ..... 1" 12 Pt. Crowfoot
BC34 ..... 1 1⁄16" 12 Pt. Crowfoot
244 ..... CLIP RAIL

B9K

BD1212 ..... ⅜" 12 Pt. Deep Skt.
BD1214 ..... 7⁄16" 12 Pt. Deep Skt.
BD1216 ..... ½" 12 Pt. Deep Skt.
BD1218 ..... 9⁄16" 12 Pt. Deep Skt.
BD1220 ..... ⅝" 12 Pt. Deep Skt.
BD1222 ..... 11⁄16" 12 Pt. Deep Skt.
BD1224 ..... ¾" 12 Pt. Deep Skt.
BD1226 ..... 13⁄16" 12 Pt. Deep Skt.
BD1228 ..... ⅞" 12 Pt. Deep Skt.
245 ..... CLIP RAIL

BC10K

BA4..... ⅛" Hex Bit Skt. ⅜" Dr.
BA55..... 5⁄32" Hex Bit Skt. ⅜" Dr.
BA6..... 3⁄16" Hex Bit Skt. ⅜" Dr.
BA7..... 7⁄32" Hex Bit Skt. ⅜" Dr.
BA8..... ¼" Hex Bit Skt. ⅜" Dr.
BA10..... 5⁄16" Hex Bit Skt. ⅜" Dr.
BA12..... ⅜" Hex Bit Skt. ⅜" Dr.
SA16..... ½" Hex Bit Skt. ½" Dr.
SA18..... 9⁄16" Hex Bit Skt. ½" Dr.
SA20..... ⅝" Hex Bit Skt. ½" Dr.
254..... TWIST LOCK CLIP RAIL



3/8" Drive Sockets & Sets — Chrome



BAT6K

BAT15..... T15 Torx®
BAT20..... T20 Torx®
BAT25..... T25 Torx®
BAT27..... T27 Torx®
BAT30..... T30 Torx®
BAT40..... T40 Torx®
208R..... TWIST LOCK CLIP RAIL

BAT8K

BAT15..... T15 Torx®
BAT20..... T20 Torx®
BAT25..... T25 Torx®
BAT27..... T27 Torx®
BAT30..... T30 Torx®
BAT40..... T40 Torx®
BAT45..... T45 Torx®
BAT50..... T50 Torx®
247 ..... TWIST LOCK CLIP RAIL

BAT10K

BAT10..... T10 Torx®
BAT15..... T15 Torx®
BAT20..... T20 Torx®
BAT25..... T25 Torx®
BAT27..... T27 Torx®
BAT30..... T30 Torx®
BAT40..... T40 Torx®
BAT45..... T45 Torx®
BAT50..... T50 Torx®
BAT55..... T55 Torx®
247 ..... TWIST LOCK CLIP RAIL

⅜" Drive Sockets & Sets — Chrome

BD9K

BD612 ..... ⅜" 6 Pt. Deep Skt.
BD614 ..... 7⁄16" 6 Pt. Deep Skt.
BD616 ..... ½" 6 Pt. Deep Skt.
BD618 ..... 9⁄16" 6 Pt. Deep Skt.
BD620 ..... ⅝" 6 Pt. Deep Skt.
BD622 ..... 11⁄16" 6 Pt. Deep Skt.
BD624 ..... ¾" 6 Pt. Deep Skt.
BD626 ..... 13⁄16" 6 Pt. Deep Skt.
BD628 ..... ⅞" 6 Pt. Deep Skt.
245 ..... CLIP RAIL

B10K

B1210 ..... 5⁄16" 12 Pt. Std. Skt.
B1212 ..... ⅜" 12 Pt. Std. Skt.
B1214 ..... 7⁄16" 12 Pt. Std. Skt.
B1216 ..... ½" 12 Pt. Std. Skt.
B1218 ..... 9⁄16" 12 Pt. Std. Skt.
B1220 ..... ⅝" 12 Pt. Std. Skt.
B1222 ..... 11⁄16" 12 Pt. Std. Skt.
B1224 ..... ¾" 12 Pt. Std. Skt.
B1226 ..... 13⁄16" 12 Pt. Std. Skt.
B1228 ..... ⅞" 12 Pt. Std. Skt.
246 ..... CLIP RAIL

BD10K

B610 ..... 5⁄16" 6 Pt. Std. Skt.
B612 ..... ⅜" 6 Pt. Std. Skt.
B614 ..... 7⁄16" 6 Pt. Std. Skt.
B616 ..... ½" 6 Pt. Std. Skt.
B618 ..... 9⁄16" 6 Pt. Std. Skt.
B620 ..... ⅝" 6 Pt. Std. Skt.
B622 ..... 11⁄16" 6 Pt. Std. Skt.
B624 ..... ¾" 6 Pt. Std. Skt.
B626 ..... 13⁄16" 6 Pt. Std. Skt.
B628 ..... ⅞" 6 Pt. Std. Skt.
246 ..... CLIP RAIL

B11K

B608 ..... ¼" 6 Pt. Std. Skt.
B610 ..... 5⁄16" 6 Pt. Std. Skt.
B612 ..... ⅜" 6 Pt. Std. Skt.
B614 ..... 7⁄16" 6 Pt. Std. Skt.
B616 ..... ½" 6 Pt. Std. Skt.
B618 ..... 9⁄16" 6 Pt. Std. Skt.
B620 ..... ⅝" 6 Pt. Std. Skt.
B622 ..... 11⁄16" 6 Pt. Std. Skt.
B624 ..... ¾" 6 Pt. Std. Skt.
B626 ..... 13⁄16" 6 Pt. Std. Skt.
B628 ..... ⅞" 6 Pt. Std. Skt.
249 ..... CLIP RAIL

3/8" Drive Sockets & Sets — Chrome

B11KM

B612	3/8" 6 Pt. Std. Skt.	B1224	3/4" 12 Pt. Std. Skt.
B614	7/16" 6 Pt. Std. Skt.	B1226	13/16" 12 Pt. Std. Skt.
B616	1/2" 6 Pt. Std. Skt.	B1228	7/8" 12 Pt. Std. Skt.
B618	9/16" 6 Pt. Std. Skt.	B52	RATCHET
B1220	5/8" 12 Pt. Std. Skt.	B105	6" EXTENSION
B1222	11/16" 12 Pt. Std. Skt.	25	METAL BOX

B11RK

B610	5/16" 6 Pt. Std. Skt.	B622	11/16" 6 Pt. Std. Skt.
B612	3/8" 6 Pt. Std. Skt.	B624	3/4" 6 Pt. Std. Skt.
B614	7/16" 6 Pt. Std. Skt.	B52	REVERSIBLE RATCHET
B616	1/2" 6 Pt. Std. Skt.	B103	3" EXTENSION
B618	9/16" 6 Pt. Std. Skt.	BD620P	5/8" SPARK PLUG SKT.
B620	5/8" 6 Pt. Std. Skt.	93	METAL BOX

B12K

B1212	3/8" 12 Pt. Std. Skt.	B1226	13/16" 12 Pt. Std. Skt.
B1214	7/16" 12 Pt. Std. Skt.	B1228	7/8" 12 Pt. Std. Skt.
B1216	1/2" 12 Pt. Std. Skt.	B52	REVERSIBLE RATCHET
B1218	9/16" 12 Pt. Std. Skt.	B103	3" EXTENSION
B1220	5/8" 12 Pt. Std. Skt.	B105	6" EXTENSION
B1222	11/16" 12 Pt. Std. Skt.	93	METAL BOX
B1224	3/4" 12 Pt. Std. Skt.		

3/8" Drive Sockets & Sets — Chrome



BD12K

B612 ..... 3/8" 6 Pt. Std. Skt.
B614 ..... 7/16" 6 Pt. Std. Skt.
B616 ..... 1/2" 6 Pt. Std. Skt.
B618 ..... 9/16" 6 Pt. Std. Skt.
B620 ..... 5/8" 6 Pt. Std. Skt.
B622 ..... 11/16" 6 Pt. Std. Skt.
B624 ..... 3/4" 6 Pt. Std. Skt.
B626 ..... 13/16" 6 Pt. Std. Skt.
B628 ..... 7/8" 6 Pt. Std. Skt.
B52 ..... REVERSIBLE RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
93 ..... METAL BOX

B19K

B612 ..... 3/8" 6 Pt. Std. Skt.
B614 ..... 7/16" 6 Pt. Std. Skt.
B616 ..... 1/2" 6 Pt. Std. Skt.
B618 ..... 9/16" 6 Pt. Std. Skt.
B620 ..... 5/8" 6 Pt. Std. Skt.
B622 ..... 11/16" 6 Pt. Std. Skt.
B624 ..... 3/4" 6 Pt. Std. Skt.
B626 ..... 13/16" 6 Pt. Std. Skt.
B628 ..... 7/8" 6 Pt. Std. Skt.
BD612 ..... 3/8" 6 Pt. Deep Skt.
BD614 ..... 7/16" 6 Pt. Deep Skt.
BD616 ..... 1/2" 6 Pt. Deep Skt.
BD618 ..... 9/16" 6 Pt. Deep Skt.
BD622 ..... 11/16" 6 Pt. Deep Skt.
BD624 ..... 3/4" 6 Pt. Deep Skt.
B52 ..... REVERSIBLE RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
BD620P ..... 5/8" SPARK PLUG SKT.
94 ..... METAL BOX

B20K

B612 ..... 3/8" 6 Pt. Std. Skt.
B614 ..... 7/16" 6 Pt. Std. Skt.
B616 ..... 1/2" 6 Pt. Std. Skt.
B618 ..... 9/16" 6 Pt. Std. Skt.
B1220 ..... 5/8" 12 Pt. Std. Skt.
B1222 ..... 11/16" 12 Pt. Std. Skt.
B1224 ..... 3/4" 12 Pt. Std. Skt.
B1226 ..... 13/16" 12 Pt. Std. Skt.
B1228 ..... 7/8" 12 Pt. Std. Skt.
BD612 ..... 3/8" 6 Pt. Deep Skt.
BD614 ..... 7/16" 6 Pt. Deep Skt.
BD616 ..... 1/2" 6 Pt. Deep Skt.
BD618 ..... 9/16" 6 Pt. Deep Skt.
BD620 ..... 5/8" 6 Pt. Deep Skt.
BD622 ..... 11/16" 6 Pt. Deep Skt.
BD624 ..... 3/4" 6 Pt. Deep Skt.
BD626 ..... 13/16" 6 Pt. Deep Skt.
B52 ..... RATCHET
B105 ..... 6" EXTENSION
B40A ..... FLEX HANDLE
94 ..... METAL BOX

3/8" Drive Sockets & Sets — Chrome

B22K

B1212 ..... 3/8" 12 Pt. Std. Skt.
B1214 ..... 7/16" 12 Pt. Std. Skt.
B1216 ..... 1/2" 12 Pt. Std. Skt.
B1218 ..... 9/16" 12 Pt. Std. Skt.
B1220 ..... 5/8" 12 Pt. Std. Skt.
B1222 ..... 11/16" 12 Pt. Std. Skt.
B1224 ..... 3/4" 12 Pt. Std. Skt.
B1226 ..... 13/16" 12 Pt. Std. Skt.
B1228 ..... 7/8" 12 Pt. Std. Skt.
BD1212 ..... 3/8" 12 Pt. Deep Skt.
BD1214 ..... 7/16" 12 Pt. Deep Skt.
BD1216 ..... 1/2" 12 Pt. Deep Skt.
BD1218 ..... 9/16" 12 Pt. Deep Skt.
BD1220 ..... 5/8" 12 Pt. Deep Skt.
BD1222 ..... 11/16" 12 Pt. Deep Skt.
BD1224 ..... 3/4" 12 Pt. Deep Skt.
BD1226 ..... 13/16" 12 Pt. Deep Skt.
BD1228 ..... 7/8" 12 Pt. Deep Skt.
B52 ..... REVERSIBLE RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
B140A..... UNIVERSAL JOINT
94 ..... METAL BOX

BD22K

B612 ..... 3/8" 6 Pt. Std. Skt.
B614 ..... 7/16" 6 Pt. Std. Skt.
B616 ..... 1/2" 6 Pt. Std. Skt.
B618 ..... 9/16" 6 Pt. Std. Skt.
B620 ..... 5/8" 6 Pt. Std. Skt.
B622 ..... 11/16" 6 Pt. Std. Skt.
B624 ..... 3/4" 6 Pt. Std. Skt.
B626 ..... 13/16" 6 Pt. Std. Skt.
B628 ..... 7/8" 6 Pt. Std. Skt.
BD612 ..... 3/8" 6 Pt. Deep Skt.
BD614 ..... 7/16" 6 Pt. Deep Skt.
BD616 ..... 1/2" 6 Pt. Deep Skt.
BD618 ..... 9/16" 6 Pt. Deep Skt.
BD620 ..... 5/8" 6 Pt. Deep Skt.
BD622 ..... 11/16" 6 Pt. Deep Skt.
BD624 ..... 3/4" 6 Pt. Deep Skt.
BD626 ..... 13/16" 6 Pt. Deep Skt.
BD628 ..... 7/8" 6 Pt. Deep Skt.
B52 ..... REVERSIBLE RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
B140A..... UNIVERSAL JOINT
94 ..... METAL BOX

B26K

B608 ..... 1/4" 6 Pt. Std. Skt.
B610 ..... 5/16" 6 Pt. Std. Skt.
B612 ..... 3/8" 6 Pt. Std. Skt.
B614 ..... 7/16" 6 Pt. Std. Skt.
B616 ..... 1/2" 6 Pt. Std. Skt.
B618 ..... 9/16" 6 Pt. Std. Skt.
B1220 ..... 5/8" 12 Pt. Std. Skt.
B1222 ..... 11/16" 12 Pt. Std. Skt.
B1224 ..... 3/4" 12 Pt. Std. Skt.
B1226 ..... 13/16" 12 Pt. Std. Skt.
B1228 ..... 7/8" 12 Pt. Std. Skt.
B1230 ..... 15/16" 12 Pt. Std. Skt.
B1232 ..... 1" 12 Pt. Std. Skt.
BD612 ..... 3/8" 6 Pt. Deep Skt.
BD614 ..... 7/16" 6 Pt. Deep Skt.
BD616 ..... 1/2" 6 Pt. Deep Skt.
BD618 ..... 9/16" 6 Pt. Deep Skt.
BD620 ..... 5/8" 6 Pt. Deep Skt.
BD622 ..... 11/16" 6 Pt. Deep Skt.
BD624 ..... 3/4" 6 Pt. Deep Skt.
BD626 ..... 13/16" 6 Pt. Deep Skt.
B52 ..... RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
B40A..... FLEX HANDLE
B140A..... UNIVERSAL
94 ..... METAL BOX

⅜" Drive Metric Socket Wrenches — Chrome



TYPE I



TYPE II





TYPE VI



⅜″ Square Drive 12 Point Standard — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
8 mm	I	25.7 mm	17.3 mm	12.2 mm	6.6 mm	.06	BM1208	6	8 mm
9 mm	I	25.4 mm	17.3 mm	14.2 mm	6.9 mm	.06	BM1209	6	9 mm
10 mm	I	25.4 mm	17.3 mm	14.9 mm	7.9 mm	.06	BM1210	6	10 mm
11 mm	I	25.4 mm	17.3 mm	16.5 mm	8.1 mm	.06	BM1211	6	11 mm
12 mm	II	25.4 mm	17.8 mm	17.8 mm	7.9 mm	.06	BM1212	6	12 mm
13 mm	II	25.7 mm	18.8 mm	18.8 mm	7.9 mm	.06	BM1213	6	13 mm
14 mm	II	25.7 mm	20.6 mm	20.6 mm	12.4 mm	.06	BM1214	6	14 mm
15 mm	II	25.7 mm	21.6 mm	21.6 mm	12.4 mm	.13	BM1215	6	15 mm
16 mm	II	28.7 mm	22.1 mm	22.1 mm	14.2 mm	.13	BM1216	6	16 mm
17 mm	II	30.0 mm	24.4 mm	24.4 mm	14.2 mm	.19	BM1217	6	17 mm
18 mm	II	30.0 mm	24.4 mm	24.4 mm	15.7 mm	.19	BM1218	6	18 mm
19 mm	II	30.0 mm	26.2 mm	26.2 mm	17.3 mm	.19	BM1219	6	19 mm

⅜″ Square Drive 6 Point Standard — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty. Pkg.	Opening
		A	B	C	D		Part No.		
6 mm	I	1⅛	5/8	25/64	5/32	.04	BM606	6	6 mm
7 mm	I	1⅛	5/8	7/16	5/32	.04	BM607	6	7 mm
8 mm	I	1⅛	5/8	15/32	13/64	.05	BM608	6	8 mm
9 mm	I	1⅛	5/8	33/64	7/32	.05	BM609	6	9 mm
10 mm	I	1⅛	5/8	37/64	15/64	.05	BM610	6	10 mm
11 mm	II	1⅛	—	5/8	9/32	.05	BM611	6	11 mm
12 mm	II	1⅛	—	11/16	5/16	.06	BM612	6	12 mm
13 mm	II	1⅛	—	47/64	5/16	.08	BM613	6	13 mm
14 mm	II	1⅛	—	49/64	25/64	.08	BM614	6	14 mm
15 mm	II	1⅛	—	27/32	25/64	.10	BM615	6	15 mm
16 mm	II	1⅛	—	7/8	13/32	.10	BM616	6	16 mm
17 mm	II	1⅛	—	59/64	25/64	.13	BM617	6	17 mm
18 mm	II	1⅛	—	31/32	13/32	.13	BM618	6	18 mm
19 mm	II	1⅛	—	1	15/32	.15	BM619	6	19 mm

⅜″ Square Drive 6 Point Deep — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
6 mm	I	2 7/32	5/8	25/64	5/32	.10	BMD606	6	6 mm
7 mm	I	2 7/32	5/8	25/64	5/32	.10	BMD607	6	7 mm
8 mm	I	2 7/32	5/8	29/64	3/16	.12	BMD608	6	8 mm
9 mm	I	2 7/32	5/8	1/2	15/64	.10	BMD609	6	9 mm
10 mm	I	2 7/32	5/8	9/16	15/64	.12	BMD610	6	10 mm
11 mm	I	2 7/32	—	5/8	9/32	.12	BMD611	6	11 mm
12 mm	II	2 7/32	—	43/64	5/16	.13	BMD612	6	12 mm
13 mm	II	2 7/32	—	47/64	5/16	.17	BMD613	6	13 mm
14 mm	II	2 7/32	—	49/64	25/64	.21	BMD614	6	14 mm
15 mm	II	2 7/32	—	27/32	25/64	.23	BMD615	6	15 mm
16 mm	II	2 7/32	—	7/8	25/64	.23	BMD616	6	16 mm
17 mm	II	2½	—	59/64	25/64	.31	BMD617	6	17 mm
18 mm	II	2½	—	31/32	13/32	.23	BMD618	6	18 mm
19 mm	II	2½	—	63/64	7/16	.25	BMD619	6	19 mm

⅜″ Drive Hex Bit Sockets

Bit Size	Type	Length	Drive End	Bit End	Bit Length	Wt. Ea. Lbs.	Chrome	Replacement Hex Bits	Std. Pkg. Qty.	Bit Size
		A	B	C	D		Part No.			
4MM	VI	68mm	17.5mm	15.0	41.0mm	0.1	BA4MM	BA4MMB	6	4mm
5MM	VI	68mm	17.5mm	15.0	41.0mm	0.1	BA5MM	BA5MMB	6	5mm
6MM	VI	68mm	17.5mm	15.0	41.0mm	0.1	BA6MM	BA6MMB	6	6mm
7MM	VI	72.5mm	17.5mm	15.0	45.3mm	0.1	BA7MM	BA7MMB	6	7mm
8MM	VI	72.5mm	17.5mm	15.0	45.3mm	0.1	BA8MM	BA8MMB	6	8mm
9MM	VI	72.5mm	19mm	19.0	42.4mm	0.15	BA9MM	BA9MMB	6	9mm
10MM	VI	72.5mm	19mm	19.0	42.4mm	0.15	BA10MM	BA10MMB	6	10mm

3/8" Drive Metric Socket Sets — Chrome

MB11K

BM610	10 mm 6 Pt. Std. Skt.	BM618	18 mm 6 Pt. Std. Skt.
BM612	12 mm 6 Pt. Std. Skt.	BM619	19 mm 6 Pt. Std. Skt.
BM613	13 mm 6 Pt. Std. Skt.	B52	REVERSIBLE RATCHET
BM614	14 mm 6 Pt. Std. Skt.	B103	3" EXTENSION
BM615	15 mm 6 Pt. Std. Skt.	BD620P	SPARK PLUG SKT.
BM617	17 mm 6 Pt. Std. Skt.	92	METAL BOX

MB12K

BM1208	8 mm 12 Pt. Std. Skt.	BM1215	15 mm 12 Pt. Std. Skt.
BM1209	9 mm 12 Pt. Std. Skt.	BM1216	16 mm 12 Pt. Std. Skt.
BM1210	10 mm 12 Pt. Std. Skt.	BM1217	17 mm 12 Pt. Std. Skt.
BM1211	11 mm 12 Pt. Std. Skt.	BM1218	18 mm 12 Pt. Std. Skt.
BM1212	12 mm 12 Pt. Std. Skt.	BM1219	19 mm 12 Pt. Std. Skt.
BM1213	13 mm 12 Pt. Std. Skt.	240	CLIP RAIL
BM1214	14 mm 12 Pt. Std. Skt.		

METRIC

MB14K

BM606	6 mm 6 Pt. Std. Skt.	BM614	14 mm 6 Pt. Std. Skt.
BM607	7 mm 6 Pt. Std. Skt.	BM615	15 mm 6 Pt. Std. Skt.
BM608	8 mm 6 Pt. Std. Skt.	BM616	16 mm 6 Pt. Std. Skt.
BM609	9 mm 6 Pt. Std. Skt.	BM617	17 mm 6 Pt. Std. Skt.
BM610	10 mm 6 Pt. Std. Skt.	BM618	18 mm 6 Pt. Std. Skt.
BM611	11 mm 6 Pt. Std. Skt.	BM619	19 mm 6 Pt. Std. Skt.
BM612	12 mm 6 Pt. Std. Skt.	240	CLIP RAIL
BM613	13 mm 6 Pt. Std. Skt.		

BA7KM

BA4MM	4 mm Hex Bit Skt.	BA8MM	8 mm Hex Bit Skt.
BA5MM	5 mm Hex Bit Skt.	BA9MM	9 mm Hex Bit Skt.
BA6MM	6 mm Hex Bit Skt.	BA10MM	10 mm Hex Bit Skt.
BA7MM	7 mm Hex Bit Skt.	240	TWIST LOCK CLIP RAIL

3/8" Drive Metric Socket Sets—Chrome

MB17K

BM1208 ..... 8 mm 12 Pt. Std. Skt.
BM1209 ..... 9 mm 12 Pt. Std. Skt.
BM1210 ..... 10 mm 12 Pt. Std. Skt.
BM1211 ..... 11 mm 12 Pt. Std. Skt.
BM1212 ..... 12 mm 12 Pt. Std. Skt.
BM1213 ..... 13 mm 12 Pt. Std. Skt.
BM1214 ..... 14 mm 12 Pt. Std. Skt.
BM1215 ..... 15 mm 12 Pt. Std. Skt.
BM1216 ..... 16 mm 12 Pt. Std. Skt.
BM1217 ..... 17 mm 12 Pt. Std. Skt.
BM1218 ..... 18 mm 12 Pt. Std. Skt.
BM1219 ..... 19 mm 12 Pt. Std. Skt.
B40A..... 7 13/16" FLEXIBLE HANDLE
B52 ..... REVERSIBLE RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
B140A..... UNIVERSAL JOINT
94 ..... METAL BOX



MB19K

BM610 ..... 10 mm 6 Pt. Std. Skt.
BM612 ..... 12 mm 6 Pt. Std. Skt.
BM613 ..... 13 mm 6 Pt. Std. Skt.
BM614 ..... 14 mm 6 Pt. Std. Skt.
BM615 ..... 15 mm 6 Pt. Std. Skt.
BM617 ..... 17 mm 6 Pt. Std. Skt.
BM618 ..... 18 mm 6 Pt. Std. Skt.
BM619 ..... 19 mm 6 Pt. Std. Skt.
BMD610 .... 10 mm 6 Pt. Deep Skt.
BMD612 .... 12 mm 6 Pt. Deep Skt.
BMD613 .... 13 mm 6 Pt. Deep Skt.
BMD614 .... 14 mm 6 Pt. Deep Skt.
BMD615 .... 15 mm 6 Pt. Deep Skt.
BMD617 .... 17 mm 6 Pt. Deep Skt.
BMD619 .... 19 mm 6 Pt. Deep Skt.
B52 ..... REVERSIBLE RATCHET
B103 ..... 3" EXTENSION
B105 ..... 6" EXTENSION
BD620P ..... SPARK PLUG SKT.
94 ..... METAL BOX

MB26K

BM607 ..... 7 mm 6 Pt. Std. Skt.
BM608 ..... 8 mm 6 Pt. Std. Skt.
BM609 ..... 9 mm 6 Pt. Std. Skt.
BM610 ..... 10 mm 6 Pt. Std. Skt.
BM611 ..... 11 mm 6 Pt. Std. Skt.
BM612 ..... 12 mm 6 Pt. Std. Skt.
BM613 ..... 13 mm 6 Pt. Std. Skt.
BM614 ..... 14 mm 6 Pt. Std. Skt.
BM615 ..... 15 mm 6 Pt. Std. Skt.
BM616 ..... 16 mm 6 Pt. Std. Skt.
BM617 ..... 17 mm 6 Pt. Std. Skt.
BM618 ..... 18 mm 6 Pt. Std. Skt.
BM619 ..... 19 mm 6 Pt. Std. Skt.
BMD610 .... 10 mm 6 Pt. Deep Skt.
BMD611 ..... 11 mm 6 Pt. Deep Skt.
BMD612 .... 12 mm 6 Pt. Deep Skt.
BMD613 .... 13 mm 6 Pt. Deep Skt.
BMD614 .... 14 mm 6 Pt. Deep Skt.
BMD615 .... 15 mm 6 Pt. Deep Skt.
BMD616 .... 16 mm 6 Pt. Deep Skt.
BMD617 .... 17 mm 6 Pt. Deep Skt.
BMD618 .... 18 mm 6 Pt. Deep Skt.
BMD619 .... 19 mm 6 Pt. Deep Skt.
B52 ..... RATCHET
B105 ..... 6" EXTENSION
B40A..... FLEX HANDLE
94 ..... METAL BOX

METRIC

TOOLS

3/8" Drive Power/Impact



TYPE I



TYPE II

3/8" Square Drive 6 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
5/16	I	1 1/16	47/64	1/2	7/64	.07	2610	6	5/16
3/8	I	1 1/16	47/64	19/32	5/32	.07	2612	6	3/8
7/16	I	1 1/16	47/64	43/64	7/32	.08	2614	6	7/16
1/2	II	1 3/32	—	3/4	13/64	.08	2616	6	1/2
9/16	II	1 1/8	—	55/64	1/4	.13	2618	6	9/16
5/8	II	1 1/8	—	59/64	9/32	.15	2620	6	5/8
11/16	II	1 1/8	—	63/64	5/16	.16	2622	6	11/16
3/4	II	1 3/16	—	1 1/32	23/64	.17	2624	6	3/4

3/8" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
5/16	I	2 1/4	47/64	1/2	3/32	.19	12610	6	5/16
3/8	I	2 1/4	47/64	19/32	7/64	.19	12612	6	3/8
7/16	I	2 1/4	47/64	43/64	13/64	.19	12614	6	7/16
1/2	II	2 1/4	—	3/4	13/64	.18	12616	6	1/2
9/16	I	2 1/4	55/64	13/16	11/32	.25	12618	6	9/16
5/8	I	2 1/4	55/64	57/64	3/8	.28	12620	6	5/8
11/16	II	2 5/16	—	61/64	3/8	.31	12622	6	11/16
3/4	II	2 5/16	—	1 3/64	7/16	.38	12624	6	3/4

3/8" Square Drive 6 Point Standard — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
10 mm	I	28.0 mm	18.0 mm	15.1 mm	5.0 mm	.05	2M610	6	10 mm
12 mm	II	28.0 mm	18.5 mm	18.5 mm	7.5 mm	.07	2M612	6	12 mm
13 mm	II	30.0 mm	19.6 mm	19.6 mm	9.5 mm	.07	2M613	6	13 mm
14 mm	II	30.0 mm	21.3 mm	21.3 mm	9.5 mm	.08	2M614	6	14 mm
15 mm	II	30.0 mm	22.3 mm	22.3 mm	9.5 mm	.10	2M615	6	15 mm
17 mm	II	30.0 mm	24.5 mm	24.5 mm	9.5 mm	.11	2M617	6	17 mm
18 mm	II	30.0 mm	25.3 mm	25.3 mm	9.5 mm	.12	2M618	6	18 mm
19 mm	II	30.0 mm	27.2 mm	27.2 mm	10.0 mm	.13	2M619	6	19 mm



Item	Description	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
Universal	3/8" Impact Universal Joint	.18	2140A	6
Adaptor	3/8" F X 1/2" M	.10	24A	6

IB6K

2610 ..... 5/16" 6 Pt. Skt.
2612 ..... 3/8" 6 Pt. Skt.
2614 ..... 7/16" 6 Pt. Skt.
2616 ..... 1/2" 6 Pt. Skt.
2618..... 9/16" 6 Pt. Skt.
2620..... 5/8" 6 Pt. Skt.
242..... CLIP RAIL

IMB8K

2M610..... 10 mm 6 Pt. Skt.
2M612..... 12 mm 6 Pt. Skt.
2M613..... 13 mm 6 Pt. Skt.
2M614..... 14 mm 6 Pt. Skt.
2M615..... 15 mm 6 Pt. Skt.
2M617..... 17 mm 6 Pt. Skt.
2M618..... 18 mm 6 Pt. Skt.
2M619..... 19 mm 6 Pt. Skt.
244..... CLIP RAIL



IB8K

2610 ..... 5/16" 6 Pt. Skt.
2612 ..... 3/8" 6 Pt. Skt.
2614 ..... 7/16" 6 Pt. Skt.
2616 ..... 1/2" 6 Pt. Skt.
2618 ..... 9/16" 6 Pt. Skt.
2620..... 5/8" 6 Pt. Skt.
2622..... 11/16" 6 Pt. Skt.
2624..... 3/4" 6 Pt. Skt.
70..... METAL TRAY

IB8KD

12610 ..... 5/16" 6 Pt. Deep Skt.
12612 ..... 3/8" 6 Pt. Deep Skt.
12614 ..... 7/16" 6 Pt. Deep Skt.
12616 ..... 1/2" 6 Pt. Deep Skt.
12618 ..... 9/16" 6 Pt. Deep Skt.
12620 ..... 5/8" 6 Pt. Deep Skt.
12622 ..... 11/16" 6 Pt. Deep Skt.
12624 ..... 3/4" 6 Pt. Deep Skt.
70 ..... METAL TRAY

½" Drive Attachments Chrome

Type		Description	Part No.	Std. Pkg. Qty.
FLEXIBLE HANDLE		Chrome Knurled Grip. **Length 17". Weight 1.65 lb.**	SF41	5
REVERSIBLE RATCHET		Chrome .45 tooth. **Head diameter 1⅝". Length 10". Weight 1.44 lb.**	SF51	1
REVERSIBLE RATCHET REPAIR KIT		Preassembled Ratchet Replacement Head. **Weight .31 lb.** For SF51 and SF55	SF51RD	1
DOUBLE PAWL RATCHET		Double Pawl 45 tooth. **Head diameter 1 1⁄16". Length 15". Weight 1.25 lb.**	SF55	1
EXTENSION		Chrome. **Length 20". Weight 1.19 lb.**	S121P	5
EXTENSION		Chrome. **Length 2". Weight .21 lb.**	S102P	5
EXTENSION		Chrome. **Length 5". Weight .37 lb.**	S110P	5
EXTENSION		Chrome. **Length 10". Weight .66 lb.**	S115P	5
UNIVERSAL JOINT		Chrome. **Length 2 5⁄16". Weight .15 lb.**	S140	5
ADAPTOR		Chrome. ½"F to ⅜"M. **Weight .15 lb.**	SH129	5
ADAPTOR		Chrome. ½"F to ¾"M. **Weight .18 lb.**	SH130	5
18" SPEEDER		Chrome. Revolving Grip. **Length 18". Weight 1.2 lb.**	S15	5

TOOLS

½" Drive Socket Wrenches



Martin Heavy Duty Chrome Hand Tool Sockets are Manufactured to Extremely Close Tolerances of American Alloy Steel. The 12 Point Broach Opening Provides a Secure Fit for Absolute Tightening and Loosening.

½" Square Drive 12 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/8	I	1 15/32	13/16	37/64	5/32	.09	ST1212	5	3/8
7/16	I	1 15/32	13/16	41/64	7/32	.09	ST1214	5	7/16
1/2	I	1 15/32	13/16	23/32	17/64	.10	ST1216	5	1/2
9/16	II	1 15/32	—	13/16	21/64	.10	ST1218	5	9/16
5/8	II	1 15/32	—	7/8	1 15/32	.14	ST1220	5	5/8
11/16	II	1 15/32	—	31/32	1 15/32	.15	ST1222	5	11/16
3/4	II	1 15/32	—	1 1/16	1 15/32	.19	ST1224	5	3/4
13/16	II	1 9/16	—	1 1/8	1 9/16	.20	ST1226	5	13/16
7/8	II	1 5/8	—	1 11/64	1/2	.24	ST1228	5	7/8
15/16	II	1 5/8	—	1 1/4	35/64	.28	ST1230	5	15/16
1	II	1 11/16	—	1 5/16	35/64	.32	ST1232	5	1
1 1/16	III	1 3/4	1 3/32	1 13/32	5/8	.32	ST1234	5	1 1/16
1 1/8	III	1 13/16	1 7/64	1 1/2	21/32	.35	ST1236	5	1 1/8
1 3/16	III	1 7/8	1 7/64	1 37/64	21/32	.40	ST1238	5	1 3/16
1 1/4	III	1 59/64	1 1/8	1 13/16	3/4	.43	ST1240	5	1 1/4
1 5/16	III	2	1 3/16	1 13/16	13/16	.45	ST1242	5	1 5/16
1 3/8	III	2	1 1/4	1 7/8	55/64	.46	ST1244	5	1 3/8
1 7/16	III	2 1/16	1 3/8	1 15/16	29/32	.47	ST1246	5	1 7/16
1 1/2	III	2 1/8	1 3/8	2	1 1/16	.49	ST1248	5	1 1/2

½" Square Drive 12 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/8	II	3 3/64	—	13/16	23/32	.21	SD1212	5	3/8
7/16	II	3 3/64	—	13/16	23/32	.24	SD1214	5	7/16
1/2	II	3 1/16	13/16	23/32	17/64	.24	SD1216	5	1/2
9/16	II	3 1/16	—	13/16	21/64	.24	SD1218	5	9/16
5/8	II	3 1/16	—	7/8	3/8	.30	SD1220	5	5/8
11/16	II	3 1/16	—	31/32	3/8	.34	SD1222	5	11/16
3/4	II	3 1/16	—	1 3/64	7/16	.35	SD1224	5	3/4
13/16	II	3 1/16	—	1 7/64	29/64	.40	SD1226	5	13/16
7/8	II	3 1/16	—	1 11/64	1/2	.43	SD1228	5	7/8
15/16	II	3 1/16	—	1 1/4	35/64	.48	SD1230	5	15/16
1	III	3 1/16	1 3/32	1 5/16	35/64	.45	SD1232	5	1
1 1/16	III	3 1/16	1 7/64	1 13/32	5/8	.50	SD1234	5	1 1/16
1 1/8	III	3 1/16	1 7/64	1 1/2	21/32	.51	SD1236	5	1 1/8
1 3/16	III	3 3/64	1 7/64	1 37/64	21/32	.56	SD1238	5	1 3/16
1 1/4	III	3 3/64	1 1/8	1 41/64	3/4	.61	SD1240	5	1 1/4
1 5/16	III	3 3/64	1 9/64	1 13/16	49/64	.61	SD1242	5	1 5/16
1 3/8	III	3 3/64	1 15/64	1 7/8	25/32	.84	SD1244	5	1 3/8
1 7/16	III	3 3/64	1 19/64	1 61/64	7/8	.88	SD1246	5	1 7/16
1 1/2	III	3 3/64	1 11/32	2 1/64	55/64	.93	SD1248	5	1 1/2

½" Drive Socket Wrenches—Chrome



½" Square Drive 6 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/8	I	1 1/2	7/8	37/64	5/16	.11	ST612	5	3/8
7/16	I	1 1/2	55/64	11/16	21/64	.11	ST614	5	7/16
1/2	I	1 1/2	55/64	3/4	13/32	.11	ST616	5	1/2
9/16	I	1 1/2	55/64	13/16	13/32	.13	ST618	5	9/16
5/8	II	1 1/2	7/8	7/8	9/16	.12	ST620	5	5/8
11/16	II	1 1/2	31/32	31/32	9/16	.16	ST622	5	11/16
3/4	II	1 1/2	1 3/64	1 3/64	21/32	.19	ST624	5	3/4
13/16	II	1 1/2	1 3/32	1 3/32	11/16	.20	ST626	5	13/16
7/8	II	1 1/2	1 3/16	1 3/16	3/4	.29	ST628	5	7/8
15/16	II	1 1/2	1 17/64	1 17/64	51/64	.31	ST630	5	15/16
1	II	1 39/64	1 21/64	1 21/64	53/64	.37	ST632	5	1
1 1/16	II	1 39/64	1 13/32	1 13/32	15/16	.52	ST634	5	1 1/16
1 1/8	II	1 5/8	1 15/32	1 15/32	63/64	.52	ST636	5	1 1/8
1 3/16	II	1 5/8	1 17/32	1 17/32	63/64	.59	ST638	5	1 3/16
1 1/4	II	1 3/4	1 37/64	1 37/64	1 1/8	.66	ST640	5	1 1/4

½" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
1/2	I	3 1/8	7/8	49/64	51/64	.34	SD616	5	1/2
9/16	I	3 1/8	7/8	53/64	15/16	.31	SD618	5	9/16
5/8	II	3 1/8	7/8	7/8	1 3/16	.38	SD620	5	5/8
11/16	II	3 1/8	31/32	31/32	1 7/32	.41	SD622	5	11/16
3/4	II	3 1/8	1 1/16	1 1/16	1 17/64	.44	SD624	5	3/4
13/16	II	3 1/8	1 1/8	1 1/8	1 19/64	.47	SD626	5	13/16
7/8	II	3 1/8	1 3/16	1 3/16	1 19/64	.53	SD628	5	7/8
15/16	II	3 1/8	1 17/64	1 17/64	1 3/8	.56	SD630	5	15/16
1	II	3 1/8	1 11/32	1 11/32	1 3/8	.72	SD632	5	1
1 1/16	II	3 1/8	1 13/32	1 13/32	1 27/64	.78	SD634	5	1 1/16
1 1/8	II	3 1/8	1 1/2	1 1/2	1 27/64	.84	SD636	5	1 1/8

½" Drive Crowfoot Wrench and Hex Bit Sockets





½″ Drive Crowfoot Wrench — Flare Nut 12 Pt.

Wrench Opening	Diameter of Head	Thickness of Head	Width of Slot	Length of Centers	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.	Wrench Opening
	A	B	C	D		Part No.	Part No.		
1 1/8	1 5/8	7/8	27/32	1 5/32	.19	SC36	BLKSC36	5	1 1/8
1 3/16	1 11/16	7/8	29/32	1 3/16	.19	SC38	BLKSC38	5	1 3/16
1 1/4	1 25/32	7/8	15/16	1 15/64	.19	SC40	BLKSC40	5	1 1/4
1 5/16	1 27/32	7/8	31/32	1 17/64	.19	SC42	BLKSC42	5	1 5/16
1 3/8	1 15/16	15/16	1 1/16	1 5/16	.25	SC44	BLKSC44	5	1 3/8
1 7/16	2	15/16	1 1/16	1 11/32	.25	SC46	BLKSC46	5	1 7/16
1 1/2	2 1/16	15/16	1 1/8	1 3/8	.25	SC48	BLKSC48	5	1 1/2
1 9/16	2 5/32	15/16	1 5/32	1 27/64	.31	SC50	BLKSC50	5	1 9/16
1 5/8	2 7/32	15/16	1 7/32	1 29/64	.31	SC52	BLKSC52	5	1 5/8
1 11/16	2 5/16	1	1 5/16	1 33/64	.31	SC54	BLKSC54	5	1 11/16
1 3/4	2 3/8	1	1 5/16	1 35/64	.38	SC56	BLKSC56	5	1 3/4
1 13/16	2 15/32	1	1 11/32	1 19/32	.38	SC58	BLKSC58	5	1 13/16
1 7/8	2 9/16	1 1/16	1 3/8	1 41/64	.44	SC60	BLKSC60	5	1 7/8
1 15/16	2 5/8	1 1/16	1 7/16	1 43/64	.50	SC62	BLKSC62	5	1 15/16
2	2 23/32	1 1/16	1 9/16	1 23/32	.50	SC64	BLKSC64	5	2



TYPE I



TYPE II

½″ Drive Hex Bit Sockets

Bit Size	Type	Length	Drive End	Bit End	Bit Length	Wt. Ea. Lbs.	Chrome	Replacement Hex Bits	Std. Pkg. Qty.	Bit Size
		A	B	C	D		Part No.			
1/4	VI	3.31	.94	.66	1.81	.18	SA8	SA8B	5	1/4
5/16	VI	3.31	.94	.66	1.81	.18	SA10	SA10B	5	5/16
3/8	VI	3.31	.94	.70	1.81	.25	SA12	SA12B	5	3/8
7/16	VI	3.31	.94	.75	1.81	.25	SA14	SA14B	5	7/16
1/2	VI	3.62	.94	.94	2.12	.35	SA16	SA16B	5	1/2
9/16	VI	3.62	1.01	1.01	2.12	.45	SA18	SA18B	5	9/16
5/8	VI	4.00	1.01	1.01	2.50	.50	SA20	SA20B	5	5/8
3/4	VI	4.00	1.01	2.49	2.50	.65	SA24	SA24B	5	3/4

½" Drive Socket & Sets – Chrome

S7K

SA8..... ¼" Hex Bit Skt. ½" Dr.
SA10..... 5/16" Hex Bit Skt. ½" Dr.
SA12..... ⅜" Hex Bit Skt. ½" Dr.
SA14..... 7/16" Hex Bit Skt. ½" Dr.
SA16..... ½" Hex Bit Skt. ½" Dr.
SA18..... 9/16" Hex Bit Skt. ½" Dr.
SA20..... ⅝" Hex Bit Skt. ½" Dr.
247 ..... Twist Lock Clip Rail



S9K

SD616 ..... ½" 6 pt. Deep Skt.
SD618 ..... 9/16" 6 pt. Deep Skt.
SD620 ..... ⅝" 6 pt. Deep Skt.
SD622 ..... 11/16" 6 pt. Deep Skt.
SD624 ..... ¾" 6 pt. Deep Skt.
SD626 ..... 13/16" 6 pt. Deep Skt.
SD628 ..... ⅞" 6 pt. Deep Skt.
SD630 ..... 15/16" 6 pt. Deep Skt.
SD632 ..... 1" 6 pt. Deep Skt.
256 ..... CLIP RAIL

S11K

SD1216 ..... ½" 12 pt.Deep Skt.
SD1218 ..... 9/16" 12 pt.Deep Skt.
SD1220 ..... ⅝" 12 pt.Deep Skt.
SD1222 ..... 11/16" 12 pt.Deep Skt.
SD1224 ..... ¾" 12 pt.Deep Skt.
SD1226 ..... 13/16" 12 pt.Deep Skt.
SD1228 ..... ⅞" 12 pt. Deep Skt.
SD1230 ..... 15/16" 12 pt. Deep Skt.
SD1232 ..... 1" 12 pt. Deep Skt.
SD1234 ..... 1 1/16" 12 pt. Deep Skt.
SD1236 ..... 1⅛" 12 pt. Deep Skt.
254 ..... CLIP RAIL

S12K

ST1214..... 7/16" 12 pt. Skt.
ST1216..... ½" 12 pt. Skt.
ST1218..... 9/16" 12 pt. Skt.
ST1220..... ⅝" 12 pt. Skt.
ST1222..... 11/16" 12 pt. Skt.
ST1224..... ¾" 12 pt. Skt.
ST1226..... 13/16" 12 pt. Skt.
ST1228..... ⅞" 12 pt. Skt.
ST1230..... 15/16" 12 pt. Skt.
ST1232..... 1" 12 pt. Skt.
SF51..... 10" Reversible Ratchet
S110P..... 5" Extension
95 ..... METAL BOX

BC10K

BA4..... ⅛" Hex Bit Skt. ⅜" Dr.
BA55..... 5/32" Hex Bit Skt. ⅜" Dr.
BA6..... 3/16" Hex Bit Skt. ⅜" Dr.
BA7..... 7/32" Hex Bit Skt. ⅜" Dr.
BA8..... ¼" Hex Bit Skt. ⅜" Dr.
BA10..... 5/16" Hex Bit Skt. ⅜" Dr.
BA12..... ⅜" Hex Bit Skt. ⅜" Dr.
SA16..... ½" Hex Bit Skt. ½" Dr.
SA18..... 9/16" Hex Bit Skt. ½" Dr.
SA20..... ⅝" Hex Bit Skt. ½" Dr.
254..... TWIST LOCK CLIP RAIL



TOOLS

½" Drive Socket Sets – Chrome

S13K

ST1214..... 7/16" 12 pt. Skt.
ST1216..... ½" 12 pt. Skt.
ST1218..... 9/16" 12 pt. Skt.
ST1220..... 5/8" 12 pt. Skt.
ST1222..... 11/16" 12 pt. Skt.
ST1224..... ¾" 12 pt. Skt.
ST1226..... 13/16" 12 pt. Skt.
ST1228..... 7/8" 12 pt. Skt.
ST1230..... 15/16" 12 pt. Skt.
ST1232..... 1" 12 pt. Skt.
ST1234..... 1 1/16" 12 pt. Skt.
ST1236..... 1 1/8" 12 pt. Skt.
ST1240..... 1 1/4" 12 pt. Skt.
258 ..... CLIP RAIL

S15K

ST612..... 3/8" 6 pt. Std. Skt.
ST614..... 7/16" 6 pt. Std. Skt.
ST616..... ½" 6 pt. Std. Skt.
ST618..... 9/16" 6 pt. Std. Skt.
ST620..... 5/8" 6 pt. Std. Skt.
ST622..... 11/16" 6 pt. Std. Skt.
ST624..... ¾" 6 pt. Std. Skt.
ST626..... 13/16" 6 pt. Std. Skt.
ST628..... 7/8" 6 pt. Std. Skt.
ST630..... 15/16" 6 pt. Std. Skt.
ST632..... 1" 6 pt. Std. Skt.
ST634..... 1 1/16" 6 pt. Std. Skt.
ST636..... 1 1/8" 6 pt. Std. Skt.
ST638..... 1 3/16" 6 pt. Std. Skt.
ST640..... 1 1/4" 6 pt. Std. Skt.
258 ..... CLIP RAIL

SC15K

SC36 ..... 1 1/8" 12 pt. Crowfoot
SC38 ..... 1 3/16" 12 pt. Crowfoot
SC40 ..... 1 1/4" 12 pt. Crowfoot
SC42 ..... 1 5/16" 12 pt. Crowfoot
SC44 ..... 1 3/8" 12 pt. Crowfoot
SC46 ..... 1 7/16" 12 pt. Crowfoot
SC48 ..... 1½" 12 pt. Crowfoot
SC50 ..... 1 9/16" 12 pt. Crowfoot
SC52 ..... 1 5/8" 12 pt. Crowfoot
SC54 ..... 1 11/16" 12 pt. Crowfoot
SC56 ..... 1 3/4" 12 pt. Crowfoot
SC58 ..... 1 13/16" 12 pt. Crowfoot
SC60 ..... 1 7/8" 12 pt. Crowfoot
SC62 ..... 1 15/16" 12 pt. Crowfoot
SC64 ..... 2" 12 pt. Crowfoot
258 ..... CLIP RAIL

S16K

ST1214..... 7/16" 12 pt. Skt.
ST1216..... ½" 12 pt. Skt.
ST1218..... 9/16" 12 pt. Skt.
ST1220..... 5/8" 12 pt. Skt.
ST1222..... 11/16" 12 pt. Skt.
ST1224..... ¾" 12 pt. Skt.
ST1226..... 13/16" 12 pt. Skt.
ST1228..... 7/8" 12 pt. Skt.
ST1230..... 15/16" 12 pt. Skt.
ST1232..... 1" 12 pt. Skt.
ST1234..... 1 1/16" 12 pt. Skt.
ST1236..... 1 1/8" 12 pt. Skt.
ST1240..... 1 1/4" 12 pt. Skt.
SF51..... 10" Reversible Ratchet
S110P..... 5" Extension
S140..... Universal Joint
95 ..... METAL BOX

½" Drive Socket Sets – Chrome

S17K

ST1214..... 7/16" 12 pt. Std. Skt.
ST1216..... ½" 12 pt. Std. Skt.
ST1218..... 9/16" 12 pt. Std. Skt.
ST1220..... 5/8" 12 pt. Std. Skt.
ST1222..... 11/16" 12 pt. Std. Skt.
ST1224..... 3/4" 12 pt. Std. Skt.
ST1226..... 13/16" 12 pt. Std. Skt.
ST1228..... 7/8" 12 pt. Std. Skt.
ST1230..... 15/16" 12 pt. Std. Skt.
ST1232..... 1" 12 pt. Std. Skt.
ST1234..... 1 1/16" 12 pt. Std. Skt.
ST1236..... 1 1/8" 12 pt. Std. Skt.
ST1240..... 1 1/4" 12 pt. Std. Skt.
SF41 ..... 17" Flex Handle
SF51 ..... 10" Ratchet
S110P ..... 5" Extension
S140 ..... Universal Joint
99 ..... TOOL BOX



S18K

ST1214..... 7/16" 12 pt. Skt.
ST1216..... ½" 12 pt. Skt.
ST1218..... 9/16" 12 pt. Skt.
ST1220..... 5/8" 12 pt. Skt.
ST1222..... 11/16" 12 pt. Skt.
ST1224..... 3/4" 12 pt. Skt.
ST1226..... 13/16" 12 pt. Skt.
ST1228..... 7/8" 12 pt. Skt.
ST1230..... 15/16" 12 pt. Skt.
ST1232..... 1" 12 pt. Skt.
S102P..... 2" Extension
S110P ..... 5" Extension
S115P ..... 10" Extension
S140 ..... Universal Joint
SF41 ..... 17" Flexible Handle
SF51 ..... 10" Reversible Ratchet
SH129 ..... ½"F to 3/8"M Adaptor
SH130 ..... ½"F to 3/4"M Adaptor
95 ..... TOOL BOX

S19K

ST612..... 3/8" 6 pt. Std. Skt.
ST614..... 7/16" 6 pt. Std. Skt.
ST616..... ½" 6 pt. Std. Skt.
ST618..... 9/16" 6 pt. Std. Skt.
ST620..... 5/8" 6 pt. Std. Skt.
ST622..... 11/16" 6 pt. Std. Skt.
ST624..... 3/4" 6 pt. Std. Skt.
ST626..... 13/16" 6 pt. Std. Skt.
ST628..... 7/8" 6 pt. Std. Skt.
ST630..... 15/16" 6 pt. Std. Skt.
ST632..... 1" 6 pt. Std. Skt.
ST634..... 1 1/16" 6 pt. Std. Skt.
ST636..... 1 1/8" 6 pt. Std. Skt.
ST640..... 1 1/4" 6 pt. Std. Skt.
SF41 ..... 17" Flex Handle
SF51 ..... 10" Ratchet
S110P ..... 5" Extension
S115P ..... 10" Extension
95 ..... TOOL BOX

½" Drive Socket Sets – Chrome



S22K

ST1212..... ⅜" 12 pt. Std. Skt.
ST1214..... 7/16" 12 pt. Std. Skt.
ST1216..... ½" 12 pt. Std. Skt.
ST1218..... 9/16" 12 pt. Std. Skt.
ST1220..... ⅝" 12 pt. Std. Skt.
ST1222..... 11/16" 12 pt. Std. Skt.
ST1224..... ¾" 12 pt. Std. Skt.
ST1226..... 13/16" 12 pt. Std. Skt.
ST1228..... ⅞" 12 pt. Std. Skt.
ST1230..... 15/16" 12 pt. Std. Skt.
ST1232..... 1" 12 pt. Std. Skt.
ST1234..... 1 1/16" 12 pt. Skt.
ST1236..... 1⅛" 12 pt. Std. Skt.
ST1238..... 1 3/16" 12 pt. Std. Skt.
ST1240..... 1¼" 12 pt. Std. Skt.
SF41..... 17" Flex Handle
SF51..... 10" Ratchet
S102P..... 2" Extension
S110P..... 5" Extension
S115P..... 10" Extension
S140..... Universal Joint
S15..... Drive Speeder
258 ..... CLIP RAIL
99 ..... TOOL BOX

S24K

ST1214..... 7/16" 12 pt. Skt.
ST1216..... ½" 12 pt. Skt.
ST1218..... 9/16" 12 pt. Skt.
ST1220..... ⅝" 12 pt. Skt.
ST1222..... 11/16" 12 pt. Skt.
ST1224..... ¾" 12 pt. Skt.
ST1226..... 13/16" 12 pt. Skt.
ST1228..... ⅞" 12 pt. Skt.
ST1230..... 15/16" 12 pt. Skt.
ST1232..... 1" 12 pt. Skt.
ST1234..... 1 1/16" 12 pt. Skt.
ST1236..... 1⅛" 12 pt. Skt.
ST1240..... 1¼" 12 pt. Skt.
SD1216 ..... ½" 12 pt. Deep Skt.
SD1218 ..... 9/16" 12 pt. Deep Skt.
SD1220 ..... ⅝" 12 pt. Deep Skt.
SD1222 ..... 11/16" 12 pt. Deep Skt.
SD1224 ..... ¾" 12 pt. Deep Skt.
SD1226 ..... 13/16" 12 pt. Deep Skt.
SD1228 ..... ⅞" 12 pt. Deep Skt.
SD1230 ..... 15/16" 12 pt. Deep Skt.
SF41..... 17" Flexible Handle
SF51..... 10" Reversible Ratchet
S115P..... 10" Extension
BX21..... TOOL BOX

S36K — 32 PIECES

ST1212..... ⅜" 12 pt. Std. Skt.
ST1214..... 7/16" 12 pt. Std. Skt.
ST1216..... ½" 12 pt. Std. Skt.
ST1218..... 9/16" 12 pt. Std. Skt.
ST1220..... ⅝" 12 pt. Std. Skt.
ST1222..... 11/16" 12 pt. Std. Skt.
ST1224..... ¾" 12 pt. Std. Skt.
ST1226..... 13/16" 12 pt. Std. Skt.
ST1228..... ⅞" 12 pt. Std. Skt.
ST1230..... 15/16" 12 pt. Std. Skt.
ST1232..... 1" 12 pt. Std. Skt.
ST1234..... 1 1/16" 12 pt. Std. Skt.
ST1236..... 1⅛" 12 pt. Std. Skt.
ST1240..... 1¼" 12 pt. Std. Skt.
SD1216 ..... ½" 12 pt. Deep Skt.
SD1218 ..... 9/16" 12 pt. Deep Skt.
SD1220 ..... ⅝" 12 pt. Deep Skt.
SD1222 ..... 11/16" 12 pt. Deep Skt.
SD1224 ..... ¾" 12 pt. Deep Skt.
SD1226 ..... 13/16" 12 pt. Deep Skt.
SD1228 ..... ⅞" 12 pt. Deep Skt.
SD1230 ..... 15/16" 12 pt. Deep Skt.
SD1232 ..... 1" 12 pt. Deep Skt.
SD1234 ..... 1 1/16" 12 pt. Deep Skt.
SD1236 ..... 1⅛" 12 pt. Deep Skt.
S15..... 17½" Speed Handle
S110P..... 5" Extension
S115P..... 10" Extension
S140..... Universal Joint
SF41..... 17" Flex Handle
SF51..... 10" Reversible Ratchet
SH130 ..... ½"F × ¾"M Adaptor
BX21..... TOOL BOX

½" Drive Metric Socket Wrenches — Chrome



TYPE I



TYPE II



TYPE III

½" Square Drive 12 Point Standard — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
9 mm	I	1 15/32	13/16	39/64	7/32	.09	STM1209	5	9 mm
10 mm	I	1 15/32	13/16	37/64	15/64	.09	STM1210	5	10 mm
11 mm	I	1 15/32	13/16	41/64	9/32	.09	STM1211	5	11 mm
12 mm	I	1 15/32	13/16	11/16	5/16	.10	STM1212	5	12 mm
13 mm	I	1 15/32	13/16	47/64	5/16	.10	STM1213	5	13 mm
14 mm	II	1 15/32	—	13/16	11/32	.12	STM1214	5	14 mm
15 mm	II	1 15/32	—	55/64	11/32	.13	STM1215	5	15 mm
16 mm	II	1 15/32	—	7/8	3/8	.13	STM1216	5	16 mm
17 mm	II	1 15/32	—	15/16	3/8	.17	STM1217	5	17 mm
18 mm	II	1 15/32	—	1	13/32	.14	STM1218	5	18 mm
19 mm	II	1 15/32	—	1 1/16	7/16	.19	STM1219	5	19 mm
20 mm	II	1 1/2	—	1 3/32	29/64	.17	STM1220	5	20 mm
21 mm	II	1 9/16	—	1 9/64	15/32	.24	STM1221	5	21 mm
22 mm	II	1 5/8	—	1 11/64	1/2	.24	STM1222	5	22 mm
23 mm	II	1 5/8	—	1 7/32	33/64	.25	STM1223	5	23 mm
24 mm	II	1 5/8	—	1 1/4	35/64	.29	STM1224	5	24 mm
25 mm	II	1 11/16	—	1 5/16	9/16	.29	STM1225	5	25 mm
26 mm	III	1 3/4	1 3/32	1 3/8	19/32	.30	STM1226	5	26 mm
27 mm	III	1 3/4	1 3/32	1 13/32	5/8	.30	STM1227	5	27 mm
30 mm	III	1 7/8	1 1/8	1 37/64	21/32	.40	STM1230	5	30 mm
32 mm	III	1 59/64	1 1/8	1 21/32	3/4	.44	STM1232	5	32 mm
36 mm	III	2	1 23/64	1 61/64	29/32	.46	STM1236	5	36 mm

½" Square Drive 12 Point Deep — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
10 mm	I	79.5 mm	22.1 mm	15.2 mm	16.0 mm	.22	SMD1210	5	10 mm
11 mm	I	79.5 mm	22.1 mm	18.3 mm	17.0 mm	.22	SMD1211	5	11 mm
12 mm	I	79.5 mm	22.1 mm	18.8 mm	18.0 mm	.22	SMD1212	5	12 mm
13 mm	I	79.5 mm	22.1 mm	19.3 mm	20.1 mm	.26	SMD1213	5	13 mm
14 mm	I	79.5 mm	22.1 mm	21.8 mm	23.9 mm	.26	SMD1214	5	14 mm
15 mm	II	79.5 mm	21.8 mm	21.8 mm	26.9 mm	.26	SMD1215	5	15 mm
16 mm	II	79.5 mm	22.1 mm	22.1 mm	30.0 mm	.32	SMD1216	5	16 mm
17 mm	II	79.5 mm	24.4 mm	24.4 mm	31.0 mm	.32	SMD1217	5	17 mm
18 mm	II	79.5 mm	25.4 mm	25.4 mm	31.0 mm	.33	SMD1218	5	18 mm
19 mm	II	79.5 mm	26.9 mm	26.9 mm	33.0 mm	.38	SMD1219	5	19 mm
20 mm	II	79.5 mm	27.9 mm	27.9 mm	33.0 mm	.41	SMD1220	5	20 mm
21 mm	II	79.5 mm	28.4 mm	28.4 mm	33.0 mm	.41	SMD1221	5	21 mm
22 mm	II	79.5 mm	30.2 mm	30.2 mm	33.0 mm	.46	SMD1222	5	22 mm
23 mm	II	79.5 mm	31.0 mm	31.0 mm	33.0 mm	.51	SMD1223	5	23 mm
24 mm	II	79.5 mm	32.0 mm	32.0 mm	35.1 mm	.57	SMD1224	5	24 mm
25 mm	II	79.5 mm	33.3 mm	33.3 mm	35.1 mm	.70	SMD1225	5	25 mm
26 mm	II	79.5 mm	34.0 mm	34.0 mm	35.1 mm	.74	SMD1226	5	26 mm
27 mm	II	79.5 mm	35.8 mm	35.8 mm	35.1 mm	.78	SMD1227	5	27 mm

½" Drive Metric Socket Wrenches — Chrome





TYPE VI

½" Drive Hex Bit Sockets

Bit Size	Type	Length	Drive End	Opening End	Bit Length	Wt. Ea. Lbs.	Chrome	Replacement Hex Bits	Std. Pkg. Qty.	Bit Size
		A	B	C	D		Part No.			
1/2" DR		6MM	83.5mm	23.74mm	45.5mm	0.2	SA6MM	SA6MMB	5	6mm
1/2" DR		8MM	83.5mm	23.74mm	45.5mm	0.2	SA8MM	SA8MMB	5	8mm
1/2" DR		10MM	83.5mm	23.74mm	45.5mm	0.25	SA10MM	SA10MMB	5	10mm
1/2" DR		12MM	92.5mm	25.75mm	54.5mm	0.35	SA12MM	SA12MMB	5	12mm
1/2" DR		14MM	92.5mm	25.75mm	54.5mm	0.4	SA14MM	SA14MMB	5	14mm
1/2" DR		17MM	100mm	27.75mm	62.7mm	0.6	SA17MM	SA17MMB	5	17mm
1/2" DR		19MM	100mm	27.75mm	62.7mm	0.65	SA19MM	SA19MMB	5	19mm

½" Drive Metric Sockets & Sets — Chrome

MS10K

SMD1216 ..... 16 mm 12 pt. Deep Skt.
SMD1217 ..... 17 mm 12 pt. Deep Skt.
SMD1218 ..... 18 mm 12 pt. Deep Skt.
SMD1219 ..... 19 mm 12 pt. Deep Skt.
SMD1220 ..... 20 mm 12 pt. Deep Skt.
SMD1221 ..... 21 mm 12 pt. Deep Skt.
SMD1222 ..... 22 mm 12 pt. Deep Skt.
SMD1224 ..... 24 mm 12 pt. Deep Skt.
SMD1225 ..... 25 mm 12 pt. Deep Skt.
SMD1226 ..... 26 mm 12 pt. Deep Skt.
261 ..... CLIP RAIL

MS16K

STM1210..... 10 mm 12 pt. Std. Skt.
STM1211 ..... 11 mm 12 pt. Std. Skt.
STM1212..... 12 mm 12 pt. Std. Skt.
STM1213..... 13 mm 12 pt. Std. Skt.
STM1214..... 14 mm 12 pt. Std. Skt.
STM1215..... 15 mm 12 pt. Std. Skt.
STM1216..... 16 mm 12 pt. Std. Skt.
STM1217..... 17 mm 12 pt. Std. Skt.
STM1218..... 18 mm 12 pt. Std. Skt.
STM1219..... 19 mm 12 pt. Std. Skt.
STM1220..... 20 mm 12 pt. Std. Skt.
STM1221..... 21 mm 12 pt. Std. Skt.
STM1222..... 22 mm 12 pt. Std. Skt.
STM1223..... 23 mm 12 pt. Std. Skt.
SF51..... 10" Ratchet
S110P..... 5" Extension
95 ..... TOOL BOX

MS17K

METRIC

STM1210..... 10 mm 12 pt. Skt.
STM1211 ..... 11 mm 12 pt. Skt.
STM1212..... 12 mm 12 pt. Skt.
STM1213..... 13 mm 12 pt. Skt.
STM1214..... 14 mm 12 pt. Skt.
STM1215..... 15 mm 12 pt. Skt.
STM1216..... 16 mm 12 pt. Skt.
STM1217..... 17 mm 12 pt. Skt.
STM1218..... 18 mm 12 pt. Skt.
STM1219..... 19 mm 12 pt. Skt.
STM1220..... 20 mm 12 pt. Skt.
STM1221..... 21 mm 12 pt. Skt.
STM1222..... 22 mm 12 pt. Skt.
STM1224..... 24 mm 12 pt. Skt.
SF51..... 10" Reversible Ratchet
SF41..... 17" Flexible Handle
S110P..... 5" Extension
95 ..... TOOL BOX

MS18K

METRIC

STM1209..... 9 mm 12 pt. Skt.
STM1210..... 10 mm 12 pt. Skt.
STM1211 ..... 11 mm 12 pt. Skt.
STM1212..... 12 mm 12 pt. Skt.
STM1213..... 13 mm 12 pt. Skt.
STM1214..... 14 mm 12 pt. Skt.
STM1215..... 15 mm 12 pt. Skt.
STM1216..... 16 mm 12 pt. Skt.
STM1217..... 17 mm 12 pt. Skt.
STM1218..... 18 mm 12 pt. Skt.
STM1219..... 19 mm 12 pt. Skt.
STM1220..... 20 mm 12 pt. Skt.
STM1221..... 21 mm 12 pt. Skt.
STM1222..... 22 mm 12 pt. Skt.
STM1224..... 24 mm 12 pt. Skt.
STM1227..... 27 mm 12 pt. Skt.
STM1230..... 30 mm 12 pt. Skt.
STM1232..... 32 mm 12 pt. Skt.
256 ..... CLIP RAIL



BC10KM

METRIC

BA4MM..... 4MM Hex Bit Skt. ⅜" Dr.
BA5MM..... 5MM Hex Bit Skt. ⅜" Dr.
BA6MM..... 6MM Hex Bit Skt. ⅜" Dr.
BA7MM..... 7MM Hex Bit Skt. ⅜" Dr.
BA8MM..... 8MM Hex Bit Skt. ⅜" Dr.
BA9MM..... 9MM Hex Bit Skt. ⅜" Dr.
BA10MM.. 10MM Hex Bit Skt. ⅜" Dr.
SA12MM.. 12MM Hex Bit Skt. ½" Dr.
SA14MM.. 14MM Hex Bit Skt. ½" Dr.
SA17MM.. 17MM Hex Bit Skt. ½" Dr.
254..... TWIST LOCK CLIP RAIL



½" Drive Metric Sockets & Sets — Chrome

MS27K

STM1210	10 mm 12 pt. Std. Skt.	STM1224	24 mm 12 pt. Std. Skt.
STM1211	11 mm 12 pt. Std. Skt.	STM1225	25 mm 12 pt. Std. Skt.
STM1212	12 mm 12 pt. Std. Skt.	STM1226	26 mm 12 pt. Std. Skt.
STM1213	13 mm 12 pt. Std. Skt.	STM1227	27 mm 12 pt. Std. Skt.
STM1214	14 mm 12 pt. Std. Skt.	STM1230	30 mm 12 pt. Std. Skt.
STM1215	15 mm 12 pt. Std. Skt.	STM1232	32 mm 12 pt. Std. Skt.
STM1216	16 mm 12 pt. Std. Skt.	STM1236	36 mm 12 pt. Std. Skt.
STM1217	17 mm 12 pt. Std. Skt.	SF41	17" Flex Handle
STM1218	18 mm 12 pt. Std. Skt.	SF51	10" Ratchet
STM1219	19 mm 12 pt. Std. Skt.	S102P	2" Extension
STM1220	20 mm 12 pt. Std. Skt.	S110P	5" Extension
STM1221	21 mm 12 pt. Std. Skt.	S115P	10" Extension
STM1222	22 mm 12 pt. Std. Skt.	S140	Universal Joint
STM1223	23 mm 12 pt. Std. Skt.	248	CLIP RAIL
		258	CLIP RAIL
		BX21	TOOL BOX

MS31K

STM1210	10 mm 12 pt. Std. Skt.	SMD1216	16 mm 12 pt. Deep Skt.
STM1211	11 mm 12 pt. Std. Skt.	SMD1217	17 mm 12 pt. Deep Skt.
STM1212	12 mm 12 pt. Std. Skt.	SMD1218	18 mm 12 pt. Deep Skt.
STM1213	13 mm 12 pt. Std. Skt.	SMD1219	19 mm 12 pt. Deep Skt.
STM1214	14 mm 12 pt. Std. Skt.	SMD1220	20 mm 12 pt. Deep Skt.
STM1215	15 mm 12 pt. Std. Skt.	SMD1221	21 mm 12 pt. Deep Skt.
STM1216	16 mm 12 pt. Std. Skt.	SMD1222	22 mm 12 pt. Deep Skt.
STM1217	17 mm 12 pt. Std. Skt.	SMD1224	24 mm 12 pt. Deep Skt.
STM1218	18 mm 12 pt. Std. Skt.	SMD1225	25 mm 12 pt. Deep Skt.
STM1219	19 mm 12 pt. Std. Skt.	SMD1226	26 mm 12 pt. Deep Skt.
STM1220	20 mm 12 pt. Std. Skt.	S110P	5" Extension
STM1221	21 mm 12 pt. Std. Skt.	S115P	10" Extension
STM1222	22 mm 12 pt. Std. Skt.	SF41	17" Flexible Handle
STM1223	23 mm 12 pt. Std. Skt.	SF51	10" Reversible Ratchet
STM1224	24 mm 12 pt. Std. Skt.	258	CLIP RAIL
STM1225	25 mm 12 pt. Std. Skt.	261	CLIP RAIL
STM1226	26 mm 12 pt. Std. Skt.	BX21	TOOL BOX

½" Drive Power/Impact



Martin Heavy Duty Power Impact Sockets are Specially Designed for Use with All Types of Power Wrenches. All Sockets are Hot Forged from the Finest Alloy Steels for Maximum Strength and Durability. Heat Treated by Carefully Controlled Methods, the Sockets are Accurately Broached in 6 Point Openings. All Power Impact Sockets are Finished in Rust Resistant Black Oxide.

½" Square Drive 6 Point Standard

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Qty.	Opening
3/8	I	1 15/32	15/16	21/32	5/32	.14	4612	5	3/8
7/16	I	1 15/32	15/16	45/64	7/32	.16	4614	5	7/16
1/2	I	1 15/32	15/16	25/32	7/64	.18	4616	5	1/2
9/16	I	1 15/32	15/16	55/64	21/64	.17	4618	5	9/16
5/8	II	1 15/32	—	15/16	3/8	.20	4620	5	5/8
11/16	II	1 1/2	—	1	3/8	.23	4622	5	11/16
3/4	II	1 1/2	—	1 5/64	7/16	.23	4624	5	3/4
13/16	II	1 9/16	—	1 5/32	29/64	.25	4626	5	13/16
7/8	II	1 5/8	—	1 7/32	1/2	.31	4628	5	7/8
15/16	II	1 5/8	—	1 19/64	35/64	.33	4630	5	15/16
1	III	1 11/16	1 3/8	1 23/64	35/64	.45	4632	5	1
1 1/16	III	1 3/4	1 3/8	1 7/16	5/8	.50	4634	5	1 1/16
1 1/8	III	1 13/16	1 3/8	1 1/2	21/32	.60	4636	5	1 1/8
1 3/16	III	1 7/8	1 3/8	1 11/16	21/32	.65	4638	5	1 3/16
1 1/4	III	1 59/64	1 3/8	1 3/4	3/4	.70	4640	5	1 1/4
1 5/16	III	2	1 3/8	2 1/64	1 1/16	.80	4642	5	1 5/16
1 3/8	III	2 1/16	1 17/32	2 1/16	1 1/8	.95	4644	5	1 3/8
1 7/16	III	2 1/8	1 17/32	2 5/32	1 5/32	1.00	4646	5	1 7/16
1 1/2	III	2 3/16	1 17/32	2 15/64	1 3/16	1.15	4648	5	1 1/2

½" Square Drive 6 Point Deep

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Qty.	Opening
3/8	I	3 1/4	15/16	5/8	5/32	.42	14612	5	3/8
7/16	I	3 1/4	15/16	45/64	7/32	.42	14614	5	7/16
1/2	I	3 1/4	15/16	25/32	17/64	.43	14616	5	1/2
9/16	I	3 1/4	15/16	55/64	21/64	.43	14618	5	9/16
5/8	II	3 1/4	—	15/16	3/8	.40	14620	5	5/8
11/16	II	3 1/4	—	1	2 35/64	.37	14622	5	11/16
3/4	II	3 1/4	—	1 5/64	2 1/2	.45	14624	5	3/4
13/16	II	3 1/4	—	1 5/32	2 1/2	.49	14626	5	13/16
7/8	II	3 1/4	—	1 7/32	2 3/4	.54	14628	5	7/8
15/16	II	3 1/4	—	1 19/64	2 27/64	.62	14630	5	15/16
1	III	3 1/2	1 3/32	1 23/64	2 45/64	.57	14632	5	1
1 1/16	III	3 1/2	1 7/64	1 7/16	2 21/32	.62	14634	5	1 1/16
1 1/8	III	3 1/2	1 7/64	1 5/8	2 5/8	.62	14636	5	1 1/8
1 3/16	III	3 1/2	1 7/64	1 3/4	2 19/32	.73	14638	5	1 3/16
1 1/4	III	3 1/2	1 7/64	1 41/64	2 19/32	.73	14640	5	1 1/4
1 5/16	III	3 5/8	1 7/64	2 1/64	2 9/16	.85	14642	5	1 5/16
1 3/8	III	3 5/8	1 17/32	2 1/16	2 35/64	.89	14644	5	1 3/8
1 7/16	III	3 5/8	1 17/32	2 5/32	2 1/2	.9	14646	5	1 7/16
1 1/2	III	3 5/8	1 17/32	2 15/64	2 1/2	1.0	14648	5	1 1/2



Item	Description	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
Universal	½ U-Joint	.44	4140A	5
Adaptor	½ F × ⅜M	.13	42A	5
Adaptor	½ F × ¾M	.44	46	5
Extension	6" Extension	.67	4105A	5

TOOLS

½" Drive
Power/Impact Sets



IS6K

4616 ..... ½" 6 pt. Skt.
4618 ..... 9/16" 6 pt. Skt.
4620 ..... 5/8" 6 pt. Skt.
4622 ..... 11/16" 6 pt. Skt.
4624 ..... ¾" 6 pt. Skt.
4626 ..... 13/16" 6 pt. Skt.
248 ..... CLIP RAIL

IS6KD

14616 ..... ½" 6 pt. Deep Skt.
14618 ..... 9/16" 6 pt. Deep Skt.
14620 ..... 5/8" 6 pt. Deep Skt.
14622 ..... 11/16" 6 pt. Deep Skt.
14624 ..... ¾" 6 pt. Deep Skt.
14626 ..... 13/16" 6 pt. Deep Skt.
248 ..... CLIP RAIL



IS10KD

14614 ..... 7/16" 6 pt. Deep Skt.
14616 ..... ½" 6 pt. Deep Skt.
14618 ..... 9/16" 6 pt. Deep Skt.
14620 ..... 5/8" 6 pt. Deep Skt.
14622 ..... 11/16" 6 pt. Deep Skt.
14624 ..... ¾" 6 pt. Deep Skt.
14626 ..... 13/16" 6 pt. Deep Skt.
14628 ..... 7/8" 6 pt. Deep Skt.
14630 ..... 15/16" 6 pt. Deep Skt.
14632 ..... 1" 6 pt. Deep Skt.
261 ..... CLIP RAIL

½" Drive Metric Socket Sets
Power/Impact





TYPE I



TYPE II



TYPE III

½" Square Drive 6 Point Standard — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Qty.	Opening
		A	B	C	D		Part No.		
13 mm	I	38.0 mm	24.7 mm	18.9 mm	8.0 mm	.17	4M613	5	13 mm
14 mm	I	38.0 mm	24.7 mm	20.3 mm	9.0 mm	.17	4M614	5	14 mm
15 mm	II	38.0 mm	24.7 mm	24.7 mm	9.0 mm	.17	4M615	5	15 mm
16 mm	II	38.0 mm	24.7 mm	24.7 mm	10.0 mm	.17	4M616	5	16 mm
17 mm	II	38.0 mm	26.3 mm	26.3 mm	11.0 mm	.17	4M617	5	17 mm
18 mm	II	38.0 mm	27.2 mm	27.2 mm	12.0 mm	.17	4M618	5	18 mm
19 mm	II	41.0 mm	29.5 mm	29.5 mm	12.0 mm	.09	4M619	5	19 mm
21 mm	II	41.0 mm	32.0 mm	32.0 mm	13.0 mm	.09	4M621	5	21 mm
22 mm	II	41.0 mm	33.0 mm	33.0 mm	14.0 mm	.09	4M622	5	22 mm
24 mm	II	41.0 mm	35.5 mm	35.5 mm	14.5 mm	.09	4M624	5	24 mm
27 mm	II	41.0 mm	39.6 mm	39.6 mm	14.5 mm	.09	4M627	5	27 mm

MIS6K

4M613 ..... 13 mm 6 pt. Std. Skt.
4M614 ..... 14 mm 6 pt. Std. Skt.
4M615 ..... 15 mm 6 pt. Std. Skt.
4M616 ..... 16 mm 6 pt. Std. Skt.
4M617 ..... 17 mm 6 pt. Std. Skt.
4M618 ..... 18 mm 6 pt. Std. Skt.
248 ..... CLIP RAIL

MIS11K

4M613 ..... 13 mm 6 pt. Std. Skt.
4M614 ..... 14 mm 6 pt. Std. Skt.
4M615 ..... 15 mm 6 pt. Std. Skt.
4M616 ..... 16 mm 6 pt. Std. Skt.
4M617 ..... 17 mm 6 pt. Std. Skt.
4M618 ..... 18 mm 6 pt. Std. Skt.
4M619 ..... 19 mm 6 pt. Std. Skt.
4M621 ..... 21 mm 6 pt. Std. Skt.
4M622 ..... 22 mm 6 pt. Std. Skt.
4M624 ..... 24 mm 6 pt. Std. Skt.
4M627 ..... 27 mm 6 pt. Std. Skt.
248 ..... CLIP RAIL

¾" Drive Sockets & Attachments — Chrome



TYPE I



TYPE II



TYPE III

¾" Square Drive 12 Point Standard Chrome

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Qty.	Opening
¾	I	2	1 19/64	1 13/64	½	.40	H1224	5	¾
13/16	II	2	—	1 19/64	½	.41	H1226	5	13/16
⅞	II	2	—	1 11/32	½	.35	H1228	5	⅞
15/16	II	2	—	1⅜	35/64	.43	H1230	5	15/16
1	II	2 1/16	—	1 1/16	35/64	.50	H1232	5	1
1 1/16	III	2 1/16	1 7/16	1 9/16	⅝	.57	H1234	5	1 1/16
1⅛	III	2⅛	1 7/16	1⅝	21/32	.65	H1236	5	1⅛
1 3/16	III	2 1/16	1 7/16	1 11/16	21/32	.59	H1238	5	1 3/16
1¼	III	2 3/16	1 9/16	1 13/16	¾	.78	H1240	5	1¼
1 5/16	III	2¼	1 9/16	1⅞	49/64	.79	H1242	3	1 5/16
1⅜	III	2¼	1 9/16	1⅞	25/32	.69	H1244	3	1⅜
1 7/16	III	2 5/16	1 9/16	2 1/64	⅞	.87	H1246	3	1 7/16
1½	III	2 5/16	1 35/64	2 3/32	55/64	.94	H1248	3	1½
1 9/16	III	2 5/16	1 19/32	2 3/32	55/64	.91	H1250	3	1 9/16
1⅝	III	2⅜	1 19/32	2 5/32	1	.98	H1252	3	1⅝
1 11/16	III	2 7/16	1⅝	2 7/32	1	1.00	H1254	3	1 11/16
1¾	III	2½	1 21/32	2 5/16	1 3/32	1.23	H1256	3	1¾
1 13/16	III	2 13/16	1¾	2⅜	1⅛	1.31	H1258	3	1 13/16
1 7/8	III	2⅞	1¾	2 15/32	1⅛	1.33	H1260	3	1 7/8
2	III	3	1¾	2 39/64	1 7/32	1.54	H1264	1	2
2 1/16	III	3 1/32	1 15/16	2 23/32	1 7/32	2.13	H1266	1	2 1/16
2⅛	III	3 1/16	1 15/16	2 55/64	1 7/32	2.19	H1268	1	2⅛
2 3/16	III	3 1/16	1 15/16	2 55/64	1⅜	2.00	H1270	1	2 3/16
2¼	III	3 3/16	2	3 1/16	1⅜	2.50	H1272	1	2¼
2⅜	III	3¼	2	3 1/16	1⅜	2.16	H1276	1	2⅜

Item	Description	Wt. Ea. Lbs.	Chrome Part No.	Black Part No.	Std. Pkg. Qty.	¾" ATTACHMENTS
Flex Hdle.	21⅝" Flexible Hdle.	5.63	H41A		1	
Flex Hdle.	21⅝" Flexible Hdle.	5.63		BLKH41A	1	
Ratchet Repair Kit	18" Rev. Ratchet Ratchet Repair Kit	5.38 1.00	H51 H51RU		1 1	
Ratchet Repair Kit	24" Rev. Ratchet Ratchet Repair Kit	5.38 1.00		BLKH51 BLKH51RU	1 1	
Sliding T	17½" Sliding Hdl.	2.45	H20A		1	
Extension	3½" Extension	1.27	H104		1	
Extension	8" Extension	2.25	H110		1	
Extension	16" Extension	3.13	H115		1	
Universal	U-Joint	1.08	H140		1	

¾" Drive Socket Sets – Chrome

H12K

H1228..... ⅞" 12 pt. Skt.
H1230..... 15/16" 12 pt. Skt.
H1234..... 1 1/16" 12 pt. Skt.
H1236..... 1⅛" 12 pt. Skt.
H1240..... 1¼" 12 pt. Skt.
H1242..... 1 5/16" 12 pt. Skt.
H1244..... 1⅜" 12 pt. Skt.
H1246..... 1 7/16" 12 pt. Skt.
H1248..... 1½" 12 pt. Skt.
H1252..... 1⅝" 12 pt. Skt.
H51..... Rev. Ratchet
H110..... 8" Extension
96A..... METAL BOX



H17K

H1228..... ⅞" 12 pt. Skt.
H1230..... 15/16" 12 pt. Skt.
H1234..... 1 1/16" 12 pt. Skt.
H1236..... 1⅛" 12 pt. Skt.
H1240..... 1¼" 12 pt. Skt.
H1242..... 1 5/16" 12 pt. Skt.
H1244..... 1⅜" 12 pt. Skt.
H1246..... 1 7/16" 12 pt. Skt.
H1248..... 1½" 12 pt. Skt.
H1252..... 1⅝" 12 pt. Skt.
H1256..... 1¾" 12 pt. Skt.
H1258..... 1 13/16" 12 pt. Skt.
H1260..... 1⅞" 12 pt. Skt.
H1264..... 2" 12 pt. Skt.
H51..... Rev. Ratchet
H110..... 8" Extension
H115..... 16" Extension
237 ..... METAL BOX

H20K

H51..... Rev. Ratchet
H104..... 3½" Extension
H110..... 8" Extension
H41A ..... 21⅝" Flexible Hdle.
H1228..... ⅞" 12 pt. Skt.
H1230..... 15/16" 12 pt. Skt.
H1232..... 1" 12 pt. Skt.
H1234..... 1 1/16" 12 pt. Skt.
H1236..... 1⅛" 12 pt. Skt.
H1240..... 1¼" 12 pt. Skt.
H1242..... 1 5/16" 12 pt. Skt.
H1244..... 1⅜" 12 pt. Skt.
H1246..... 1 7/16" 12 pt. Skt.
H1248..... 1½" 12 pt. Skt.
H1252..... 1⅝" 12 pt. Skt.
H1254..... 1 11/16" 12 pt. Skt.
H1256..... 1¾" 12 pt. Skt.
H1258..... 1 13/16" 12 pt. Skt.
H1260..... 1⅞" 12 pt. Skt.
H1264..... 2" 12 pt. Skt.
237 ..... TOOL BOX



H22K

H51..... Rev. Ratchet
H104..... 3½" Extension
H110..... 8" Extension
H115..... 16" Extension
H140..... Universal Joint
H1228..... ⅞" 12 pt. Skt.
H1230..... 15/16" 12 pt. Skt.
H1232..... 1" 12 pt. Skt.
H1234..... 1 1/16" 12 pt. Skt.
H1236..... 1⅛" 12 pt. Skt.
H1240..... 1¼" 12 pt. Skt.
H1242..... 1 5/16" 12 pt. Skt.
H1244..... 1⅜" 12 pt. Skt.
H1246..... 1 7/16" 12 pt. Skt.
H1248..... 1½" 12 pt. Skt.
H1250..... 1 9/16" 12 pt. Skt.
H1252..... 1⅝" 12 pt. Skt.
H1254..... 1 11/16" 12 pt. Skt.
H1256..... 1¾" 12 pt. Skt.
H1258..... 1 13/16" 12 pt. Skt.
H1260..... 1⅞" 12 pt. Skt.
H1264..... 2" 12 pt. Skt.
237 ..... TOOL BOX

¾" Drive Power/Impact



TYPE I



TYPE II



TYPE III

¾" Square Drive 6 Point Standard

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Qty.	Opening
5/8	I	2 1/8	1 5/8	1 5/8	9/32	.65	6620	5	5/8
11/16	I	2 1/8	1 5/8	1 5/8	5/16	.66	6622	5	11/16
3/4	I	2 1/8	1 5/8	1 15/64	9/16	.67	6624	5	3/4
13/16	I	2 1/8	1 5/8	1 23/64	39/64	.75	6626	5	13/16
7/8	I	2 1/8	1 5/8	1 1/2	39/64	.91	6628	5	7/8
15/16	I	2 1/8	1 5/8	1 9/16	19/32	.77	6630	5	15/16
1	II	2 1/8	—	1 5/8	35/64	.85	6632	5	1
1 1/16	II	2 1/8	1 3/4	1 11/16	13/16	.83	6634	5	1 1/16
1 1/8	II	2 1/8	—	1 3/4	13/16	.92	6636	5	1 1/8
1 3/16	II	2 1/8	1 7/8	1 7/8	7/8	.94	6638	5	1 3/16
1 1/4	II	2 1/8	2	2	29/32	1.24	6640	3	1 1/4
1 5/16	II	2 1/8	2	2	49/64	1.38	6642	3	1 5/16
1 3/8	III	2 1/4	1 29/32	2 1/8	25/32	1.38	6644	3	1 3/8
1 7/16	III	2 1/4	1 29/32	2 1/8	51/64	1.33	6646	3	1 7/16
1 1/2	III	2 1/2	1 29/32	2 5/16	55/64	1.71	6648	3	1 1/2
1 9/16	III	2 1/2	1 29/32	2 13/32	55/64	1.80	6650	3	1 9/16
1 5/8	III	2 1/2	1 29/32	2 7/16	1	1.83	6652	3	1 5/8
1 11/16	III	2 5/8	1 29/32	2 1/2	1	1.90	6654	3	1 11/16
1 3/4	III	2 5/8	1 29/32	2 9/16	1	2.01	6656	3	1 3/4
1 13/16	III	2 5/8	1 29/32	2 5/8	1	2.16	6658	3	1 13/16
1 7/8	III	2 3/4	1 29/32	2 23/32	1 1/16	2.20	6660	3	1 7/8
1 15/16	III	2 3/4	1 29/32	2 13/16	1 1/16	2.25	6662	3	1 15/16
2	III	2 7/8	1 29/32	2 15/16	1 1/16	2.30	6664	3	2
2 1/16	III	2 7/8	1 29/32	2 31/32	1 35/64	—	6666	3	2 1/16
2 1/8	III	3 1/16	1 29/32	3 3/64	1 23/32	—	6668	3	2 1/8
2 3/16	III	3 3/16	1 29/32	3 9/64	1 13/16	—	6670	3	2 3/16
2 1/4	III	3 3/16	1 29/32	3 7/32	1 51/64	—	6672	3	2 1/4
2 3/8	III	3 1/4	1 29/32	3 3/8	2 1/16	—	6676	3	2 3/8
2 7/16	III	3 1/4	2 1/4	3 25/64	1 15/16	—	6678	3	2 7/16
2 1/2	III	3 1/4	2 1/4	3 17/32	1 15/16	—	6680	3	2 1/2

¾" Square Drive 6 Point Deep Socket

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Chrome Part No.	Std. Qty.	Opening
3/4	I	3 1/8	1 5/8	1 15/64	21/64	1.10	16624	5	3/4
13/16	I	3 1/8	1 5/8	1 23/64	3/8	1.14	16626	5	13/16
7/8	I	3 1/8	1 5/8	1 1/2	3/8	1.24	16628	5	7/8
15/16	I	3 1/8	1 5/8	1 9/16	19/32	1.10	16630	5	15/16
1	II	3 1/8	—	1 5/8	35/64	1.30	16632	5	1
1 1/16	I	3 1/2	1 3/4	1 5/8	13/16	1.42	16634	5	1 1/16
1 1/8	I	3 1/2	1 3/4	1 11/16	13/16	1.39	16636	3	1 1/8
1 3/16	I	3 1/2	1 7/8	1 13/16	13/16	1.63	16638	3	1 3/16
1 1/4	II	3 1/2	2	1 13/16	29/32	1.58	16640	3	1 1/4
1 5/16	II	3 1/2	2	2	7/8	2.02	16642	3	1 5/16
1 3/8	III	3 1/2	1 29/32	2 1/8	7/8	2.13	16644	3	1 3/8
1 7/16	III	3 1/2	1 29/32	2 1/8	7/8	2.00	16646	3	1 7/16
1 1/2	III	3 1/2	1 29/32	2 5/16	55/64	2.33	16648	3	1 1/2
1 9/16	III	3 1/2	1 29/32	2 13/32	55/64	2.50	16650	3	1 9/16
1 5/8	III	3 1/2	1 29/32	2 7/16	55/64	2.70	16652	3	1 5/8
1 11/16	III	3 1/2	1 29/32	2 1/2	2 17/64	3.00	16654	3	1 11/16
1 3/4	III	3 1/2	1 29/32	2 7/16	2 13/64	3.20	16656	3	1 3/4
1 7/8	III	3 1/2	1 29/32	2 23/32	2 15/16	3.40	16660	3	1 7/8
2	III	3 3/4	1 29/32	2 15/16	2 25/16	4.00	16664	3	2
2 1/16	III	3 3/4	1 29/32	2 31/32	2 7/16	—	16666	3	2 1/16
2 1/8	III	3 3/4	1 29/32	3 3/64	2 7/16	—	16668	3	2 1/8
2 3/16	III	4 1/4	1 29/32	3 3/64	2 1/2	—	16670	3	2 3/16
2 1/4	III	4 1/4	1 29/32	3 9/64	2 1/2	—	16672	3	2 1/4
2 3/8	III	4 1/4	1 29/32	3 3/8	2 1/2	—	16676	3	2 3/8
2 7/16	III	4 1/4	2 1/4	3 29/64	2 1/2	—	16678	3	2 7/16
2 1/2	III	4 1/4	2 1/4	3 17/32	2 7/8	—	16680	3	2 1/2

¾" Drive Power/Impact Attachments & Socket Sets

¾" Drive Power/Impact Attachments

¾" ATTACHMENTS	Item	Description	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
	Adaptor	¾F × ½M	.06	64A	5
	Adaptor	¾F × 1M	.06	67	5
	Extension	7" Extension	1.77	6107	5
	Extension	10" Extension	2.25	6110	5
	Extension	13" Extension	4.15	6113	5
	Universal Joint	4 1/16 Lgth. Max.	.77	6140A	5
	Ret Ring®	Fits Part No. 64A	.01	M10005S	1
	Ret Ring®	Fits Part No. 67	.01	M10032S	1
	Ret Ring®	Fits Part No. 6107	.01	M10032S	1
	Ret Ring®	Fits Part No. 6110	.01	M10032S	1
	Ret Ring®	Fits Part No. 6113	.01	M10032S	1
	Ret Ring®	Fits Part No. 6140A	.01	M10032S	1
	Ret Ring®	Fits Part No. 6620 - 6634	.01	M10032S	1
	Ret Ring®	Fits Part No. 6636	.01	M10034S	1
	Ret Ring®	Fits Part No. 6638 - 6664	.01	M18708S	1
	Ret Ring®	Fits Part No. 16624 - 16634	.01	M10032S	1
	Ret Ring®	Fits Part No. 16636 - 16664	.01	M10034S	1

¾" Drive 6 Point Deep 8 Pieces

IH8K

16628 ..... 7/8"	16636 ..... 1 1/8"
16630 ..... 15/16"	16640 ..... 1 1/4"
16632 ..... 1"	16642 ..... 1 5/16"
16634 ..... 1 1/16"	16648 ..... 1 1/2"

¾" Drive 6 Point Standard 9 Pieces

IH9K

6624 ..... 3/4"	6634 ..... 1 1/16"
6626 ..... 13/16"	6636 ..... 1 1/8"
6628 ..... 7/8"	6638 ..... 1 3/16"
6630 ..... 15/16"	6640 ..... 1 1/4"
6632 ..... 1"	

TOOLS

1" Drive
Chrome Sockets



TYPE II



TYPE III

1" Square Drive 12 Point Standard Chrome

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
1 1/16	II	2 9/32	1 41/64	1 41/64	5/8	.90	X1234	1	1 1/16
1 1/8	II	2 9/32	1 11/16	1 11/16	21/32	.90	X1236	1	1 1/8
1 3/16	II	2 9/32	1 3/4	1 3/4	21/32	.90	X1238	1	1 3/16
1 1/4	II	2 9/32	1 13/16	1 13/16	3/4	.90	X1240	1	1 1/4
1 5/16	II	2 11/32	1 7/8	1 7/8	49/64	.90	X1242	1	1 5/16
1 3/8	II	2 7/16	1 3/4	1 15/16	25/32	.94	X1244	1	1 3/8
1 7/16	III	2 1/2	1 3/4	2	7/8	.94	X1246	1	1 7/16
1 1/2	III	2 9/16	1 3/4	2 1/8	55/64	1.06	X1248	1	1 1/2
1 5/8	III	2 11/16	1 3/4	2 1/4	1	1.06	X1252	1	1 5/8
1 11/16	III	2 3/4	1 15/16	2 3/8	1	1.50	X1254	1	1 11/16
1 3/4	III	2 13/16	1 15/16	2 1/2	1 3/32	1.50	X1256	1	1 3/4
1 13/16	III	2 7/8	1 15/16	2 9/16	1 1/8	1.63	X1258	1	1 13/16
1 7/8	III	2 15/16	2 1/4	2 5/8	1 1/8	1.94	X1260	1	1 7/8
1 15/16	III	3	2 1/4	2 3/4	1 7/32	2.25	X1262	1	1 15/16
2	III	3	2 1/4	2 3/4	1 7/32	2.19	X1264	1	2
2 1/8	III	3 1/16	2 1/4	2 15/16	1 3/8	2.44	X1268	1	2 1/8
2 3/16	III	3 1/8	2 1/4	3	1 3/8	2.50	X1270	1	2 3/16
2 1/4	III	3 3/16	2 1/4	3 1/16	1 3/8	2.38	X1272	1	2 1/4
2 5/16	III	3 1/4	2 1/4	3 5/32	1 3/8	2.69	X1274	1	2 5/16
2 3/8	III	3 5/16	2 1/4	3 1/4	1 3/8	2.88	X1276	1	2 3/8
2 7/16	III	3 3/8	2 1/4	3 5/16	1 3/8	2.88	X1278	1	2 7/16
2 1/2	III	3 7/16	2 1/4	3 3/8	1 3/8	3.00	X1280	1	2 1/2
2 9/16	III	3 1/2	2 1/4	3 3/8	1 1/2	3.13	X1282	1	2 9/16
2 5/8	III	3 9/16	2 1/4	3 9/16	1 3/4	3.63	X1284	1	2 5/8
2 3/4	III	3 11/16	2 43/64	3 23/32	1 3/4	4.63	X1288	1	2 3/4
2 13/16	III	3 3/4	2 43/64	3 53/64	1 3/4	5.13	X1290	1	2 13/16
2 15/16	III	3 7/8	2 43/64	3 61/64	2	5.25	X1294	1	2 15/16
3	III	3 15/16	2 43/64	4 1/64	2	5.56	X1296	1	3
3 1/8	III	4 1/16	2 43/64	4 1 1/64	2 13/64	5.25	X12100	1	3 1/8
3 3/8	III	4 1/16	2 43/64	4 17/32	2 13/64	6.31	X12108	1	3 3/8
3 1/2	III	4 1/16	2 43/64	4 1 1/16	2 13/64	6.50	X12112	1	3 1/2

Martin Heavy Duty Chrome Hand Tool Sockets are Manufactured to Extremely Close Tolerances of American Alloy Steel. The 12 Point Broach Opening Provides a Secure Fit for Absolute Tightening and Loosening.

WARNING: Only Power Impact Sockets Should Be Used on Pneumatic or Electric Impact Wrenches. Never Use Chrome Sockets.

1" Drive Attachments & Socket Set

1" Drive Attachments						
Item	Description	Wt. Ea. Lbs.	Chrome Part No.	Black Part No.	Std. Pkg. Qty.	1" ATTACHMENTS
Ratchet	30" Rev. Ratchet	7.94	X51		1	
Repair Kit	Ratchet Repair	1.13	X51RU		1	
Ratchet	30" Rev. Ratchet	7.94		BLKX51	1	
Repair Kit	Ratchet Repair	1.13		BLKX51RU	1	
Extension	8" Extension	2.31	X108		1	
Extension	17" Extension	4.31	X117		1	
Flex Handle	26" Flexible Hdle.	8.19	X41A		1	

X21K		
X1246 ..... 1 7/16" 12 pt. Std. Skt. X1248 ..... 1½" 12 pt. Std. Skt. X1252 ..... 1⅝" 12 pt. Std. Skt. X1254 ..... 1 11/16" 12 pt. Std. Skt. X1256 ..... 1¾" 12 pt. Std. Skt. X1258 ..... 1 13/16" 12 pt. Std. Skt. X1260 ..... 1⅞" 12 pt. Std. Skt. X1264 ..... 2" 12 pt. Std. Skt. X1268 ..... 2⅛" 12 pt. Std. Skt. X1270 ..... 2 3/16" 12 pt. Std. Skt. X1272 ..... 2¼" 12 pt. Std. Skt.	X1276 ..... 2⅜" 12 pt. Std. Skt. X1280 ..... 2½" 12 pt. Std. Skt. X1284 ..... 2⅝" 12 pt. Std. Skt. X1288 ..... 2¾" 12 pt. Std. Skt. X1294 ..... 2 15/16" 12 pt. Std. Skt. X12100 ..... 3⅛" 12 pt. Std. Skt. X51 ..... Reversible Ratchet X108 ..... 8" Extension X117 ..... 17" Extension X41A..... Flexible Handle 299 ..... METAL BOX	

Martin Heavy Duty Power Impact Sockets are Specially Designed for Use with All Types of Power Wrenches. All Sockets are Hot Forged from the Finest Alloy Steels for Maximum Strength and Durability. Heat Treated by Carefully Controlled Methods, the Sockets are Accurately Broached in 6 Point Openings. All Power Impact Sockets are Finished in Rust Resistant Black Oxide.

WARNING: Only Power Impact Sockets Should Be Used on Pneumatic or Electric Impact Wrenches. Never Use Chrome Sockets.

1" Drive
Power/Impact





TYPE I



TYPE II



TYPE III

1" Drive 6 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/4	I	2 1/4	2	1 7/16	1 1/4	1.13	7624	1	3/4
13/16	I	2 1/4	2	1 7/16	1 1/4	1.00	7626	1	13/16
7/8	I	2 13/32	2	1 17/32	45/64	1.06	7628	1	7/8
15/16	I	2 7/16	2	1 9/16	23/32	1.06	7630	1	15/16
1	I	2 17/32	2	1 21/32	49/64	1.19	7632	1	1
1 1/16	I	2 9/16	2	1 3/4	13/64	1.25	7634	1	1 1/16
1 1/8	I	2 9/16	2	1 13/16	27/64	1.25	7636	1	1 1/8
1 3/16	II	2 11/16	—	2 1/16	29/32	1.50	7638	1	1 3/16
1 1/4	II	2 11/16	—	2 1/16	29/32	1.50	7640	1	1 1/4
1 5/16	II	2 11/16	—	2 1/16	49/64	1.44	7642	1	1 5/16
1 3/8	III	2 11/16	2 1/8	2 1/4	49/64	1.69	7644	1	1 3/8
1 7/16	III	2 11/16	2 1/8	2 1/4	55/64	1.63	7646	1	1 7/16
1 1/2	III	2 11/16	2 1/8	2 1/4	55/64	1.56	7648	1	1 1/2
1 9/16	III	2 11/16	2 1/4	2 1/2	1	1.75	7650	1	1 9/16
1 5/8	III	2 11/16	2 1/4	2 1/2	1	1.81	7652	1	1 5/8
1 11/16	III	2 11/16	2 1/4	2 1/2	1	1.88	7654	1	1 11/16
1 3/4	III	2 11/16	2 7/16	2 3/4	1	2.50	7656	1	1 3/4
1 13/16	III	2 11/16	2 7/16	2 3/4	1 1/16	2.50	7658	1	1 13/16
1 7/8	III	2 3/16	2 7/16	2 3/4	1 1/16	2.56	7660	1	1 7/8
1 15/16	III	3	2 7/16	2 63/64	1 1/16	3.00	7662	1	1 15/16
2	III	3	2 7/16	2 63/64	1 11/64	2.88	7664	1	2
2 1/16	III	3	2 7/16	2 63/64	1 11/64	2.81	7666	1	2 1/16
2 1/8	III	3	2 7/16	3 1/4	1 13/64	3.63	7668	1	2 1/8
2 3/16	III	3 3/16	2 7/16	3 1/4	1 9/32	3.38	7670	1	2 3/16
2 1/4	III	3 3/16	2 7/16	3 1/4	1 9/32	3.19	7672	1	2 1/4
2 5/16	III	3 3/16	2 7/16	3 1/2	1 5/16	3.88	7674	1	2 5/16
2 3/8	III	3 1/4	2 7/16	3 1/2	1 23/64	3.75	7676	1	2 3/8
2 7/16	III	3 9/32	2 7/16	3 1/2	1 3/8	3.44	7678	1	2 7/16
2 1/2	III	3 5/16	2 7/16	3 1/2	1 1/2	3.78	7680	1	2 1/2
2 5/8	III	3 15/32	2 3/4	3 45/64	1 3/4	4.75	7684	1	2 5/8
2 11/16	III	3 15/32	2 3/4	3 53/64	1 1/2	4.88	7686	1	2 11/16
2 3/4	III	3 9/16	2 3/4	3 53/64	1 3/4	4.94	7688	1	2 3/4
2 13/16	III	3 11/16	2 3/4	4 1/64	1 3/4	5.01	7690	1	2 13/16
2 7/8	III	3 3/4	2 3/4	4	1 3/4	5.30	7692	1	2 7/8
2 15/16	III	3 3/4	2 3/4	4 1/64	2	5.56	7694	1	2 15/16
3	III	3 7/8	2 3/4	4 11/64	2	5.75	7696	1	3
3 1/8	III	3 15/16	2 3/4	4 11/64	2 13/64	5.63	76100	1	3 1/8
3 1/4	III	4 1/16	2 3/4	4 35/64	2	6.19	76104	1	3 1/4
3 3/8	III	4 3/16	2 3/4	4 17/32	2 13/64	7.06	76108	1	3 3/8
3 1/2	III	4 5/16	2 3/4	4 11/16	2 13/64	7.25	76112	1	3 1/2

TOOLS

1" Drive Power/Impact Deep/Attachments



TYPE I



TYPE II



TYPE III

1" Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.		
3/4	I	3	2	1 7/16	23/64	2.25	17624	1	3/4
13/16	I	3	2	1 7/16	27/64	2.38	17626	1	13/16
7/8	I	3	2	1 17/32	39/64	2.41	17628	1	7/8
15/16	I	3	2	1 9/16	23/32	2.43	17630	1	15/16
1	I	3	2	1 21/32	23/32	2.38	17632	1	1
1 1/16	I	3	2	1 3/4	3/4	2.38	17634	1	1 1/16
1 1/8	I	3	2	1 13/16	13/16	2.39	17636	1	1 1/8
1 3/16	II	3	—	2 1/16	7/8	2.33	17638	1	1 3/16
1 1/4	II	3	—	2 1/16	29/32	2.31	17640	1	1 1/4
1 5/16	II	3	—	2 1/16	15/16	2.25	17642	1	1 5/16
1 3/8	III	3	2 1/8	2 1/4	49/64	2.10	17644	1	1 3/8
1 7/16	III	3	2 1/8	2 1/4	49/64	2.25	17646	1	1 7/16
1 1/2	III	4	2 1/8	2 1/4	55/64	2.75	17648	1	1 1/2
1 9/16	III	4	2 1/4	2 1/2	55/64	2.83	17650	1	1 9/16
1 5/8	III	4	2 1/4	2 1/2	1	2.84	17652	1	1 5/8
1 11/16	III	4	2 7/16	2 3/4	1	3.46	17654	1	1 11/16
1 3/4	III	4 1/16	2 7/16	2 3/4	1	3.46	17656	1	1 3/4
1 13/16	III	4 1/8	2 7/16	2 3/4	1	3.81	17658	1	1 13/16
1 7/8	III	4 3/16	2 7/16	2 3/4	1 1/16	3.85	17660	1	1 7/8
1 15/16	III	4 1/4	2 7/16	2 31/32	1 1/16	4.80	17662	1	1 15/16
2	III	4 5/16	2 7/16	2 31/32	1 1/16	4.52	17664	1	2
2 1/16	III	4 3/8	2 7/16	2 31/32	1 1/64	4.73	17666	1	2 1/16
2 1/8	III	4 7/16	2 7/16	3 1/4	1 1/64	5.00	17668	1	2 1/8
2 3/16	III	4 1/2	2 7/16	3 1/4	1 13/64	5.60	17670	1	2 3/16
2 1/4	III	4 21/32	2 7/16	3 1/4	1 1/32	5.30	17672	1	2 1/4
2 5/16	III	4 23/32	2 7/16	3 13/32	1 1/32	5.90	17674	1	2 5/16
2 3/8	III	4 3/4	2 7/16	3 13/32	1 5/16	6.50	17676	1	2 3/8

1" POWER OR IMPACT ATTACHMENTS	Item	Description	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
	Adaptor	1F × 3/4M	1.00	76	1
	Adaptor	1F × 1 1/2M	1.00	77	1
	Universal	Max Length 4.5"	3.04	7140A	1
	Extension	7" Extension	3.56	7107	1
	Extension	10" Extension	6.00	7110	1
	Extension	13" Extension	8.50	7113	1
	Ret Ring®	Fits Part No. 76	.01	M10008S	1
	Ret Ring®	Fits Part No. 77, 7140A, 7107, 7110, 7113	.01	M10010S	1
	Ret Ring®	Fits Part No. 7624 - 7642	.01	M10008S	1
	Ret Ring®	Fits Part No. 7644 - 7648	.01	M10010S	1
	Ret Ring®	Fits Part No. 7650 - 7654	.01	M10015S	1
	Ret Ring®	Fits Part No. 7656 - 7680	.01	M10016S	1
	Ret Ring®	Fits Part No. 7684 - 7696	.01	M10017S	1
	Ret Ring®	Fits Part No. 76100 - 76112	.01	M10017S	1
	Ret Ring®	Fits Part No. 17624 - 17642	.01	M10008S	1
	Ret Ring®	Fits Part No. 17644 - 17648	.01	M10010S	1
	Ret Ring®	Fits Part No. 17650 - 17652	.01	M10015S	1
	Ret Ring®	Fits Part No. 17654 - 17676	.01	M10016S	1

1½" Drive Power/Impact



TYPE I



TYPE II



TYPE III

1½" Drive 6 Point Standard

Opening	Type	Length A	Drive End B	Opening End C	Minimum Depth D	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.	Opening
1⅜	I	3⅛	3¼	2¾	¾	5.70	8644	1	1⅜
1⁷⁄₁₆	I	3⅛	3¼	2¾	¾	5.70	8646	1	1⁷⁄₁₆
1½	I	3⅛	3¼	2⅞	⁵⁵⁄₆₄	5.70	8648	1	1½
1⁹⁄₁₆	I	3⅛	3¼	2⅞	⁵⁵⁄₆₄	5.70	8650	1	1⁹⁄₁₆
1⅝	I	3⁵⁄₁₆	3¼	3	⁵⁹⁄₆₄	5.70	8652	1	1⅝
1¹¹⁄₁₆	I	3⁹⁄₁₆	3¼	3	⁶³⁄₆₄	5.70	8654	1	1¹¹⁄₁₆
1¾	I	3¼	3¼	3⅛	⁶³⁄₆₄	5.70	8656	1	1¾
1¹³⁄₁₆	I	3¼	3¼	3⅛	1	5.70	8658	1	1¹³⁄₁₆
1⅞	I	3⅜	3¼	3⅛	1⁷⁄₁₆	5.70	8660	1	1⅞
1¹⁵⁄₁₆	I	3½	3¼	3⅛	1⁷⁄₁₆	5.70	8662	1	1¹⁵⁄₁₆
2	II	3⅜	3¼	3¼	1⁷⁄₁₆	5.70	8664	1	2
2¹⁄₁₆	II	3⅜	3¼	3¼	1¹¹⁄₆₄	5.70	8666	1	2¹⁄₁₆
2⅛	III	3⅜	3¼	3½	1¹¹⁄₆₄	6.30	8668	1	2⅛
2³⁄₁₆	III	3⅜	3¼	3½	1¹³⁄₆₄	6.40	8670	1	2³⁄₁₆
2¼	III	3¾	3¼	3¾	1³⁄₃₂	6.80	8672	1	2¼
2⁵⁄₁₆	III	3¾	3¼	3¾	1³⁄₃₂	7.20	8674	1	2⁵⁄₁₆
2⅜	III	3⅞	3¼	3¾	1⁵⁄₁₆	7.60	8676	1	2⅜
2⁷⁄₁₆	III	3⅞	3¼	3⅞	1²³⁄₆₄	7.90	8678	1	2⁷⁄₁₆
2½	III	4	3¼	3⅞	1²³⁄₆₄	8.20	8680	1	2½
2⁹⁄₁₆	III	4	3¼	4	1²⁵⁄₆₄	8.50	8682	1	2⁹⁄₁₆
2⅝	III	4⅛	3¼	4	1¹⁵⁄₃₂	8.80	8684	1	2⅝
2¹¹⁄₁₆	III	4¼	3¼	4⅛	1¹⁵⁄₃₂	8.90	8686	1	2¹¹⁄₁₆
2¾	III	4¼	3¼	4¼	1½	9.10	8688	1	2¾
2¹³⁄₁₆	III	4⅜	3¼	4¼	1³⁷⁄₆₄	9.30	8690	1	2¹³⁄₁₆
2⅞	III	4⅜	3¼	4½	1³⁷⁄₆₄	9.50	8692	1	2⅞
2¹⁵⁄₁₆	III	4½	3¼	4½	1⅝	9.80	8694	1	2¹⁵⁄₁₆
3	III	4½	3¼	4¾	1¹¹⁄₁₆	9.90	8696	1	3
3¹⁄₁₆	III	4⅝	3¼	4¾	1¹¹⁄₁₆	12.70	8698	1	3¹⁄₁₆
3⅛	III	4⅝	3¼	4¾	1²³⁄₃₂	12.70	86100	1	3⅛
3³⁄₁₆	III	4¹¹⁄₁₆	3¼	4¾	1²³⁄₃₂	12.50	86102	1	3³⁄₁₆
3¼	III	4¹¹⁄₁₆	3¼	5	1²³⁄₃₂	14.00	86104	1	3¼
3⁵⁄₁₆	III	4¹¹⁄₁₆	3¼	5	1²³⁄₃₂	13.70	86106	1	3⁵⁄₁₆
3⅜	III	4¹¹⁄₁₆	3¼	5	1⅞	13.40	86108	1	3⅜
3⁷⁄₁₆	III	4¾	3¼	5	1⅞	13.50	86110	1	3⁷⁄₁₆
3½	III	4¾	3¼	5⅛	1⁵⁹⁄₆₄	13.90	86112	1	3½
3⁹⁄₁₆	III	5	3¼	5⅛	1⁵⁹⁄₆₄	14.40	86114	1	3⁹⁄₁₆
3⅝	III	5	3¼	5¼	1⁵⁹⁄₆₄	15.00	86116	1	3⅝
3¹¹⁄₁₆	III	5	3¼	5¼	1⁵⁹⁄₆₄	14.70	86118	1	3¹¹⁄₁₆
3¾	III	5	3¼	5½	1⁵⁹⁄₆₄	14.70	86120	1	3¾
3¹³⁄₁₆	III	5¼	3¼	5½	1⁵⁹⁄₆₄	16.00	86122	1	3¹³⁄₁₆
3⅞	III	5¼	3¼	5½	1⁵⁹⁄₆₄	15.50	86124	1	3⅞
3¹⁵⁄₁₆	III	5½	3¼	5¾	1⁵⁹⁄₆₄	18.40	86126	1	3¹⁵⁄₁₆
4	III	5½	3¼	5¾	1⁵⁹⁄₆₄	18.00	86128	1	4
4¹⁄₁₆	III	5½	3¼	5¾	1⁵⁹⁄₆₄	17.50	86130	1	4¹⁄₁₆
4⅛	III	5⅝	3¼	6	1⁵⁹⁄₆₄	20.20	86132	1	4⅛
4³⁄₁₆	III	5⅝	3¼	6	1⁵⁹⁄₆₄	19.70	86134	1	4³⁄₁₆
4¼	III	5⅝	3¼	6	1⁵⁹⁄₆₄	19.20	86136	1	4¼
4⁵⁄₁₆	III	5¾	3¼	6¼	1⁵⁹⁄₆₄	22.00	86138	1	4⁵⁄₁₆
4⅜	III	5¾	3¼	6¼	1⁵⁹⁄₆₄	21.60	86140	1	4⅜
4⁷⁄₁₆	III	5¾	3¼	6¼	1⁵⁹⁄₆₄	21.00	86142	1	4⁷⁄₁₆
4½	III	5¾	3¼	6½	1⁵⁹⁄₆₄	23.60	86144	1	4½
4⅝	III	6	3¼	6½	1⁵⁹⁄₆₄	23.60	86148	1	4⅝
4¾	III	6	3¼	6½	1⁵⁹⁄₆₄	22.50	86152	1	4¾

1½" Attachments

1½" DRIVE ATTACHMENTS	Item	Description	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.
	Adaptor	1½"F × 1M	3.40	87A	1
	Universal	Max. length 8.25"	4.40	8140A	1
	Extension	8" Extension	8.80	8108	1
	Extension	12" Extension	12.10	8112	1
	Extension	15" Extension	14.40	8115	1
	Ret Ring®	Fits Part No. 87A - 8670	.01	M10020S	1
	Ret Ring®	Fits Part No. 8672 - 86152	.01	M10025S	1

TOOLS

Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.



Standard Ball Peen — G Series — Wood and Fiberglass Handles

Head Weight	Overall Length	Head Length	Bell Dia.	Face	Peen	Replacement Handle		Weight With Handle	Industrial Black Head Finish		Std. Pkg. Qty.	Head Weight
		A	B	C	D	Wood	Fiberglass Kit		Wood Handle	Fiberglass Handle		
2 oz.	9½	2 1/16	5/8	5/8	17/32	HH49		.25	101G		6	2 oz.
4 oz.	9½	2½	3/4	3/4	5/8	HH50		.37	102G		6	4 oz.
8 oz.	11⅝	3⅛	15/16	13/16	25/32	HH53		.66	103G		6	8 oz.
12 oz.	13¼	3¾	1 3/32	15/16	15/16	HH56		1.0	104G		6	12 oz.
1 lb.	14¼	4	1 5/32	63/64	1	HH59	HH105106FG	1.3	105G	105FG	6	1 lb.
1¼ lb.	14½	4 3/16	1 9/32	1⅛	1 3/64	HH59	HH105106FG	1.5	106G	106FG	6	1¼ lb.
1½ lb.	14¾	4 9/16	1 21/64	1 9/64	1⅛	HH66	HH107FG	1.8	107G	107FG	6	1½ lb.
2 lb.	15¼	5	1½	1 9/32	1¼	HH66	HH108FG	2.4	108G	108FG	4	2 lb.
2½ lb.	16¼	5 7/16	1 21/32	1 27/64	1 23/64	HH69	HH109110FG	3.0	109G	109FG	4	2½ lb.
3 lb.	16¼	5⅞	1 23/32	1 15/32	1 15/32	HH71	HH109110FG	3.4	110G	110FG	4	3 lb.



Utility Ball Peen — D Series

Head Weight	Overall Length	Head Length	Bell Dia.	Face	Peen	Replacement Handle	Weight With Handle	Shot Blasted Head Finish	Std. Pkg. Qty.	Head Weight
		A	B	C	D			Part No.		
8 oz.	11⅝	3⅛	15/16	13/16	25/32	HH53	.66	63D	6	8 oz.
12 oz.	13¼	3¾	1 3/32	15/16	15/16	HH56	1.0	64D	6	12 oz.
1 lb.	14¼	4	1 5/32	63/64	1	HH59	1.3	65D	6	1 lb.
1¼ lb.	14½	4 3/16	1 9/32	1⅛	1 3/64	HH59	1.5	66D	6	1¼ lb.
1½ lb.	14¾	4 9/16	1 21/64	1 9/64	1⅛	HH66	1.8	67D	6	1½ lb.
2 lbs.	15¼	5	1½	1 9/32	1¼	HH66	2.4	68D	4	2 lbs.
2½ lbs	16¼	5 7/16	1 21/32	1 27/64	1 23/64	HH69	3.0	69D	4	2½ lbs
3 lbs.	16¼	5⅞	1 23/32	1 15/32	1 15/32	HH71	3.4	70D	4	3 lbs.

Always wear eye protection. A hammer blow should always be struck squarely. Avoid glancing blows. Never use hammers, punches or chisels with "mushroomed" heads.

Hammers

**Only Martin Provides This Added Warranty —
If a Hammer Head Should Loosen at Any Time, Return
It for Handle Replacement or a New Hammer.**

WARNING: Never use Hammers with "Mushroomed" heads. They may chip and cause injury. "ALWAYS WEAR SAFETY GOGGLES."



Cross Peen Engineer / Blacksmith Hand

Head Weight	Overall Length	Head Length A	Bell Dia. B	Face C	Peen D	Replacement Handle	Weight With Handle	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
2 lbs.	15½	4¾	1½	1⁹⁄₃₂	³⁄₁₆R	HH45	2.7	121G	4	2 lb.
2½ lbs	15½	5¹⁄₁₆	1⁹⁄₁₆	1¹¹⁄₃₂	³⁄₁₆R	HH45	3.2	122G	4	2½ lb.
3 lbs.	15½	5¼	1⅝	1²⁵⁄₆₄	¼R	HH45	3.7	123G	4	3 lb.



Double Faced Engineer's / Blacksmith

Head Weight	Overall Length	Head Length A	Bell Dia. B	Face C	Replacement Handle	Weight With Handle	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
2 lbs.	15½	4	1½	1⁹⁄₃₂	HH45	2.7	141G	4	2 lb.
2½ lbs	15½	4½	1½	1⁹⁄₃₂	HH45	3.2	142G	4	2½ lb.
3 lbs.	15½	5¹⁄₁₆	1⁹⁄₁₆	1¹¹⁄₃₂	HH45	3.7	143G	4	3 lb.



Hand Drilling

Head Weight	Overall Length	Head Length A	Bell Dia. B	Face C	Replacement Handle	Weight With Handle	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
2 lbs.	10½	4¹⁄₁₆	1⅜	1⁹⁄₃₂	HH92	2.6	192G	4	2 lbs.
3 lbs.	10½	4⅜	1½	1⁹⁄₃₂	HH92	3.6	193G	4	3 lbs.
4 lbs.	10½	4⅝	1⅝	1²⁵⁄₆₄	HH92	4.4	194G	4	4 lbs.

Scaling Hammer (Boiler Pick)

Head Weight	Overall Length	Head Length A	Face Length B	Face Radius C	Replacement Handle	Weight with Handle Lbs.	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
1 lb.	14	5⁹⁄₁₆	1¹⁄₃₂	¹⁄₁₆	HH59	1.4	132G	6	1 lb.



TOOLS

Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.



Always wear eye protection. A hammer blow should always be struck squarely. Avoid glancing blows. Never use hammers, punches or chisels with "mushroomed" heads.

Setting Paneing Hammer



Head Weight	Overall Length	Head Length A	Head Width B	Face Width C	Replacement Handle	Weight with Handle Lbs.	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
12 oz.	13½	4 13/16	7/8	3/4	HH801	1.1	30G	6	12 oz.
1 lb.	13½	5 1/16	15/16	13/16	HH801	1.4	31G	6	1 lb.

Sledge Hammer

Head Weight	Head Length	Face Width	Handle Length	Replacement Handle	Weight with Handle Lbs.	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
4 lbs.	5¼	1 13/16	32	HH418	4.3	S844SH	5	4 lbs.
6 lbs.	6	2⅛	32	HH6810	7.1	S846H	5	6 lbs.
8 lbs.	6½	2¼	32	HH6810	9.1	S848H	5	8 lbs.
10 lbs.	7	2½	32	HH6810	11.1	S8410H	5	10 lbs.
12 lbs.	7½	2⅝	34	HH1216	13.2	S8412H	5	12 lbs.
16 lbs.	8¼	2⅞	34	HH1216	17.2	S8416H	4	16 lbs.



Surface protective, non-marring and non-sparking brass head provides a lot of driving power in a compact hammer. Standard Super Grip (SG) requires less "squeeze" when swinging heavy hammer, reducing strain and fatigue. Ideal for use with heavy gloves.

Brass Hammers

Part No.	Approx. Head Wt.	Std. Pkg.	Ship. Wt.	D	H	L
HSB15	1.5 lb.	5	2.01 lb.	1/1.25	3.5	12
HSB25	2.5 lb.	2	2.72 lb.	1.25/1.5	3.5	12
HSB4	3.5 lb.	2	3.85 lb.	1.65/1.78	3.7	12

Dead Blow Hammers

Part No.	Approx. Head Wt.	Std. Pkg.	Ship. Wt.	D	H	L
HPD1	1.25 lb.	5	1.85 lb.	1.6/2.1	3.9	11
HPD2	1.5 lb.	5	2.10 lb.	2.05/2.4	4.3	12
HPD3	2.2 lb.	2	2.71 lb.	2.4/2.7	4.7	12
HPD4	2.9 lb.	2	3.50 lb.	2.75/3.1	5	13

Shot loaded head produces the most complete dead blow effect (no rebound) ever offered for 30% more striking force than conventional hammers. Fiberglass handle and pliable Standard Super Grip combine with the dead blow effect to reduce effort, strain, vibration and noise.

Hammers

**Only Martin Provides This Added Warranty —
If a Hammer Head Should Loosen at Any Time, Return
It for Handle Replacement or a New Hammer.**



WARNING: Always wear Safety Goggles.



Brick Hammer

Head Weight	Overall Length	Replacement Handle Kit	Weight with Handle Lbs.	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
1½ lbs.	11	HH173FG	2.0	173	6	1½ lb.





Tinner's Riveting Hammer

Head Weight	Overall Length	Head Length A	Head Width B	Face Width C	Replacement Handle	Weight with Handle Lbs.	Industrial Black Head Finish Part No.	Std. Pkg. Qty.	Head Weight
4 oz.	9-¼	3-$^{11}/_{16}$	$^{9}/_{16}$	$^{15}/_{32}$	HH50	.38	25G	6	4 oz.
8 oz.	11	4-¼	¾	$^{21}/_{32}$	HH53	.76	26G	6	8 oz.
12 oz.	13-½	4-¾	$^{29}/_{32}$	$^{25}/_{32}$	HH801	1.1	27G	6	12 oz.
1 lb.	14	5-⅛	$^{31}/_{32}$	$^{27}/_{32}$	HH801	1.4	28G	6	1 lb.

Hickory Hammer Handles

Part Number	Std. Pkg. Qty.	Approx. Length	Use For
HH42A18	12	18	165 Body Hammer
HH42B	12	12	All Body Hammers (Except 165 & 155)
HH45	12	16	Cross Peen and Double Face Eng. and 155
HH49	12	9-¾	2 oz. Ball Peen
HH50	12	10	4 oz. Ball Peen/4 oz. Riveting
HH53	12	12	8 oz. Ball Peen/8 oz. Riveting
HH56	12	13½	12 oz. Ball Peen
HH59	12	14½	1 lb., 1¼ lb. Ball Peen
HH66	12	16	1½, 2 lb. Ball Peen
HH69	12	17	2½ lb. Ball Peen
HH71	12	17	3 lb. Ball Peen
HH92	12	10½	All Hand Drilling
HH801	12	13¾	12 & 16 oz. Riveting and Settling
HH418	12	32	4 lb. Sledge
HH6810	12	33	6, 8 & 10 lb. Sledge
HH1216	12	35	12 & 16 lb. Sledge



Fiberglass Replacement Handle Kits

Part Number	Std. Pkg. Qty.	Approx. Length	Use For
HH105106FG	1	13	1 lb. and 1¼ lb. Ball Peen — G Series
HH107FG	1	14	1-½ lb. Ball Peen — G Series
HH108FG	1	16	2 lbs. Ball Peen — G Series
HH109110FG	1	16	2-½ lb. and 3 lb. Ball Peen — G Series
HH173FG	1	12½	1-½ lbs. Brick Hammer
HHBFFG	1	12	All Body Hammers with 12" Handle

Screwdrivers

Ergonomically & Accurately Sized Cellulose Acetate Handles.

Rugged, Impact and Chemical Resistant.

Color Coded Inlays for Easy Identification.

Forged Nickel-Chrome Molybdenum Alloy Blades.

Serrated Faces to Resist Slipping.

Bright Zinc Plate to Resist Corrosion.

All drivers meet or exceed ANSI/ASME standards and specifications for hardness and torque.

WARNING: Acetate handles are not intended to act as insulation. Never use screwdrivers as prybars or chisels.

NARROW TIP, ROUND SHANK

Cabinet and Electrical Screwdrivers

Blade Length	Blade Width	Type	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
4	3/16	Cabinet	.14	SDE4-1	6
6	3/16	Electrical	.15	SDE6-1	6
8	3/16	Electrical	.16	SDE8-1	6

WIDENED TIP, ROUND SHANK

Mechanic's and Heavy Duty Screwdrivers

Blade Length	Blade Width	Type	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
4	1/4	Mechanic's	.20	SDR4-1	6
6	5/16	Heavy Duty	.30	SDR6-1	6
8	3/8	Heavy Duty	.49	SDR8-1	6

PRECISION HEAD, ROUND SHANK

Phillips Screwdrivers

Blade Length	Phillips Size	Type	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
3	No. 1	Phillips	.13	SDP3-1	6
4	No. 2	Phillips	.20	SDP4-1	6
6	No. 3	Phillips	.30	SDP6-1	6

STURDY TIP, SQUARE SHANK

Square-Blade Screwdrivers

Blade Length	Blade Width	Type	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
4	1/4	Square	.21	SDS4-1	6
6	5/16	Square	.34	SDS6-1	6
8	3/8	Square	.55	SDS8-1	6
10	3/8	Square	.62	SDS10-1	6
12	3/8	Square	.70	SDS12-1	6

TIGHT CLEARANCE, STURDY

Stubby Screwdrivers

Blade Length	Width/ Size	Type	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
1½	1/4	Stubby	.10	SDS1-1	6
1½	No. 2	Phillips Stubby	.10	SDP1-1	6

Screwdriver Sets

SD10K

SDR7K-1

SDR5K-1

SDP4K-1

SDR4K-1

SDS3K-1

SDR4K-1	4pc Screwdriver Combo Set	
SDR4-1	Mechanics, 4"	1/4 Rd-C x 4"
SDE4-1	Electrical, 4"	3/16 Rd-C x 4"
SDP3-1	#1 Phillips, 3"	P1 x 3"
SDP4-1	#2 Phillips, 4"	P2 x 4"
P696	Pouch	

SDR5K-1	5pc Screwdriver Combo Set	
SDR4-1	Mechanics, 4"	1/4 Rd-C x 4"
SDE4-1	Electrical, 4"	3/16 Rd-C x 4"
SDR6-1	Mechanics, 6"	5/16 Rd-C x 6"
SDR8-1	Mechanics, 8"	3/8 Rd-K x 8"
SDS1-1	Mechanics, 1-1/2"	1/4 Sq-K x 1.5"
P696	Pouch	

SDR7K-1	7pc Screwdriver Combo Set	
SDE4-1	Electrical, 4"	3/16 Rd-C x 4"
SDE6-1	Electrical, 6"	3/16 Rd-C x 6"
SDP3-1	#1 Phillips, 3"	P1 x 3"
SDP4-1	#2 Phillips, 4"	P2 x 4"
SDP6-1	#3 Phillips, 6"	P3 x 6"
SDR4-1	Mechanics, 4"	1/4 Rd-C x 4"
SDR6-1	Mechanics, 6"	5/16 Rd-C x 6"
P496	Pouch	

SDS3K-1	HD Screwdriver Set	
SDS4-1	SQ-Blade, 4"	1/4 Sq x 4"
SDS6-1	SQ-Blade, 6"	5/16 Sq x 6"
SDS8-1	SQ-Blade, 8"	3/8 Sq x 8"
P696	Pouch	

SD10K	10pc Screwdriver Combo Set	
SDE4-1	Electrical, 4"	3/16 Rd-C x 4"
SDE6-1	Electrical, 6"	3/16 Rd-C x 6"
SDR4-1	Mechanics, 4"	1/4 Rd-C x 4"
SDR6-1	Mechanics, 6"	5/16 Rd-C x 6"
SDS1-1	Mechanics, 1-1/2"	1/4 Sq-K x 1.5"
SDS8-1	SQ-Blade, 8"	3/8 Sq-K x 8"
SDP1-1	#2 Phillips, 1-1/2"	P2 x 1.5"
SDP3-1	#1 Phillips, 3"	P1 x 3"
SDP4-1	#2 Phillips, 4"	P2 x 4"
SDP6-1	#3 Phillips, 6"	P3 x 6"

SDP4K-1	4pc Phillips Set	
SDP1-1	#2 Phillips, 1-1/2"	P2 x 1.5"
SDP3-1	#1 Phillips, 3"	P1 x 3"
SDP4-1	#2 Phillips, 4"	P2 x 4"
SDP6-1	#3 Phillips, 6"	P3 x 6"

Heavy-Duty Gasket Scrapers Chisel and Punch Sets

Martin's patented two composite ergonomically designed handle provides maximum comfort and secure grip. Capped end in direct contact with the shaft allows the user to strike the tool without handle damage. Blade extends throughout the handle. Hardened and tempered the entire length for maximum durability

Set contains 1/2" x 10"; 3/4" x 10"; 1" x 10"; 1-1/2" x 10".

- Cleaning gasket material, adhesives and all general scraping in automotive and engineering applications.
- Used for scraping carbon from cylinder heads, pistons and other metal surfaces.

GS4K	Gasket Scraper Set 4 Pc. Heavy Duty Gasket Scraper Set Set	Wt. 2.5 lb.
GS50	1/2" x 10" Long Gasket Scraper	• USA Alloy Steel
GS75	3/4" x 10" Long Gasket Scraper	• Heavy Duty 3/88 Shank
GS100	1" x 10" Long Gasket Scraper	
GS150	1-1/2" x 10" Long Gasket Scraper	

Part No.		Size	Weight	Std. Pkg. Qty.
GS50		1/2" x 10"	.57	6
GS75		3/4" x 10"	.57	6
GS100		1" x 10"	.58	6
GS150		1-1/2" x 10"	.59	6

Chisel Sets

CC6K	6 PIECES
C8	1/4" Cold Chisel
C10	5/16" Cold Chisel
C12	3/8" Cold Chisel
C16	1/2" Cold Chisel
C20	5/8" Cold Chisel
C24	3/4" Cold Chisel
C66	KIT BAG

WARNING: Never use hammers with "mushroomed" heads. They may chip and cause injury.
"ALWAYS WEAR SAFETY GOGGLES"

Punch Sets

PP7K	7 PIECES
P2	1/16" Pin Punch
P3	3/32" Pin Punch
P4	1/8" Pin Punch
P5	5/32" Pin Punch
P6	3/16" Pin Punch
P8	1/4" Pin Punch
P10	5/16" Pin Punch
C70	KIT BAG

LP7K	7 PIECES
P23	3/32" Lg. Taper
P24	1/8" Lg. Taper
P25	5/32" Lg. Taper
P26	3/16" Lg. Taper
P26A	7/32" Lg. Taper
P27	1/4" Lg. Taper
P28	5/16" Lg. Taper
C187	KIT BAG

Combination Chisel & Punch Sets

PC6K	6 PIECES
C16	1/2" Cold Chisel
C24	3/4" Cold Chisel
P42	1/2" Center Punch
P4	1/8" Pin Punch
P6	3/16" Pin Punch
P16	3/16" Solid Punch
C66	KIT BAG

PC14K	14 PIECES	
C42	1/4" Cape Chisel	P40 3/8" Center Punch
C16	1/2" Cold Chisel	P24 1/8" Drift Punch
C20	5/8" Cold Chisel	P25 5/32" Lg. Taper Punch
C24	3/4" Cold Chisel	P6 3/16" Pin Punch
C28	7/8" Cold Chisel	P8 1/4" Pin Punch
C60	1/4" Diamond Pt. Chisel	P14 1/8" Solid Punch
C72	1/4" Hlf. Rd. Nose Chisel	P18 1/4" Solid Punch
		C14 KIT BAG

TOOLS

Punches

WARNING: "ALWAYS WEAR SAFETY GOGGLES"

Prick Punch



Stock Size	Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
A	B		Part No.	
3/8	5	.14	P32	12
1/2	6	.27	P33	12

Center Punch



Point Size	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
A	B	C		Part No.	
3/32	1/4	3 1/2	.06	P38	12
5/32	5/16	4 1/4	.08	P39	12
3/16	3/8	5	.15	P40	12
1/4	1/2	6	.30	P42	12
3/8	5/8	6 1/4	.25	P43	6

Pin Punch



Point Size	Stock Size	Length	Pin Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
A	B	C	D		Part No.	
1/16	1/4	4	3/4	.05	P2	12
3/32	5/16	4 1/2	7/8	.12	P3	12
1/8	5/16	4 3/4	1	.12	P4	12
5/32	5/16	5	1	.12	P5	12
3/16	3/8	5 1/4	1 1/4	.17	P6	12
7/32	3/8	5 1/2	1 1/4	.18	P7	12
1/4	3/8	5 3/4	1 1/4	.29	P8	12
5/16	1/2	6	1 1/4	.33	P10	12

Solid Punch



Point Size	Stock Size	Length	Taper Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
A	B	C	D		Part No.	
3/32	5/16	5	1 3/4	.02	P13	12
1/8	3/8	5	1 3/4	.16	P14	12
3/16	3/8	5	1 1/2	.16	P16	12
1/4	3/8	6	1 1/2	.16	P18	12
5/16	1/2	6	2	.31	P19	12

Long Taper Punch



Point Size	Stock Size	Length	Taper Length	Wt. Ea. Lbs.	Industrial Black	Std. Pkg. Qty.
A	B	C	D		Part No.	
3/32	5/16	8	3 1/2	.12	P23	12
1/8	5/16	8	3 1/2	.16	P24	12
5/32	3/8	9	4 1/4	.25	P25	12
3/16	1/2	10	6 1/2	.45	P26	12
7/32	1/2	10	6 1/2	.45	P26A	12
1/4	5/8	12	7 1/4	.88	P27	6
5/16	5/8	12	7 1/4	.94	P28	6
1/4	3/4	15	7 1/4	1.66	P28A	6
5/16	5/8	16	9 1/2	1.33	P29	6
3/8	3/4	15	8	1.66	P34	6

Chisels

WARNING: "ALWAYS WEAR SAFETY GOGGLES"

Cold Chisel



Cut Width A	Stock Size B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.
¼	¼	5	.07	C8	12
5/16	¼	5	.08	C10	12
⅜	5/16	5½	.13	C12	12
½	7/16	6	.26	C16	12
⅝	½	6½	.37	C20	12
¾	⅝	7	.62	C24	12
⅞	¾	7½	.93	C28	6
1	⅞	8	1.34	C32	6

Long Cold Chisel



Cut Width A	Stock Size B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.
¾	⅝	12	1.13	C120	6
⅝	½	12	.70	C124	12
¾	⅝	18	1.67	C126	3
⅞	¾	12	1.50	C129	6
1	¾	12	1.50	C132	6
1	¾	18	2.33	C133	3

Cape Chisel



Point Size A	Stock Size B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.
⅛	5/16	5½	.10	C39	12
3/16	⅜	5½	.16	C40	12
¼	⅜	5½	.29	C42	12

Half Round Chisel



Point Size A	Stock Size B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.
3/16	⅜	5½	.16	C71	12
¼	⅜	5½	.29	C72	12

Diamond Point Chisel



Point Size A	Stock Size B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Std. Pkg. Qty.
⅛	5/16	5	.10	C58	12
3/16	⅜	5½	.18	C59	12
¼	⅜	5¾	.18	C60	12
⅜	⅝	7	.58	C62	6

Pliers – Plastic Grip

Lineman's Plier

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
7-1/4	1-1/4	15/16	9/16	0.68	P307	6
8-1/2	1-1/2	1-1/4	9/16	1.00	P308	6

High leverage electrician's general use pliers feature beveld nose, serrated crush area and comfort grip handles.



New England Pattern Lineman's Plier

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
9-1/2	1-1/2	1-5/16	5/8	1.04	P309	6

Heavy duty, high leverage design features built in connector crimper, fishtape puller, serrated crush area and comfort grips.



Diagonal Cutting Plier

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
6-1/4	7/8	25/32	7/16	0.38	P206	6
7-3/8	1	7/8	7/16	0.52	P2075	6

High leverage comfort grip handles decrease fatigue for easy cutting.



Long Chain Nose Side Cutting Pliers

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
6-1/4	2	7/8	13/32	0.32	P506	6
7-7/8	2-5/8	1	7/16	0.49	P507	6

High leverage comfort grip handles for powerful gripping and cutting.



Tongue and Groove Pliers

Overall Length A	Jaw Length B	Jaw Opening C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
7	13/16	13/16	3/8	0.42	P407	6
9-3/4	1-1/4	1-1/2	7/16	0.92	P510	6
12-7/8	1-11/16	2-3/4	1/2	1.76	P71275	6

Flush Rivet design allows close access to work surfaces and tight areas, under-cut adjustment grooves for non-slip grip and comfort grip handles



Combination Slip Joint Pliers

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	Std. Pkg. Qty.
6-3/4	1-13/16	1-1/4	13/32	0.48	P2065	6
8-1/8	2	1-11/32	7/16	0.60	P208	6
10	2-3/8	1-1/2	15/32	0.98	P210	6

Flush rivet design offers three working surfaces, two jaw openings, wire cutter and comfort grips.



Pliers Sets

PL3K
3 Pc. General Purpose Pliers Set

P506	6½" Long Chain Nose Side Cutting
P2065	6¾" Combination Slip Joint
P510	9½" Tongue and Groove
P1796	Pouch

PL4K
4 Pc. General Purpose Pliers Set

P507	8" Long Chain Nose Side Cutting
P510	9½" Tongue and Groove
P208	8" Combination Slip Joint
P2075	7 " Diagonal Cutting
P1996	Pouch

PL3KSJ
3 Pc. Combination Slip-Joint Pliers Set

P2065	6¾" Combination Slip Joint
P208	8" Combination Slip Joint
P210	10" Combination Slip Joint
P1896	Pouch

PL3KTG
3 Pc. Tongue and Groove Pliers Set

P407	7" Tongue and Groove
P510	9½" Tongue and Groove
P71275	13" Tongue and Groove
P2096	Pouch

Retaining Ring Pliers

One Tool Does it All!

Martin's patened retaining ring pliers are capable of servicing both and external retaining rings. Martin's pliers offer superior performance with unique features:

- Reverse on the fly — Switch from Internal to External with one hand.
- Patented Jaws provide positive tip retention and alignment.
- P1421 features an adjustable stop for small rings.
- P75 features an automatic ratchet lock that keeps rings locked open or closed. Ideal for large rings up to 4".

Snap Ring Ring Pliers

Part Number	Description	Internal	External	Weight Ea. Lbs.	Std. Pkg.` Qty.
P1421	Quick Switch Retaining Ring Pliers with adjustable stop - Includes 5 pairs of color-coded interchangeable tips and Allen wrench in handy pouch. Tip sizes: Straight- .023", .036", .047" (0.6mm, 0.9mm, 1.2mm) Bent 90º - .036", .047" (0.9mm, 1.2mm)	1/4" - 1" mm - 26mm	1/8" - 1" 3mm - 26mm	0.3	6
P1434	Quick Switch Retaining Ring Pliers - Includes 5 pairs of color-coded interchangeable tips and Allen wrench in handy pouch. Tip sizes: Straight- .036", .047", .070" (0.9mm, 1.2mm, 1.8mm) Bent 90º - .036", .047" (0.9mm, 1.2mm)	3/8" - 2" 10mm - 51mm	1/4" - 2" 7mm - 51mm	0.6	6
P75	Quick Switch Ratcheting Plier - Includes 6 pairs of color-coded interchangeable tips and Allen wrench in handy pouch. Tip sizes: Bent 15º- .090", 1.08", .120" (2.3mm, 2.7mm, 3.0mm) Bent 90º - .090", .108", .120" (2.3mm, 2.7mm, 3.0mm).	1 13/16" - 4" 46mm - 102mm	1½" - 4" 32mm - 102mm	1.18	6
P87	Retaining Ring Tool - Includes 6 pairs of color-coded interchangeable tips and Allen wrench in handy pouch. Tip sizes: Bent 20º- .120", .150", .180" (3.0mm, 3.8mm, 4.6mm) Bent 90º - .120", .150", .180" (3.0mm, 2.8mm, 4.6mm).	3½" - 7" 90mm - 175mm	3½" - 7" 90mm - 175mm	3.05	6

Snap Ring Plier Sets

PL1450K	2 Piece Snap Ring Plier Set w/ Molded Foam Tray Includes P1421 & P1434	0.0	1
PL1465K	3 Piece Snap Ring Plier Set w/ Plastic Box Includes P1421, P1434 & P75	0.0	1

Tip Kits

Part No.	Description	Wt. Ea. Lbs.	Std. Pkg. Qty.
P12K	Tip Kit for P1221 & P1421		
P14K	Tip Kit for P1234 & PP1434		
P651590K	Tip Kit for P65 & P75		
P8720K	Tip Kit 20º for P87		
P8790K	Tip Kit 90º for P87		

P8720K	P8790K	P12K	P14K	P651590K

TOOLS

Crank Handles

Broached Crank Handles



Square Broached Openings, with Counterbore in Free End of Hub. Special Bends, Offsets, and Broached Openings Also Available.

Stock Square Bore	Hub		Length		Height Handle Above Arm	Wt. Ea. Lbs.	Black Powder Coat Finish	Natural Finish	Std. Pkg. Qty.
	Dia.	Length	Center Hub to Center Handle	Overall					
	A	B	C	D	E		Part No.	Part No.	
½	1	1½	1¾	2⅝	2¾	.46	CH00BC	CH00B	1
½	1	1¼	2½	3⅛	2½	.53	CH0BC	CH0B	1
9/16	1¼	1½	3	4	2¾	.83	CH1BC	CH1B	1
½	1 1/16	1 5/16	3½	4½	2⅞	.74	CH2BC	CH2B	1
9/16	1¼	1⅜	4	5⅛	3⅛	1.0	CH4BC	CH4B	1
⅝	1¼	1 13/16	5	6⅛	3⅛	1.3	CH6BC	CH6B	1
11/16	1¼	1 15/16	6	7⅛	3⅛	1.4	CH8BC	CH8B	1
¾	1⅜	2 1/16	7	8¼	3⅜	1.6	CH10BC	CH10B	1
⅞	1 9/16	2 7/16	8	9⅜	3⅝	2.3	CH12BC	CH12B	1
⅞	1½	2½	9⅛	10½	3¾	2.7	CH14BC	CH14B	1
1	1¾	3	10	11½	4	3.6	CH16BC	CH16B	1

Unfinished Crank Handles



Unfinished Cranks are Plain Forgings Without a Hole in the Hub.

Max Square Bore	Hub		Length		Height Handle Above Arm	Wt. Ea. Lbs.	Natural Finish	Std. Pkg. Qty.
	Dia.	Length	Center Hub to Center Handle	Overall				
	A	B	C	D	E		Part No.	
⅝	1	1½	1¾	2⅝	2¾	.46	CH00U	1
⅝	1	1¼	2½	3⅛	2½	.53	CH0U	1
13/16	1¼	1½	3	4	2¾	.83	CH1U	1
⅝	1 1/16	1 5/16	3½	4½	2⅞	.74	CH2U	1
13/16	1¼	1⅜	4	5⅛	3⅛	1.0	CH4U	1
13/16	1¼	1 13/16	5	6⅛	3⅛	1.3	CH6U	1
13/16	1¼	1 15/16	6	7⅛	3⅛	1.4	CH8U	1
⅞	1⅜	2 1/16	7	8¼	3⅜	1.6	CH10U	1
1	1 9/16	2 7/16	8	9⅜	3⅝	2.3	CH12U	1
1	1½	2½	9⅛	10½	3¾	2.7	CH14U	1
1⅛	1¾	3	10	11½	4	3.6	CH16U	1

C-Clamps
Eye Bolts
Pry Bars

Extra Deep Throat, Copper Plated Fatigue Proof Spindles, Permanent Type Pads.

Inch Capacity	Throat Depth	Spindle Diameter	Minimum Proof Test	Weight Each-Lbs.	Part Number	Std. Pkg. Qty.
0-2	2	½	3500 lbs.	1.4	CC402	1
0-3	2⅜	½	3500 lbs.	2.2	CC403	1
0-4	2¾	¾	6500 lbs.	3.4	CC404	1
0-6	3⅝	¾	6900 lbs.	5.0	CC406	1
0-8	4½	¾	6900 lbs.	7.8	CC408	1
0-10	5⅜	¾	8000 lbs.	11.0	CC410	1
0-12	5¾	⅞	9500 lbs.	15.8	CC412	1

EXTRA DEEP THROAT CLAMP

Shot Blasted Finish Meets ANSI B18.15-1985

A	Threads/ Inch	B	Eye		*Rated Capacity	Weight Each-Lbs.	Part Number	Std. Pkg. Qty.
			C	D				
¼	20	1	¾	1 3/16	500	.06	EB1	1
5/16	18	1⅛	⅞	1 7/16	900	.10	EB2	1
⅜	16	1¼	1	1 11/16	1300	.15	EB3	1
7/16	14	1⅜	1 1/16	1 13/16	1800	.21	EB4	1
½	13	1½	1 3/16	2⅛	2400	.30	EB5	1
9/16	12	1¾	1¼	2¼	3000	.55	EB6	1
⅝	11	1¾	1⅜	2 5/16	4000	.61	EB7	1
¾	10	2	1½	2 13/16	5000	.98	EB8	1
⅞	9	2¼	1⅝	3 3/16	7000	1.53	EB9	1
1	8	2½	1¾	3 5/16	9000	2.06	EB10	1
1⅛	7	2¾	2	4	12000	2.90	EB11	1
1¼	7	3	2 3/16	4 7/16	15000	4.11	EB12	1
1½	6	3½	2½	5 3/16	21000	6.73	EB14	1



WARNING
Rated capacity is substantially reduced when loading at any angle. Loading must never be made at an angle greater than 45° from bolt centerline. At an angle of 45° rated capacity is reduced to ¼ of shown rating..

EYEBOLTS PLAIN PATTERN

Shot Blasted Finish Meets ANSI B18.15-1985

A	Threads/ Inch	B	Eye		E	*Rated Cpcty.-Lbs.	Weight Each-Lbs.	Part Number	Std. Pkg. Qty.
			C	D					
¼	20	1	¾	1 3/16	11/16	500	.06	EB21	1
5/16	18	1⅛	⅞	1 7/16	⅞	900	.11	EB22	1
⅜	16	1¼	1	1 11/16	1 1/16	1300	.18	EB23	1
7/16	14	1⅜	1 1/16	1 13/16	1 3/16	1800	.23	EB24	1
½	13	1½	1 3/16	2⅛	1 5/16	2400	.35	EB25	1
9/16	12	1⅝	1¼	2¼	1½	3000	.47	EB26	1
⅝	11	1¾	1⅜	2 5/16	1 19/32	4000	.70	EB27	1
¾	10	2	1½	2 13/16	1 23/32	5000	1.10	EB28	1
⅞	9	2¼	1 11/16	3 3/16	2 1/32	7000	1.70	EB29	1
1	8	2½	1 13/16	3 5/16	2 7/32	9000	2.36	EB30	1
1⅛	7	2¾	2	4 1/16	2 19/32	12000	3.41	EB31	1
1¼	7	3	2 3/16	4 7/16	2 27/32	15000	4.68	EB32	1
1½	6	3½	2½	5 3/16	3 3/16	21000	7.77	EB34	1



WARNING
Rated capacity is substantially reduced when loading at any angle. Loading must never be made at an angle greater than 45° from bolt centerline. At an angle of 45° rated capacity is reduced to ¼ of shown rating..

EYEBOLTS SHOULDER PATTERN

Pinch or Pry Bar

Size	Length	Wt. Ea. Lbs.	Bright Zinc	Industrial Black	Std. Pkg. Qty.
			Part No.	Part No.	
⅝	16	1.3	196C	196	1
¾	24	3.0	197C	197	1
⅞	30	5.25	198C	198	1

Die Bar — Pry Bar

Size	Length	Wt. Ea. Lbs.	Chrome	Industrial Black	Std. Pkg. Qty.
			Part No.	Part No.	
½	12	.70	192C	192	1
½	15	.87	193C	193	1
⅝	18	1.6	194C	194	1

 WARNING: Never substitute a pry bar with a screwdriver. "ALWAYS WEAR SAFETY GOGGLES"

Body Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.

Type		Description	Body Hammers Part No.		Std. Pkg. Qty.
			Wood Handles	Fiberglass Handles	
DINGING HAMMER		For fender and high-crowned panel dinging or bumping. Both high and low-crown faces for "on or off dolly" work. **Faces, 1¼" and 1⁹⁄₁₆". Round heads, 6" overall. Weight 1.04 lbs.**	150G	150FG	6
DINGING HAMMER		For light dinging and long reach. Square face permits dinging close to moulding or beading. **Faces, 1¼" round, 1¹⁄₁₆" square head 6" overall. Weight .85 lbs.**	151G	—	6
HIGH CROWN CROSS PEEN HAMMER		Two high-crowned faces for concave surfaces on doors, rear quarter panels, fenders and hoods. **Faces 1⅛", 6" overall. Weight 1.02 lbs.**	152G	—	6
CROSS CHISEL HAMMER		Excellent for finishing. Cross peen used for working in sharp corners around mouldings and for caulking. **Round face — 1⁹⁄₁₆" diameter. Chisel — 3" long. Weight .87 lbs.**	153G	153FG	6
CURVED CROSS CHISEL HAMMER		Excellent for finishing. Cross peen used for working in sharp corners around mouldings and for caulking. Well balanced curved chisel for work in close places. **Round face — 1⁹⁄₁₆" diameter. Chisel — 3" long. Weight .85 lbs.**	153GB	153FGB	6
CROSS CHISEL SHRINKING HAMMER		Cross grooved. Extra wide faces are cross grooved and used for shrinkage on large sufaces — chisel end used on sharp corners. **Flat round face — 1⁹⁄₁₆" diameter. Chisel — 3" long. Weight .87 lbs.**	153S	—	6
VERTICAL CHISEL HAMMER		Excellent for finishing. Cross peen used for working in sharp corners around mouldings and for caulking. Vertical chisel end used on sharp corners. **Round face — 1½" diameter. ⅝" Chisel — 5½" long. Weight .85 lbs.**	154G	154FG	6
VERTICAL CHISEL SHRINKING HAMMER		Cross grooved. Extra wide faces are cross grooved and used for shrinkage on large sufaces — vertical chisel end used on sharp corners. **Round face — 1½" diameter. Chisel — 5½" long. Weight .87 lbs.**	154S	154SFG	6
FENDER BUMPER		For bumping where hand and dolly cannot reach. Ample clearance for obstructions. Also used as a caulking iron. **Length of head, 8¾". Weight 2.8 lbs.**	155G	155FG	4
PICK HAMMER		Long-reach, thin point for low spot on low-crown panels. Reaches over inner obstructions. One high-crown face. **Face, 1¼" round point, ¹⁄₃₂" radius. Length of pointed end, 5½". Weight .91 lbs.**	156G	156FG	6
CURVED PICK HAMMER		Like 156G except pick end is bent in arc of normal blow. Reaches behind reinforcements to difficult spots. **Face, 1¼" round point, ¹⁄₃₂" radius. Length of pointed end, 5½". Weight .86 lbs.**	156GB	—	6

TOOLS

Body Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.

Type		Description	Body Hammers Part No.		Std. Pkg. Qty.
			Wood Handles	Fiberglass Handles	
GENERAL PURPOSE PICK HAMMER		Medium size point and reach for general work. Low crown strawberry point for perfect balance. **Face, 1 9/16" round point, 3/32" radius. Length of pick end, 3¾". Weight .91 lbs.**	158G	158FG	6
ROUND POINT FINISHING HAMMER		Blunt point — long reach. For low spots on high crown panels and other work with long reach. Will not pick holes in the metal. **Round face — 1 9/16" diameter. Blunt point 3" long. Weight .81 lbs.**	158GM	158FGM	6
SHARP POINT FINISHING HAMMER		Sharp point — long reach. For low spots on high crown panels and other work with long reach. **Round face — 1 9/16" diameter. Sharp point 3" long. Weight .79 lbs.**	158GMS	—	6
HEAVY DUTY BUMPING HAMMER		For heavy gauge truck fenders and panels. Also used in straightening reinforcements, braces, etc. **Faces, 1¼" round and 1 3/16" square head, 4" overall. Weight 1.1 lbs.**	160G	160FG	6
DINGING HAMMER		Short-reach, lightweight. One low-crown, square face. Lightest dinging hammer in line. **Faces, 1¼" round and 1 3/16" square. Head, 4" overall. Weight .83 lbs.**	161G	161FG	6
SHRINKING HAMMER		For work in close quarters. Expertly machined serrations on the round face. **Plain square face, 1⅛" round serrated face, 1¼" diameter. 4" overall. Weight .78 lbs.**	162G	162FG	6
UTILITY PICK HAMMER		Blunt point, short reach. For low spots in high-crown panels and other work with small clearance. **Face, 1 9/16" round point, 5/32" radius. Length of pointed end, 2" head, 4" overall. Weight .75 lbs.**	164G	164FG	6
PICK HAMMER		Lightweight. Provides stubby pick point and high-crown peen-type faces. Will ding out small dents in high fins. No need to remove panels. **Long reach, 18" handle. Weight 5 oz.**	165G	—	6
PICK HAMMER		Lightweight. Provides stubby pick point and high-crown peen-type faces. Will ding out small dents in high fins. No need to remove panels. **12" handle. Weight 4 oz.**	166G	—	6
CROSS PEEN FINISHING HAMMER		Used to bump odd fender or bumper contours. **Round face — 1 9/16" diameter peen end 3/16 × 7/8". 5" overall head length. 12" handle. Weight .91 lbs.**	168G	168FG	6
HIGH CROWN CROSS PEEN FINISHING HAMMER		Ideal for forming radiuses, contours and curves-restoration, bike tanks. **High Crown face — 1⅛" diameter. 2¼" radius. Peen end 3/16" x 1". 5" overall head length. 12" handle. Weight 1.0 lbs.**	168HC	168HCFG	6
LARGE FACE PICK FINISHING HAMMER		For finishing and caulking. **Round face — 1⅞" diameter. 4½" overall head length. 13" handle. Weight 1.0 lbs.**	169G	169FG	6
DOOR SKIN HAMMER		Rectangular heads fit in door flanges. Bent Head - medium crown - starts door skin fold. Straight head - high crown - for finishing. **7" overall length. Weight .94 lbs.**	170G	170FG	6

Body and Fender Repair Tools
Dolly Blocks

Type		Description	Part No.	Std. Pkg. Qty.
LIGHT WEIGHT TOE DOLLY		Designed for flat surfaces. All the features of a toe dolly. **Sizes 4¾" × 2¼" × 11⁄16". Weight 1.8 lbs.**	1057	1
TOE DOLLY		Thinness and length provide easy accessibility to narrow pockets. Large, flat face is frequently used in shrinking and dinging flat panels. The flat sides furnish a convenient anvil for repairing flanges. **Sizes 4¾" × 2⅜" × 1⅛". Weight 3.0 lbs.**	1058	1
SHRINKING DOLLY (SERRATED)		Shaped like a toe dolly but has one face covered with raised serrations for shrinking metal stretched by dents. **Weight 3.4 lbs.**	1058S	1
HEEL DOLLY		Design makes it possible to reach easily into sharp corners and wide radii. These features are exclusive to the Heel Dolly and continue its high demand. **Sizes 3¼" × 2½" × 1 7⁄16". Weight 2.7 lbs.**	1059	1
GENERAL PURPOSE DOLLY		Provides convenient and comfortable hand hold during heaviest blows. Weight, balance and several differently crowned working faces, together with two beading and flange lips, give this dolly broad general use. **Sizes 2⅞" × 2⅜" × 2¼". Weight 3 lbs.**	1060	1
UTILITY DOLLY		High-crown dolly with one narrow beading edge. Thick rounded sides are useful in short radii curves. Wide application of uses in high-crown portions of hoods, fenders and body panels. **Sizes 3⅛" × 3" × 1⅝". Weight 2.9 lbs.**	1061	1
EGG SHAPED DOLLY		This unique shape with high crown design is a very popular shape, with many different curves and angles. **Sizes 1⅝" × 2½" × 3¾". Weight 3.1 lbs.**	1064	1
WEDGE DOLLY		Long, slender general purpose dolly. Widely favored by many body repair men for all-around use. The long, thin lip is very useful in working behind reinforcements. **Sizes 5¾" × 2⅜" × 2 3⁄16". Weight 4 lbs.**	1067	1
LIGHT WEIGHT WEDGE DOLLY		Short, slender general purpose Dolly. Good hand grip. Also used for beads or flanges on fenders. Thin edge is useful for corners and beading. Flat side works under long curve of fender **Size 2 7⁄64" × 2½" × 4 27⁄64". Weight 2.7 lbs.**	1065	1
"CHAMPION" HEAVYWEIGHT DOLLY		Heavy duty, general purpose fender dolly. A necessity on heavy gauge fenders which resist the blows of lighter dollies. Brings out the toughest damage. Seats comfortably in the hand and protects fingers from a swinging blow. **Sizes 3⅜" × 3⅜" × 2 11⁄16". Weight 4.6 lbs.**	1070	1
LOW CROWN DOLLY		Specially designed for use on low-crown panels where medium and high-crown dollies would stretch the metal. Angle between the sides and large face is less than 90°, which permits this dolly to reach into the corner of a flanged edge. **Size 3 7⁄8" × 2¾" × 1⅝". Weight 3.3 lbs.**	1068	1

TOOLS

Body and Fender Repair Tools
Body Spoons

Type		Description	Part No.	Std. Pkg. Qty.
LIGHT DINGING SPOON		To ding ridges smooth and level. When held against ridge and struck with hammer, spreads blow over large area making smooth job and preventing damage to metal or finish. Not made for prying. **Length 10" overall. Face 2" × 4 5/16". Weight .50 lbs.**	1036	6
COMBINATION SPOON		General purpose fender spoon. Used as dolly behind brackets, inner panels and similar places. Handle offset to give balance when dinging and for long reach. Has high-crown working surface. **Face 1¾" × 5½". Handle 1" octagon 4¾" long. Weight 3.0 lbs.**	1050	4
SPOON DOLLY		Long handle permits many uses in places otherwise inaccessible. Can be driven between reinforcements and outer panel, then used to pry outward as the metal is dinged. Excellent forming and caulking tool for the deep pockets of doors, quarter-panels, rear fenders and lower trunk panels. **Size 2½" × 1" × 3". Weight 4.2 lbs.**	1052	1
LONG CURVED SPOON		Long, thin, curved blade is handy for prying up dents behind curved reinforcements in header panels, hinge anchors in doors, body pillars and reinforcements in hoods and radiator shells. **Length 10½" overall. Face 2" × 7". Weight 1.5 lbs.**	1054	6
WING-DING SPOON DOLLY		The answer to repair problems on high fins. A dolly, a spoon, a pry. Long handle and special contours for working up inside cramped fins. Wide spoon transmits hammer blows over wide area without damaging finish. **1" handle diameter, 19" overall length. Weight 4.5 lbs.**	1056	1
HEAVY DUTY DRIVING AND FENDER BENDING TOOL		Useful for restoration of turned under, non-wired flanged edges. Also handy for alignment of inner construction and flanges on alligator hoods. Heavy formed striking pads. **Length 14⅛". Weight 3.2 lbs.**	1091	1
CAULKING IRON		Excellent precision made wire caulking iron. Polished working surfaces are rounded for use on inside moldings. **Face 1¾" × 1". Overall length 11". Weight 1.4 lbs.**	1096C	6
SURFACING SPOON		Excellent spoon for fender spring hammering, finishing and shaping. Curve gets behind inner construction between panels that are close for removal of dents. Molds panels. Blade fully polished. **9" Blade Length. 2⅛" Width. Overall Length 15⅛". Weight 2.5 lbs.**	1024	1
MEDIUM CROWN SPOON		Long slender shape just like the 1024 surfacing spoon. Inside with medium crown, for high ridges or prying. For slapping and surface finishing on fenders, panels and trunk lids. Blade fully polished. **9" Blade Length. 2⅛" Width. Overall Length 14⅞". Weight 1.5 lbs.**	1026	1
HEAVY DUTY DOUBLE END S-SPOON		General purpose fender and frame spoon. Designed to provide further reach on panels and behind reinforcements. Prying, heavy duty design for use on SUV frames. **12 3/16" Length. 1⅜ X5¼" Face. Weight 3.0 lbs.**	1044	1

TOOLS

Body and Fender Repair Tools
Body Picks

Type		Description	Part No.	Std. Pkg. Qty.
MEDIUM CURVED PICK		Medium length. Curved and pointed. Use twisting or prying action. **Length 26½". Weight 2.2 lbs.**	1106	1
LONG CURVED PICK		Long length. Curved and pointed. Use twisting or prying action. **Length 31". Weight 2.5 lbs.**	1107	1
LONG CHISEL BIT PICK		Heavy duty. Employ twisting action. **Chisel bit 1". Length 20". Weight 1.9 lbs.**	1109	1
SHORT CURVED PICK		Extremely short length. Curved and pointed. Use twisting or prying action. **Length 12". Weight .5 lbs.**	1110	1
MEDIUM SHORT CURVED PICK		Short length. Curved and pointed. Use twisting or prying action. **Length 18". Weight .7 lbs.**	1111	1
LIGHT CHISEL BIT PICK		Light duty. Employ twisting action. **Chisel bit 11/16". Length 16". Weight .7 lbs.**	1112	1
LIGHT CHISEL BIT PICK SET		Body Pick Chisel set includes: **12" Pick, 18" Pic, 16" Pick. Weight 1.9 lbs.**	1000PK	1

TOOLS

Body and Fender Repair Tools
Miscellaneous Tools

Type		Description	Part No.	Std. Pkg. Qty.
ADJUSTABLE AND FLEXIBLE FILE HOLDERS		Permits use of files to 14". Handle adjustable for both right and left hand use for working close to offset or panels. Permit flexing either way to maximum point of safety against breakage. **Weight 1.7 lbs.**	1150	1
STANDARD 14" BODY FILE		Vixen milled, curved tooth. Plain blade. Flexible, standard cut, 8 tooth. **14" long. Weight .66 lbs.**	1158F	5
STRAIGHT SHELL BODY FILE		Vixen milled, curved tooth. Plain blade. Half round shell, 8 tooth. Concave for shallow concave work.**14" long. Weight .66 lbs.**	1163F	5
BODY DENT PULLER TOOL		Slide hammer activated. This tool provides a remarkably simple and easy method of removing a dent in a door or panel. Merely punch or drill a hole in the deepest part of the damage and insert a self-threading screw or hook. A few light impacts with the slide hammer will return the metal to original position. Shaft is ½" × 13" with locking device to keep screw from turning. Cadmium and black oxide rust-proof finish. **Weight 3.9 lbs.**	DP38	1
THE KEY TO METAL BUMPING		This book, entitled "The Key to Metal Bumping," is an excellent instruction manual and guide for every body man or student. It provides authoritative reference for techniques and methods for all phases of body and fender work. Its 126 pages cover most approaches to body repair problems. Visual assistance is rendered by more than 100 illustrations. It includes explanations of many time-saving short-cut methods to make the job easier and better. Among other features is a glossary of terms used in the trade. This is the third edition. The first was published in the late thirties and over the years has enjoyed widespread acceptance and usage as a guide and test by many public, private and trade schools. It is a perfect "tool of the trade" for the student and journeyman alike.	BFB	1

Body and Fender Repair Tools
Tool Sets

Body and Fender Repair Tool Sets

PART NO.	659 K
153G	Cross Chisel Straight Hammer
158G	General Purpose Pick Hammer
160G	Heavy Duty Bumping Hammer
164G	Utility Pick Hammer
1058	Toe Dolly Block
1059	Heel Dolly Block
1060	General Purpose Dolly Block
1036	Light Dinging Spoon
1150	Adjustable File Holder
1158F	Body File Standard 14"
BFB	Instruction Manual
BX18	Tool Box

10 TOOLS

PART NO.	691 K
153G	Cross Chisel Straight Hammer
156G	Pick Hammer
158G	General Purpose Pick Hammer
160G	Heavy Duty Bumping Hammer
161G	Dinging Hammer
164G	Utility Pick Hammer
1058	Toe Dolly Block
1059	Heel Dolly Block
1060	General Purpose Dolly Block
1036	Light Dinging Spoon
1052	Spoon Dolly
1050	Combination Spoon
1150	Adjustable File Holder
1158F	Body File Standard 14"
162G	Shrinking Hammer
BFB	Instruction Manual
BX18	Tool Box

15 TOOLS

PART NO.	692 K
150G	Dinging Hammer
153G	Cross Chisel Straight Hammer
153GB	Cross Chisel Curved Hammer
155G	Fender Bumper
156G	Pick Hammer
156GB	Curved Pick Hammer
158G	General Purpose Pick Hammer
160G	Heavy Duty Bumping Hammer
161G	Dinging Hammer
162G	Shrinking Hammer
164G	Utility Pick Hammer
168G	Cross Peen Finishing Hammer
169G	Large Face Pick Finishing Hammer
1036	Light Dinging Spoon
1050	Combination Spoon
1052	Spoon Dolly
1054	Long Curved Spoon
1058	Toe Dolly Block
1059	Heel Dolly Block
1060	General Purpose Dolly Block
1061	Utility Dolly Block
1068	Low Crown Dolly Block
1091	Heavy Duty Driving Spoon
1150	Adjustable File Holder
1158F	Body File Standard 14"
BFB	Instruction Manual
BX17	Tool Box

25 TOOLS

Body and Fender Repair Tools
Tool Sets

4 TOOLS

Part No.	644K	WOOD HANDLES

158G ..... General Purpose Pick Hammer
153GB ..... Cross Chisel Curved Hammer
1036 ..... Light Dinging Spoon
1058 ..... Toe Dolly Block

Part No.	644KFG	FIBERGLASS HANDLES

158FG ..... General Purpose Pick Hammer
153FGB ..... Cross Chisel Curved Hammer
1036 ..... Light Dinging Spoon
1058 ..... Toe Dolly Block

7 TOOLS

Part No.	647K	WOOD HANDLES

153GB .... Cross Chisel Curved Hammer
162G..... Shrinking Hammer
164G..... Utility Pick Hammer
1036..... Light Dinging Spoon
1058 .... Toe Dolly Block
1059 .... Heel Dolly Block
1060 .... General Purpose Dolly Block

Part No.	647KFG	FIBERGLASS HANDLES

153FGB ... Cross Chisel Curved Hammer
162FG ..... Shrinking Hammer
164FG ..... Utility Pick Hammer
1036 ..... Light Dinging Spoon
1058.. Toe Dolly Block
1059.. Heel Dolly Block
1060.. General Purpose Dolly Block

4 TOOLS

Part No.	694K	WOOD HANDLES

158G..... General Purpose Pick Hammer
153GB .... Cross Chisel Curved Hammer
164G..... Utility Pick Hammer
170G..... Door Skin Hammer

Part No.	694KFG	FIBERGLASS HANDLES

158FG ..... General Purpose Pick Hammer
153FGB ... Cross Chisel Curved Hammer
164FG ..... Utility Pick Hammer
170FG ..... Door Skin Hammer



Part No.	645K

1059 ..... Heel Dolly
1060 ..... General Purpose Dolly
1036 ..... Light Dinging Spoon
1057 ..... Light Weight Toe Dolly

Combination Wrenches

BD1		QTY.
1158	1/4 Combination Wrench	1
1159	5/16 Combination Wrench	1
1159A	11/32 Combination Wrench	1
1160	3/8 Combination Wrench	1
1161	7/16 Combination Wrench	1
1162	1/2 Combination Wrench	1
1163	9/16 Combination Wrench	1
1164	5/8 Combination Wrench	1
1165	11/16 Combination Wrench	1
1166	3/4 Combination Wrench	1
1167A	13/16 Combination Wrench	1
1167	7/8 Combination Wrench	1
1168	15/16 Combination Wrench	1
1170	1 Combination Wrench	1
1171	1 1/16 Combination Wrench	1
1172	1 1/8 Combination Wrench	1
1173	1 1/4 Combination Wrench	1
1174	1 5/16 Combination Wrench	1
1175	1 3/8 Combination Wrench	1
1176	1 7/16 Combination Wrench	1

Combination Wrenches - Metric

BD2		QTY.
1106MM	6 MM Combination Wrench	1
1107MM	7 MM Combination Wrench	1
1108MM	8 MM Combination Wrench	1
1109MM	9 MM Combination Wrench	1
1110MM	10 MM Combination Wrench	1
1111MM	11 MM Combination Wrench	1
1112MM	12 MM Combination Wrench	1
1113MM	13 MM Combination Wrench	1
1114MM	14 MM Combination Wrench	1
1115MM	15 MM Combination Wrench	1
1116MM	16 MM Combination Wrench	1
1117MM	17 MM Combination Wrench	1
1118MM	18 MM Combination Wrench	1
1119MM	19 MM Combination Wrench	1
1120MM	20 MM Combination Wrench	1
1121MM	21 MM Combination Wrench	1
1122MM	22 MM Combination Wrench	1
1123MM	23 MM Combination Wrench	1
1124MM	24 MM Combination Wrench	1
1125MM	25 MM Combination Wrench	1
1126MM	26 MM Combination Wrench	1
1127MM	27 MM Combination Wrench	1
1128MM	28 MM Combination Wrench	1
1129MM	29 MM Combination Wrench	1
1130MM	30 MM Combination Wrench	1
1132MM	32 MM Combination Wrench	1
1134MM	34 MM Combination Wrench	1



Tool Display Boards

Hydraulic Wrenches

BD3		QTY.
3710A	11/32x11/32 Hydraulic Wrench	1
3710	3/8x3/8 Hydraulic Wrench	1
3711	7/16x7/16 Hydraulic Wrench	1
3712	1/2x1/2 Hydraulic Wrench	1
3713	9/16x9/16 Hydraulic Wrench	1
3714	5/8x5/8 Hydraulic Wrench	1
3715	11/16x11/16 Hydraulic Wrench	1
3716	3/4x3/4 Hydraulic Wrench	1
3717	13/16x13/16 Hydraulic Wrench	1
3718	7/8x7/8 Hydraulic Wrench	1
3719	15/16x15/16 Hydraulic Wrench	1
3720	1x1 Hydraulic Wrench	1
3721	1 1/16x 1 1/16 Hydraulic Wrench	1
3722	1 1/8x1 1/8 Hydraulic Wrench	1
3722A	1 3/16x1 3/16 Hydraulic Wrench	1
3723	1 1/4x1 1/4 Hydraulic Wrench	1
3724	1 3/8x1 3/8 Hydraulic Wrench	1
3725	1 7/16x1 7/16 Hydraulic Wrench	1
3726	1 1/2x 1 1/2 Hydraulic Wrench	1

Hydraulic Wrenches — Metric

BD4		QTY.
3709mm	9 mm Hydraulic Wrench	1
3710mm	10 mm Hydraulic Wrench	1
3711mm	11 mm Hydraulic Wrench	1
3712mm	12 mm Hydraulic Wrench	1
3713mm	13 mm Hydraulic Wrench	1
3714mm	14 mm Hydraulic Wrench	1
3715mm	15 mm Hydraulic Wrench	1
3716mm	16 mm Hydraulic Wrench	1
3717mm	17 mm Hydraulic Wrench	1
3718mm	18 mm Hydraulic Wrench	1
3719mm	19 mm Hydraulic Wrench	1
3720mm	20 mm Hydraulic Wrench	1
3721mm	21 mm Hydraulic Wrench	1
3722mm	22 mm Hydraulic Wrench	1
3723mm	23 mm Hydraulic Wrench	1
3724mm	24 mm Hydraulic Wrench	1
3727mm	27 mm Hydraulic Wrench	1
3730mm	30 mm Hydraulic Wrench	1
3732mm	32 mm Hydraulic Wrench	1
3734mm	34 mm Hydraulic Wrench	1
3736mm	36 mm Hydraulic Wrench	1

Service Wrenches

BD5		QTY.
1224	3/4 Service Wrench	1
1226	13/16 Service Wrench	1
1228	7/8 Service Wrench	1
1230	15/16 Service Wrench	1
1232	1 Service Wrench	1
1234	1 1/16 Service Wrench	1
1236	1 1/8 Service Wrench	1
1238	1 3/16 Service Wrench	1
1240	1 1/4 Service Wrench	1
1242	1 5/16 Service Wrench	1
1244	1 3/8 Service Wrench	1
1246	1 7/16 Service Wrench	1
1248	1 1/2 Service Wrench	1
1250	1 9/16 Service Wrench	1
1252	1 5/8 Service Wrench	1
1254	1 11/16 Service Wrench	1
1256	1 3/4 Service Wrench	1
1258	1 13/16 Service Wrench	1
1260	1 7/8 Service Wrench	1
1262	1 15/16 Service Wrench	1
1264	2 Service Wrench	1
1268	2 1/8 Service Wrench	1
1272	2 1/4 Service Wrench	1

Service Wrenches — Metric

BD6		QTY.
1219mm	19mm Service Wrench	1
1221mm	21 mm Service Wrench	1
1222mm	22 mm Service Wrench	1
1224mm	24 mm Service Wrench	1
1227mm	27 mm Service Wrench	1
1230mm	30 mm Service Wrench	1
1232mm	32 mm Service Wrench	1
1236mm	36 mm Service Wrench	1
1237mm	37 mm Service Wrench	1
1238mm	38 mm Service Wrench	1
1240mm	40 mm Service Wrench	1
1241mm	41 mm Service Wrench	1
1242mm	42 mm Service Wrench	1
1244mm	44 mm Service Wrench	1
1246mm	46 mm Service Wrench	1
1248mm	48 mm Service Wrench	1
1250mm	50 mm Service Wrench	1
1255mm	55 mm Service Wrench	1
1260mm	60 mm Service Wrench	1
1265mm	65 mm Service Wrench	1



Tool Display Boards

Double Open End / Box Wrenches



BD7		QTY.
1020	1/4x5/16 Open End Wrench	1
1721	5/16x3/8 Open End Wrench	1
1723	3/8x7/16 Open End Wrench	1
1725	7/16x1/2 Open End Wrench	1
1725A	7/16x9/16 Open End Wrench	1
1725B	1/2x9/16 Open End Wrench	1
1727	9/16x5/8 Open End Wrench	1
1027B	5/8x11/16 Open End Wrench	1
1729	5/8x3/4 Open End Wrench	1
1731	3/4x13/16 Open End Wrench	1
1033A	7/8x15/16 Open End Wrench	1
1733	7/8x1 Open End Wrench	1
1034A	15/16x1 1/16 Open End Wrench	1
1735	1x1 1/8 Open End Wrench	1
8723	3/8x7/16 Long Box Wrench	1
8725B	1/2x9/16 Long Box Wrench	1
8729	5/8x3/4 Long Box Wrench	1
8029B	11/16x3/4 Long Box Wrench	1
8033A	7/8x15/16 Long Box Wrench	1
8033C	15/16x1 Long Box Wrench	1
8735	1x1 1/8Long Box Wrench	1
8037	1 1/16x1 1/4Long Box Wrench	1
8039B	1 1/4x1 7/16Long Box Wrench	1
9721	5/16x3/8 Dbl. Offset Box Wrench	1
9723	3/8x7/16 Dbl. Offset Box Wrench	1
9725B	1/2x9/16 Dbl. Offset Box Wrench	1
9727	9/16x5/8 Dbl. Offset Box Wrench	1
9729	5/8x3/4 Dbl. Offset Box Wrench	1

Check Nut Wrenches

BD9		QTY.
601A	7/16 CHECKNUT	1
601	1/2 CHECKNUT	1
602A	9/16 CHECKNUT	1
602	19/32 CHECKNUT	1
603A	5/8 CHECKNUT	1
603	11/16 CHECKNUT	1
604A	3/4 CHECKNUT	1
605A	13/16 CHECKNUT	1
605	7/8 CHECKNUT	1
606A	15/16 CHECKNUT	1
606B	1 CHECKNUT	1
607	1 1/16 CHECKNUT	1
607A	1 1/8 CHECKNUT	1
608	1 1/4 CHECKNUT	1
610MM	10mm CHECKNUT	1
611MM	1mm CHECKNUT	1
612MM	12mm CHECKNUT	1
613MM	13mm CHECKNUT	1
614MM	14mm CHECKNUT	1
615MM	15mm CHECKNUT	1
616MM	16mm CHECKNUT	1
617MM	17mm CHECKNUT	1
618MM	18mm CHECKNUT	1
619MM	19mm CHECKNUT	1
621MM	21mm CHECKNUT	1
622MM	22mm CHECKNUT	1
624MM	24mm CHECKNUT	1
627MM	27mm CHECKNUT	1
630MM	30mm CHECKNUT	1
632MM	32mm CHECKNUT	1

Tool Display Boards

Crowfoot Wrenches

BD10		QTY.
4112	3/8 Crowfoot Wrench	1
4114	7/16 Crowfoot Wrench	1
4116	1/2 Crowfoot Wrench	1
4118	9/16 Crowfoot Wrench	1
4120	5/8 Crowfoot Wrench	1
4122	11/16 Crowfoot Wrench	1
4124	3/4 Crowfoot Wrench	1
4126	13/16 Crowfoot Wrench	1
4128	7/8 Crowfoot Wrench	1
4130	15/16 Crowfoot Wrench	1
4132	1 Crowfoot Wrench	1
4134	1 1/16 Crowfoot Wrench	1
4136	1 1/8 Crowfoot Wrench	1
4140	1 1/4 Crowfoot Wrench	1
4144	1 3/8 Crowfoot Wrench	1
4148	1 1/2 Crowfoot Wrench	1
BC20	5/8 Drive Crowfoot	1
BC22	11/16 Drive Crowfoot	1
BC24	3/4 Drive Crowfoot	1
BC26	13/16 Drive Crowfoot	1
BC28	7/8 Drive Crowfoot	1
BC30	15/16 Drive Crowfoot	1
BC32	1 Drive Crowfoot	1
BC34	1 1/16 Drive Crowfoot	1
SC36	1 1/8 Drive Crowfoot	1
SC38	1 3/16 Drive Crowfoot	1
SC40	1 1/4 Drive Crowfoot	1
SC42	1 5/16 Drive Crowfoot	1
SC44	1 3/8 Drive Crowfoot	1
SC46	1 7/16 Drive Crowfoot	1
SC50	1 9/16 Drive Crowfoot	1
SC52	1 5/8 Drive Crowfoot	1
SC54	1 11/16 Drive Crowfoot	1
SC56	1 3/4 Drive Crowfoot	1
SC58	1 13/16 Drive Crowfoot	1
SC60	1 7/8 Drive Crowfoot	1
SC62	1 15/16 Drive Crowfoot	1
SC64	2 Drive Crowfoot	1

Spanner Wrenches

BD11		QTY.
O471	3/4 to 2 Adjustable Pin Spanner	1
O471A	3/4 to 2 Adjustable Pin Spanner	1
O472	1 1/4 to 3 Adjustable Pin Spanner	1
O472A	1 1/4 to 3 Adjustable Pin Spanner	1
O474	2 to 4 3/4 Adjustable Pin Spanner	1
O474A	4 1/2 to 6 1/4 Adjustable Pin Spanner	1
471	3/4 to 2 Adjustable Hook Spanner	1
472	1 1/4 to 3 Adjustable Hook Spanner	1
474	2 to 4 3/4 Adjustable Hook Spanner	1
474A	4 1/2 to 6 1/4 Adjustable Hook Spanner	1
474B	6 1/8 to 8 3/4 Adjustable Hook Spanner	1
482	2 Adjustable Face Spanner	1
483	3 Adjustable Face Spanner	1
484	4 Adjustable Face Spanner	1



Tool Board Display

Adjustable Wrenches

BD12		QTY.
A6	6 Adjustable Wrench	1
A6T	6 Adjustable Wrench Black	1
A8	8 Adjustable Wrench	1
A8T	8 Adjustable Wrench Black	1
A10	10 Adjustable Wrench	1
A10T	10 Adjustable Wrench Black	1
A12	12 Adjustable Wrench	1
A12T	12 Adjustable Wrench Black	1
A 15	15 Adjustable Wrench	1
A15T	15 Adjustable Wrench Black	1
A18	18 Adjustable Wrench	1
A18T	18 Adjustable Wrench Black	1
89311	11 Adjustable Auto Wrench	1

Pliers

BD13		QTY.
P206	6 Diagonal Cutting	1
P208	8 Combination Slip Joint	1
P210	10 Combination Slip Joint	1
P307	7 Lineman's	1
P308	8 1/2 Lineman's	1
P309	9 1/4 New England Pattern Lineman's	1
P407	7 Tongue and Grove	1
P506	6 1/2 Long Chain Side Cutting	1
P507	8 Long Chain Side Cutting	1
P510	10 Tongue and Grove	1
P2065	6 3/4 Combination Slip Joint	1
P2075	7 Diagonal Cutting	1
P71275	13 Tongue and Grove	1
P75	10” Retaining Ring Plier 1 1/2" - 4"	1
P1421	6” Retaining Ring Plier 1/8" - 1"	1
P1434	8” Retaining Ring Plier 1/4" - 2"	1

Tool Board Display

Dollys

BD14		QTY.
1024	Surfacing Spoon	1
1036	Light Dinging Spoon	1
1052	Spoon Dolly	1
1056	Wing-Ding Spoon Dolly	1
1057	Light Weight Toe Dolly	1
1058	Toe Dolly	1
1058S	Shrinking Dolly (Serrated)	1
1059	Heel Dolly	1
1060	General Purpose Dolly	1
1065	Light Weight Wedge Dolly	1



Wood Handle Hammers

BD15WD		QTY.
150G	Dinging Hmr.	1
153G	Cross Chisel Hmr.	1
153GB	Cross Chisel Curved Hmr.	1
153S	Cross Chisel Shrinking Hmr.	1
156GB	Curved Pick Hmr.	1
158G	General Purpose Pick Hmr.	1
160G	Heavy Duty Bumping Hmr.	1
162G	Shrinking Hmr.	1
164G	Utility Pick Hmr.	1
168G	Cross Peen Finishing Hmr.	1
170G	Door Skin Hmr.	1

Tool Board Display

Fiberglass Handle Hammers

BD15FG		QTY.
150FG	Dinging Hmr.	1
153FG	Cross Chisel Hmr.	1
153FGB	Cross Chisel Curved Hmr.	1
153SFG	Cross Chisel Shrinking Hmr.	1
156FG	Curved Pick Hmr.	1
158FG	General Purpose Pick Hmr.	1
160FG	Heavy Duty Bumping Hmr.	1
162FG	Shrinking Hmr.	1
164FG	Utility Pick Hmr.	1
168FG	Cross Peen Finishing Hmr.	1
170FG	Door Skin Hmr.	1

1/4" & 3/8" Sockets

BD16		QTY.
M52	ATTACH,1/4,RATCH	1
M103	ATTACH,1/4,EXT,3	1
M106	ATTACH,1/4,SPINNER,6	1
M605	SKT,1/4,6PT,STD,5/32	1
M606	SKT,1/4,6PT,STD,3/16	1
M607	SKT,1/4,6PT,STD,7/32	1
M608	SKT,1/4,6PT,STD,1/4	1
M609	SKT,1/4,6PT,STD,9/32	1
M610	SKT,1/4,6PT,STD,5/16	1
M611	SKT,1/4,6PT,STD,11/32	1
M612	SKT,1/4,6PT,STD,3/8	1
M614	SKT,1/4,6PT,STD,7/16	1
M616	SKT,1/4,6PT,STD,1/2	1
M1206	SKT,1/4,12PT,STD,3/16	1
M1207	SKT,1/4,12PT,STD,7/32	1
M1208	SKT,1/4,12PT,STD,1/4	1
M1209	SKT,1/4,12PT,STD,9/32	1
M1210	SKT,1/4,12PT,STD,5/16	1
M1211	SKT,1/4,12PT,STD,11/32	1
M1212	SKT,1/4,12PT,STD,3/8	1
M1214	SKT,1/4,12PT,STD,7/16	1
M1216	SKT,1/4,12PT,STD,1/2	1
MD606	SKT,1/4,6PT,DP,3/16	1
MD607	SKT,1/4,6PT,DP,7/32	1
MD608	SKT,1/4,6PT,DP,1/4	1
MD609	SKT,1/4,6PT,DP,9/32	1
MD610	SKT,1/4,6PT,DP,5/16	1
MD611	SKT,1/4,6PT,DP,11/32	1
MD612	SKT,1/4,6PT,DP,3/8	1
MD614	SKT,1/4,6PT,DP,7/16	1
MD616	SKT,1/4,6PT,DP,1/2	1
MM604	SKT,1/4,6PT,STD,4MM	1
MM605	SKT,1/4,6PT,STD,5MM	1
MM606	SKT,1/4,6PT,STD,6MM	1
MM607	SKT,1/4,6PT,STD,7MM	1
MM608	SKT,1/4,6PT,STD,8MM	1
MM609	SKT,1/4,6PT,STD,9MM	1
MM610	SKT,1/4,6PT,STD,10MM	1
MM611	SKT,1/4,6PT,STD,11MM	1
MM612	SKT,1/4,6PT,STD,12MM	1
MM613	SKT,1/4,6PT,STD,13MM	1
BS129	ATT,ADAPT,3/8-FX1/4-M	1
BS130	ATT,ADAPT,3/8-FX1/2-M	1
B140A	ATTACH,3/8,UNIVERSAL	1
BA4	SKT,3/8,HEX,BIT,1/8	1
BA5	SKT,3/8,HEX,BIT,5/32	1
BA6	SKT,3/8,HEX,BIT,3/16	1
BA7	SKT,3/8,HEX,BIT,7/32	1
BA8	SKT,3/8,HEX,BIT,1/4	1

BD16		QTY.
BA10	SKT,3/8,HEX,BIT,5/16	1
BA12	SKT,3/8,HEX,BIT,5/16	1
BU612	SKT,3/8,6PT,FLEX,3/8	1
BU614	SKT,3/8,6PT,FLEX,7/16	1
BU616	SKT,3/8,6PT,FLEX,1/2	1
BU618	SKT,3/8,6PT,FLEX,9/16	1
BU620	SKT,3/8,6PT,FLEX,5/8	1
BU622	SKT,3/8,6PT,FLEX,11/16	1
BU624	SKT,3/8,6PT,FLEX,3/4	1
B40A	RATCH,3/8,F-HDL,8 1/2	1
B52	RATCH,3/8,REV,7	1
B54	RATCH,3/8,FLEX	1
B103	ATTACH,EXT,3/8,3	1
B105	ATTACH,EXT,3/8,5	1
B112	ATTACH,EXT3/8,12	1
B608	SKT,3/8,6PT,STD,1/4	1
B610	SKT,3/8,6PT,STD,5/16	1
B612	SKT,3/8,6PT,STD,3/8	1
B614	SKT,3/8,6PT,STD,7/16	1
B616	SKT,3/8,6PT,STD,1/2	1
B618	SKT,3/8,6PT,STD,9/16	1
B620	SKT,3/8,6PT,STD,5/8	1
B622	SKT,3/8,6PT,STD,11/16	1
B624	SKT,3/8,6PT,STD,3/4	1
B626	SKT,3/8,6PT,STD,13/16	1
B628	SKT,3/8,6PT,STD,7/8	1
B630	SKT,3/8,6PT,STD,15/16	1
B632	SKT,3/8,6PT,STD,1	1
B1208	SKT,3/8,12PT,STD,1/4	1
B1210	SKT,3/8,12PT,STD,5/16	1
B1212	SKT,3/8,12PT,STD,3/8	1
B1214	SKT,3/8,12PT,STD,7/16	1
B1216	SKT,3/8,12PT,STD,1/2	1
B1218	SKT,3/8,12PT,STD,9/16	1
B1220	SKT,3/8,12PT,STD,5/8	1
B1222	SKT,3/8,12PT,STD,11/16	1
B1224	SKT,3/8,12PT,STD,3/4	1
B1226	SKT,3/8,12PT,STD,13/16	1
B1228	SKT,3/8,12PT,STD,7/8	1
B1230	SKT,3/8,12PT,STD,15/16	1
B1232	SKT,3/8,12PT,STD,1	1
BD608	SKT,3/8,6PT,DP,1/4	1
BD610	SKT,3/8,6PT,DP,5/16	1
BD612	SKT,3/8,6PT,DP,3/8	1
BD614	SKT,3/8,6PT,DP,7/16	1
BD616	SKT,3/8,6PT,DP,1/2	1
BD618	SKT,3/8,6PT,DP,9/16	1
BD620	SKT,3/8,6PT,DP,5/8	1
BD622	SKT,3/8,6PT,DP,11/16	1

DB16		QTY.
BD624	SKT,3/8,6PT,DP,3/4	1
BD626	SKT,3/8,6PT,DP,13/16	1
BD628	SKT,3/8,6PT,DP,7/8	1
BD630	SKT,3/8,6PT,DP,15/16	1
BD632	SKT,3/8,6PT,DP,1	1
BD620P	SKT,3/8,6PT,SPK,PLG,5/8	1
BD626P	SKT,3/8,6PT, SPK,PLG,13/16	1
BD1212	SKT,3/8,12PT,DP,3/8	1
BD1214	SKT,3/8,12PT,DP,7/16	1
BD1216	SKT,3/8,12PT,DP,1/2	1
BD1218	SKT,3/8,12PT,DP,9/16	1
BD1220	SKT,3/8,12PT,DP,5/8	1
BD1222	SKT,38,12PT,DP,11/16	1
BD1224	SKT,3/8,12PT,DP,3/4	1
BD1226	SKT,3/8,12PT,DP,13/16	1
BD1228	SKT,3/8,12PT,DP,7/8	1
BM606	SKT,3/8,6PT,STD,6MM	1
BM607	SKT,3/8,6PT,STD,7MM	1
BM608	SKT,3/8,6PT,STD,8MM	1
BM609	SKT,3/8,6PT,STD,9MM	1
BM610	SKT,3/8,6PT,STD,10MM	1
BM611	SKT,3/8,6PT,STD,11MM	1
BM612	SKT,3/8,6PT,STD,12MM	1
BM613	SKT,3/8,6PT,STD,13MM	1
BM614	SKT,3/8,6PT,STD,14MM	1
BM615	SKT,3/8,6PT,STD,15MM	1
BM616	SKT,3/8,6PT,STD,16MM	1
BM617	SKT,3/8,6PT,STD,17MM	1
BM618	SKT,3/8,6PT,STD,18MM	1
BM619	SKT,3/8,6PT,STD,19MM	1
BMD606	SKT,3/8,6PT,DP,6MM	1
BMD607	SKT,3/8,6PT,DP,7MM	1
BMD608	SKT,3/8,6PT,DP,8MM	1
BMD609	SKT,3/8,6PT,DP,9MM	1
BMD610	SKT,3/8,6PT,DP,10MM	1
BMD611	SKT,3/8,6PT,DP,11MM	1
BMD612	SKT,3/8,6PT,DP,12MM	1
BMD613	SKT,3/8,6PT,DP,13MM	1
BMD614	SKT,3/8,6PT,DP,14MM	1
BMD615	SKT,3/8,6PT,DP,15MM	1
BMD616	SKT,3/8,6PT,DP,16MM	1
BMD617	SKT,3/8,6PT,DP,17MM	1
BMD618	SKT,3/8,6PT,DP,18MM	1
BMD619	SKT,3/8,6PT,DP,19MM	1

Tool Board Display

1/2" Chrome

BD17		QTY.
S15	ATTACH,1/2,SPEEDER,18	1
S102P	ATTACH,1/2,EXT,2	1
S110P	ATTACH,1/2,EXT,5	1
S115P	ATTACH,1/2,EXT,10	1
S121P	ATTACH,1/2,EXT,18	1
S140	ATTACH,1/2,UNIVERSAL	1
SA8	SKT,1/2,HEX,BIT,1/4	1
SA10	SKT,1/2,HEX,BIT,5/16	1
SA12	SKT,1/2,HEX,BIT,3/8	1
SA14	SKT,1/2,HEX,BIT,7/16	1
SA16	SKT,1/2,HEX,BIT,1/2	1
SA18	SKT,1/2,HEX,BIT,9/16	1
SA20	SKT,1/2,HEX,BIT,5/8	1
SF41	ATTACH,1/2,F-HDL,17	1
SF51	RACTH,1/2,,REV,10	1
SF55	1/2" RATCHET 15"	1
SH129	ADAPT,1/2F X 3/8M	1
SH130	ADAPT,1/2 F X 3/4M	1
ST1212	SKT,1/2,12P,STD,3/8	1
ST1214	SKT,1/2,12P,STD,7/16	1
ST1216	SKT,1/2,12PTSTD,1/2	1
ST1218	SKT,1/2,12P,STD,9/16	1
ST1220	SKT,1/2,12P,STD,5/8	1
ST1222	SKT,1/2,12P,STD,11/16	1
ST1224	SKT,1/2,12P,STD,3/4	1
ST1226	SKT,1/2,12P,STD,13/16	1
ST1228	SKT,1/2,12P,STD,7/8	1
ST1230	SKT,1/2,12P,STD,15/16	1
ST1232	SKT,1/2,12P,STD,1	1
ST1234	SKT,1/2,12P,STD,1-1/16	1
ST1236	SKT,1/2,12P,STD,1-1/8	1
ST1238	SKT,1/2,12P,STD,1-3/16	1
ST1240	SKT,1/2,12P,STD,1-1/4	1
ST1242	SKT,1/2,12PT,STD,1-5/16	1
ST1244	SKT,1/2,12P,STD,1-3/8	1
ST1246	SKT,1/2,12PT,STD,1-7/16	1
ST1248	SKT,1/2,12P,STD,1-1/2	1
ST612	SKT,1/2,6P,STD,3/8	1
ST614	SKT,1/2,6P,STD,7/16	1
ST616	SKT,1/2,6P,STD,1/2	1
ST618	SKT,1/2,6P,STD,9/16	1
ST620	SKT,1/2,6P,STD,5/8	1
ST622	SKT,1/2,6P,STD,11/16	1
ST624	SKT,1/2,6P,STD,3/4	1
ST626	SKT,1/2,6P,STD,13/16	1
ST628	SKT,1/2,6P,STD,7/8	1
ST630	SKT,1/2,6P,STD,15/16	1
ST632	SKT,1/2,6P,STD,1	1
ST634	SKT,1/2,6P,STD,1-1/16	1
ST636	SKT,1/2,6P,STD,1-1/8	1
ST638	SKT,1/2,6P,STD,1-3/16	1
ST640	SKT,1/2,6P,STD,1-1/4	1

1/2" Chrome Sockets

BD18		QTY.
SD1212	SKT,1/2,12P,DP,3/8	1
SD1214	SKT,1/2,12P,DP,7/16	1
SD1216	SKT,1/2,12P,DP,1/2	1
SD1218	SKT,1/2,12P,DP,9/16	1
SD1220	SKT,1/2,12P,DP,5/8	1
SD1222	SKT,1/2,12P,DP,11/16	1
SD1224	SKT,1/2,12P,DP,3/4	1
SD1226	SKT,1/2,12P,DP,13/16	1
SD1228	SKT,1/2,12P,DP,7/8	1
SD1230	SKT,1/2,12P,DP,15/16	1
SD1232	SKT,1/2,12P,DP,1	1
SD1234	SKT,1/2,12P,DP,1-1/16	1
SD1236	SKT,1/2,12P,DP,1-1/8	1
SD1238	SKT,1/2,12P,DP,1-3/16	1
SD1240	SKT,1/2,12P,DP,1-1/4	1
SD1242	SKT, 1/2, 12P, DP, 1-5/16	1
SD1244	SKT,1/2,12P,DP,1-3/8	1
SD1246	SKT,1/2,12P,DP,1-7/16	1
SD1248	SKT,1/2,12P,DP,1-1/2	1
SD616	SKT,1/2,6P,DP,1/2	1
SD618	SKT,1/2,6P,DP,9/16	1
SD620	SKT,1/2,6P,DP,5/8	1
SD622	SKT,1/2,6P,DP,11/16	1
SD624	SKT,1/2,6P,DP,3/4	1
SD626	SKT,1/2,6P,DP,13/16	1
SD628	SKT,1/2,6P,DP,7/8	1
SD630	SKT,1/2,6P,DP,15/16	1
SD632	SKT,1/2,6P,DP,1	1
SD634	SKT,1/2,6P,DP,1-1/16	1
SD636	SKT,1/2,6P,DP,1-1/8	1
STM1209	SKT,1/2,12P,STD,9MM	1
STM1210	SKT,1/2,12P,STD,10MM	1
STM1211	SKT,1/2,12P,STD,11MM	1
STM1212	SKT,1/2,12P,STD,12MM	1
STM1213	SKT,1/2,12P,STD,13MM	1
STM1214	SKT,1/2,12P,STD,14MM	1

BD16		QTY.
STM1215	SKT,1/2,12P,STD,15MM	1
STM1216	SKT,1/2,12P,STD,16MM	1
STM1217	SKT,1/2,12P,STD,17MM	1
STM1218	SKT,1/2,12P,STD,18MM	1
STM1219	SKT,1/2,12P,STD,19MM	1
STM1220	SKT,1/2,12P,STD,20MM	1
STM1221	SKT,1/2,12P,STD,21MM	1
STM1222	SKT,1/2,12P,STD,22MM	1
STM1223	SKT,1/2,12P,STD,23MM	1
STM1224	SKT,1/2,12P,STD,24MM	1
STM1225	SKT,1/2,12P,STD,25MM	1
STM1226	SKT,1/2,12P,STD,26MM	1
STM1227	SKT,1/2,12P,STD,27MM	1
STM1230	SKT,1/2,12P,STD,30MM	1
STM1232	SKT,1/2,12P,STD,32MM	1
STM1236	SKT,1/2,12P,STD,36MM	1
SMD1210	SKT,1/2,12P,DP,10MM,	1
SMD1211	SKT,1/2,12P,DP,11MM	1
SMD1212	SKT,1/2,12P,DP,12MM	1
SMD1213	SKT,1/2,12P,DP,13MM	1
SMD1214	SKT,1/2,12P,DP,14MM	1
SMD1215	SKT,1/2,12P,DP,15MM	1
SMD1216	SKT,1/2,12P,DP,16MM	1
SMD1217	SKT,1/2,12P,DP,17MM	1
SMD1218	SKT,1/2,12P,DP,18MM	1
SMD1219	SKT,1/2,12P,DP,19MM	1
SMD1220	SKT,1/2,12P,DP,20MM	1
SMD1221	SKT,1/2,12P,DP,21MM	1
SMD1222	SKT,1/2,12P,DP,22MM	1
SMD1223	SKT,1/2,12P,DP,23MM	1
SMD1224	SKT,1/2,12P,DP,24MM	1
SMD1225	SKT,1/2,12P,DP,25MM	1
SMD1226	SKT,1/2,12P,DP,26MM	1
SMD1227	SKT,1/2,12P,DP,27MM	1

Tool Board Display

3/4" Chrome

BD19		QTY.
H20A	ATTACH,3/4,T-SLIDE,	1
H41A	ATTACH,3/4,F-HDL,21-5/8	1
H51	RATCH,3/4,REV,24	1
H104	ATTACH,3/4,EXT,3-1/2	1
H110	ATTACH,3/4,EXT,8	1
H115	ATTACH,3/4,EXT,16	1
H140	ATTACH,3/4,UNIVERSAL	1
H1224	SKT,3/4,12PT,STD,3/4	1
H1226	SKT,3/4,12PT,STD,13/16	1
H1228	SKT,3/4,12PT,STD,7/8	1
H1230	SKT,3/4,12PT,STD,15/16	1
H1232	SKT,3/4,12PT,STD,1	1
H1234	SKT,3/4,12PT,STD,1-1/16	1
H1236	SKT,3/4,12PT,STD,1-1/8	1
H1238	SKT,3/4,12PT,STD,1 3/16	1
H1240	SKT,3/4,12PT,STD,1-1/4	1
H1242	SKT,3/4,12PT,STD,1-5/16	1
H1244	SKT,3/4,12PT,STD,1-3/8	1
H1246	SKT,3/4,12PT,STD,1-7/16	1
H1248	SKT,3/4,12PT,STD,1-1/2	1
H1250	SKT,3/4,12PT,STD,1-9/16	1
H1252	SKT,3/4,12PT,STD,1-5/8	1
H1254	SKT,3/4,12PT,STD,1-11/16	1
H1256	SKT,3/4,12PT,STD,1-3/4	1
H1258	SKT,3/4,12PT,STD,1-13/16	1
H1260	SKT,3/4,12PT,STD,1-7/8	1
H1264	SKT,3/4,12PT,STD,2	1
H1266	SKT,3/4,12PT,STD,2 1/16	1
H1268	SKT,3/4,12PT,STD,2 1/7	1
H1270	SKT,3/4,12PT,STD,2 3/16	1
H1272	SKT,3/4,12PT,STD,2 1/4	1
H1276	SKT,3/4,12PT,STD,2 3/8	1

3/4" Impact

BD20		QTY
6107	3/4,EXT,7	1
6110	3/4,EXT,10	1
64A	3/4,ADAP,3/4F-1/2M	1
67	3/4,ADAP,3/4F-1M	1
6140A	3/4,IMP,UNIVERSAL	1
6620	SKT,3/4,6P,STD,IMP,5/8	1
6622	SKT,3/4,6P,STD,IMP,11/16	1
6624	SKT,3/4,6P,STD,IMP,3/4	1
6626	SKT,3/4,6P,STD,IMP,13/16	1
6628	SKT,3/4,6P,STD,IMP,7/8	1
6630	SKT,3/4,6P,STD,IMP,15/16	1
6632	SKT,3/4,6P,STD,IMP,1	1
6634	SKT,3/4,6P,STD,IMP,1-1/16	1
6636	SKT,3/4,6P,STD,IMP,1-1/8	1
6638	SKT,3/4,6P,STD,IMP,1-3/16	1
6640	SKT,3/4,6P,STD,IMP,1-1/4	1
6642	SKT,3/4,6P,STD,IMP,1-5/16	1
6644	SKT,3/4,6P,STD,IMP,1-3/8	1
6646	SKT,3/4,6P,STD,IMP,1-7/16	1
6648	SKT,3/4,6P,STD,IMP,1-1/2	1
6650	SKT,3/4,6P,STD,IMP,1-9/16	1
6652	SKT,3/4,6P,STD,IMP,1-5/8	1
6654	SKT,3/4,6P,STD,IMP,1-11/16	1
6656	SKT,3/4,6P,STD,IMP,1-3/4	1
6658	SKT,3/4,6P,STD,IMP,1-13/16	1

BD20		QTY
6660	SKT,3/4,6P,STD,IMP,1-7/8	1
6662	SKT,3/4,6P,STD,IMP,1-15/16	1
6664	SKT,3/4,6P,STD,IMP,2	1
16624	SKT,3/4,6P,DP,IMP,3/4	1
16626	SKT,3/4,6P,DP,IMP,13/16	1
16628	SKT,3/4,6P,DP,IMP,7/8	1
16630	SKT,3/4,6P,DP,IMP,15/16	1
16632	SKT,3/4,6P,DP,IMP,1	1
16634	SKT,3/4,6P,DP,IMP,1-1/16	1
16636	SKT,3/4,6P,DP,IMP,1-1/8	1
16638	SKT,3/4,6P,DPIMP,1-3/16	1
16640	SKT,3/4,6P,DP,IMP,1-1/4	1
16642	SKT,3/4,6P,DP,IMP,1-5/16	1
16644	SKT,3/4,6P,DP,IMP,1-3/8	1
16646	SKT,3/4,6P,DP,IMP,1-7/16	1
16648	SKT,3/4,6P,DP,IMP,1-1/2	1
16650	SKT,3/4,6P,DP,IMP,1-9/16	1
16652	SKT,3/4,6P,DP,IMP,1-5/8	1
16654	SKT,3/4,6P,DP,IMP,111/16	1
16656	SKT,3/4,6P,DP,IMP,1-3/4	1
16660	SKT,3/4,6P,DP,IMP,1-7/8	1
16664	SKT,3/4,6P,DP,IMP,2	1

Tool Board Display

3/8" and 1/2" Impact

BD21		QTY	BD21		QTY
24A	3/8,IMP,ADAPT,3/8FX1/2M	1	4624	SKT,1/2,6P,STP,IMP,3/4	1
2140A	3/8,IMP,UNIVERSAL,JOINT	1	4626	SKT,1/2,6P,STD,IMP,13/16	1
2610	SKT,3/8,6P,STD,IMP,5/16	1	4628	SKT,1/2,6P,STD,IMP,7/8	1
2612	SKT,3/8,6P,STD,IMP,3/8	1	2630	SKT,1/2,6P,STD,IMP,15/16	1
2614	SKT,3/8,6P,STD,IMP,7/16	1	4632	SKT,1/2,6P,STD,IMP,1	1
2616	SKT,3/8,6P,STD,IMP,1/2	1	4634	SKT,1/2,6P,STD,IMP,1-1/16	1
2618	SKT,3/8,6P,STD,IMP,9/16	1	4636	SKT,1/2,6P,STD,IMP,1-1/8	1
2620	SKT,3/8,6P,STD,IMP,5/8	1	4638	SKT,1/2,6P,STD,IMP,1-3/16	1
2622	SKT,3/8,6P,STD,IMP,11/16	1	4640	SKT,1/2,6P,STD,IMP,1-1/4	1
2624	SKT,3/8,6P,STD,IMP,3/4	1	14612	SKT,1/2,6P,DP,IMP,3/8	1
12610	SKT,3/8,6P,DP,IMP,5/16	1	14614	SKT,1/2,6P,DP,IMP,7/16	1
12612	SKT,3/8,6P,DP,IMP,3/8	1	14616	SKT,1/2,6P,DP,IMP,1/2	1
12614	SKT,3/8,6P,DP,IMP,7/16	1	14618	SKT,1/2,6P,DP,IMP,9/16	1
12616	SKT,3/8,6P,DP,IMP,1/2	1	14620	SKT,1/2,6P,DP,IMP,5/8	1
12618	SKT,3/8,6P,DP,IMP,9/16	1	14622	SKT,1/2,6P,DP,IMP,11/16	1
12620	SKT,3/8,6P,DP,IMP,5/8	1	14624	SKT,1/2,6P,DP,IMP,3/4	1
12622	SKT,3/8,6P,DP,IMP,11/16	1	14626	SKT,1/2,6P,DP,IMP,13/16	1
12624	SKT,3/8,6P,DP,IMP,3/4	1	14628	SKT,1/2,6P,DP,IMP,7/8	1
2M610	SKT,3/8,6P,STD,IMP,10MM	1	14630	SKT,1/2,6P,DP,IMP,15/16	1
2M612	SKT,3/8,6P,STD,IMP,12MM	1	14632	SKT,1/2,6P,DP,IMP,1	1
2M613	SKT,3/8,6P,STD,IMP,13MM	1	14634	SKT, 1/2,6P,DP,IMP 1-1/16	1
2M614	SKT,3/8,6P,STD,IMP,14MM	1	14636	SKT, 1/2,6P,DP,IMP 1-1/8	1
2M615	SKT,3/8,6P,STD,IMP,15MM	1	14640	SKT,1/2,6P,DP,IMP,1-1/4	1
2M617	SKT,3/8,6P,STD,IMP,17MM	1	4M613	SKT,1/2,6P,STD,IMP,13MM	1
2M618	SKT,3/8,6P,STD,IMP,18MM	1	4M614	SKT,1/2,6P,STD,IMP,14MM	1
2M619	SKT,3/8,6P,STD,IMP,19MM	1	4M615	SKT,1/2,6P,STD,IMP,15MM	1
4105A	1/2,IMP,EXT,6	1	4M616	SKT,1/2,6P,STD,IMP,16MM	1
4140A	1/2,IMP,U-JOINT	1	4M617	SKT,1/2,6P,STD,IMP,17MM	1
42A	1/2,ADAP,1/2F X 3/8M	1	4M618	SKT,1/2,6P,STD,IMP,18MM	1
46	1/2,ADAP,1/2F X 3/4M	1	4M619	SKT,1/2,6P,STD,IMP,19MM	1
4612	SKT,1/2,6P,STD,IMP,3/8	1	4M621	SKT,1/2,6P,STD,IMP,21MM	1
4614	SKT,1/2,6P,STD,IMP,7/16	1	4M622	SKT,1/2,6P,STD,IMP,22MM	1
4616	SKT,1/2,6P,STD,IMP,1/2	1	4M624	SKT,1/2,6P,STD,IMP,24MM	1
4618	SKT,1/2,6P,STD,IMP,9/16	1	4M627	SKT,1/2,6P,STD,IMP,27MM	1
4620	SKT,1/2,6P,STD,IMP,5/8	1			
4622	SKT,1/2,6P,STD,IMP,11/16	1			

Screwdrivers

BD22		QTY.
GS50	GASKET SCRAPER 1/2"Blade	1
GS75	GASKET SCRAPER 3/4" Blade	1
GS100	GASKET SCRAPER 1" Blade	1
GS150	GASKET SCRAPER 1 1/2" Blade	1
SDE4	SCREWDRIVER, ELECTRICAL, 4"	1
SDE6	SCREWDRIVER, ELECTRICAL, 6"	1
SDE8	SCREWDRIVER, ELECTRICAL, 8"	1
SDP1	SCREWDRIVER, PHILLIP, 1-1/2"	1
SDP3	SCREWDRIVER, PHILLIP, 3"	1
SDP4	SCREWDRIVER, PHILLIP, 4"	1
SDP6	SCREWDRIVER, PHILLIP, 6"	1
SDR4	SCREWDRIVER,MECHANICS, 4"	1
SDR6	SCREWDRIVER,HEAVY,DUTY, 6"	1
SDR8	SCREWDRIVER,HEAVY,DUTY, 8"	1
SDS1	SCREWDRIVER,STUBBY, 1-1/2"	1
SDS4	SCREWDRIVER,SQ-BLADE, 4"	1
SDS6	SCREWDRIVER,SQ-BLADE, 6"	1
SDS8	SCREWDRIVER,SQ-BLADE, 8"	1
SDS10	SCREWDRIVER,SQ-BLADE, 10"	1
SDS12	SCREWDRIVER,SQ-BLADE, 12"	1

Tool Board Display

Header & Hooks

BD HEADER		QTY.
BD-HEADER	Tool Board Header 23.5" x 3" Molded in Black, Raised Letter, w/2 Mounting Screws	1



HOOKS		QTY.
1	STRAIGHT HOOK	10
2	HEAVY DUTY STRAIGHT HOOK	5
3	LOOP HOOK	5

Universal Peg Board

BD8		QTY.
BD8	UNIVERSAL PEG BOARD	1

Chisel Boards

BD23		QTY.	BD23		QTY.
C120	CHISEL,COLD,LNG,3/4	1	P4	PUNCH,PIN,1/8	1
C124	CHISEL,COLD,LNG,5/8	1	P5	PUNCH,PIN,5/32	1
C129	CHISEL,COLD,LNG,7/8	1	P6	PUNCH,PIN,3/16	1
C132	CHISEL,COLD,LNG,1	1	P7	PUNCH,PIN,7/32	1
C10	CHISEL,COLD,STD,5/16	1	P8	PUNCH,PIN,1/4	1
C12	CHISEL,COLD,STD,3/8	1	P10	PUNCH,PIN,5/16	1
C16	CHISEL,COLD,STD,1/2	1	P23	PUNCH,DRIFT,3/32	1
C20	CHISEL,COLD,STD,5/8	1	P24	PUNCH,DRIFT,1/8	1
C24	CHISEL,COLD,STD,3/4	1	P25	PUNCH,TAPER,5/32	1
C28	CHISEL,COLD,STD,7/8	1	P26	PUNCH,TAPER,3/16	1
C32	CHISEL,COLD,STD,1	1	P26A	PUNCH,DRIFT,7/32	1
C39	CHISEL,CAPE,STD,1/8	1	P27	PUNCH,TAPER,1/4	1
C40	CHISEL,CAPE,STD,3/16	1	P28	PUNCH,TAPER,5/16	1
C42	CHISEL,CAPE,STD,1/4	1	P28A	PUNCH,DRIFT,1/4	1
P32	PUNCH,PRICK,3/8	1	P29	PUNCH,DRIFT,5/16	1
P33	PUNCH,PRICK,1/2	1	192	PRY BAR,BLK, ROLL 1/2X12	1
P38	PUNCH,CENTER,1/4	1	193	PRY BAR,BLK, ROLL 1/2X15	1
P39	PUNCH,CENTER,5/16	1	196	PRY BAR,BLK, STR 5/8X16	1
P40	PUNCH,CENTER,3/8	1	197	PRY BAR,BLK, STR 3/4X24	1
P42	PUNCH,CENTER,1/2	1			
P43	PUNCH,CENTER,5/8	1			
P2	PUNCH,PIN,1/16	1			
P3	PUNCH,PIN,3/32	1			

PRY BAR OPTION

BD23 with Optional Fiberglass Hammers

BD23	SAME AS ABOVE PLUS HAMMERS	QTY.
HPD2	HAMMER,DEAD,BLOW,1.5 LB	1
HPD3	HAMMER,DEAD,BLOW,2.2 LB	1
HPD4	HAMMER,DEAD,BLOW,2.9 LB	1
HSB 1.5	HAMMER,SOLID,BRASS,2-1/2	1
HSBB 2.5	HAMMER,SOLID,BRASS,2-1/2	1

Tool Display Boards

Chisel Boards

PRY BAR OPTION

BD23 with Pry Bar Option		QTY.
BD23	Same as BD23 plus hammers	
192	PRY,BAR,BLK,ROLL,1/2X12	1
193	PRY,BAR,BLK,ROLL,1/2X15	1
196	PRY,BAR,BLK,STR,5/8X16	1
197	PRY,BAR,BLK,STR,3/4X24	1

www.martintools.net
Martin TOOL & FORGE
• Made in USA
• 6150 Carbon Chrome Alloy Steel
• Through Hardened & Tempered
• Struck End Drawn Back to Increase Toughness & Reduce Chipping

COUNTER TOP DISPLAY

BD24 Counter Top		QTY.	BD24 Counter Top		QTY.
C120	CHISEL,COLD,LNG,3/4	1	P4	PUNCH,PIN,1/8	1
C124	CHISEL,COLD,LNG,5/8	1	P5	PUNCH,PIN,5/32	1
C129	CHISEL,COLD,LNG,7/8	1	P6	PUNCH,PIN,3/16	1
C132	CHISEL,COLD,LNG,1	1	P7	PUNCH,PIN,7/32	1
C10	CHISEL,COLD,STD,5/16	1	P8	PUNCH,PIN,1/4	1
C12	CHISEL,COLD,STD,3/8	1	P10	PUNCH,PIN,5/16	1
C16	CHISEL,COLD,STD,1/2	1	P23	PUNCH,DRIFT,3/32	1
C20	CHISEL,COLD,STD,5/8	1	P24	PUNCH,DRIFT,1/8	1
C24	CHISEL,COLD,STD,3/4	1	P25	PUNCH,TAPER,5/32	1
C28	CHISEL,COLD,STD,7/8	1	P26	PUNCH,TAPER,3/16	1
C32	CHISEL,COLD,STD,1	1	P26A	PUNCH,DRIFT,7/32	1
C39	CHISEL,CAPE,STD,1/8	1	P27	PUNCH,TAPER,1/4	1
C40	CHISEL,CAPE,STD,3/16	1	P28	PUNCH,TAPER,5/16	1
C42	CHISEL,CAPE,STD,1/4	1	P28A	PUNCH,DRIFT,1/4	1
P32	PUNCH,PRICK,3/8	1	P29	PUNCH,DRIFT,5/16	1
P33	PUNCH,PRICK,1/2	1	192	PRY BAR,BLK,	
P38	PUNCH,CENTER,1/4	1		ROLL 1/2X12	1
P39	PUNCH,CENTER,5/16	1	193	PRY BAR,BLK,	
P40	PUNCH,CENTER,3/8	1		ROLL 1/2X15	1
P42	PUNCH,CENTER,1/2	1	196	PRY BAR,BLK,	
P43	PUNCH,CENTER,5/8	1		STR 5/8X16	1
P2	PUNCH,PIN,1/16	1	197	PRY BAR,BLK,	
P3	PUNCH,PIN,3/32	1		STR 3/4X24	1

Part Number Interchange

Combination Wrenches - Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/4	1158	OEX8	1208A	25-208	3108
5/16	1159	OEX10A	1210A	25-210	3110
11/32	1159A	OEX11A	1211A	25-211	3111
3/8	1160	OEX12A	1212ASD	25-212	3112
7/16	1161	OEX14A	1214ASD	25-214	3114
1/2	1162	OEX16A	1216ASD	25-216	3116
9/16	1163	OEX18A	1218ASD	25-218	3118
5/8	1164	OEX20A	1220ASD	25-220	3120
11/16	1165	OEX22A	1222ASD	25-222	3122
3/4	1166	OEX24A	1224ASD	25-224	3124
13/16	1167A	OEX26A	1226ASD	25-226	3126
7/8	1167	OEX28A	1228ASS	25-228	3128
15/16	1168	OEX30A	1230ASD	25-230	3130
1	1170	OEX32A	1232ASD	25-232	3132
1-1/16	1171	OEX34	1234ASD	25-234	3134
1-1/8	1172	OEX36	1236ASD	25-236	3136
1-1/4	1173	OEX40	1240	25-240	3140
1-5/16	1174	OEX42	1242	25-242	3142
1-3/8	1175	OEX44	1244	25-244	3144
1-7/16	1176	OEX46A	1246	25-246	3146
1-1/2	1177	OEX48A	1248	25-248	3148
1-5/8	1180	OEX52A	1252	25-252	3152
1-11/16	1182	OEX54	1254	25-254	3154
1-3/4	1184	OEX56	1256	25-256	3156
1-13/16	1186	OEX58	1258	25-258	3158
1-7/8	1188	OEX60	1260	25-260	3160
2	1190	OEX64	1264	25-264	3164
2-1/16	1191	—	1266	25-266	3166
2-1/8	1192	—	1268	25-268	3168
2-3/16	1193	—	1270	25-270	3170
2-1/4	1194	—	1272	25-272	3172
2-3/8	1195	—	1276	25-276	3176
2-1/2	1196	—	1280	25-280	3180

Combination Wrenches Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/4	BLK1158	—	—	30-208	—
5/16	BLK1159	GOEX10A	—	30-210	3110B
11/32	BLK1159A	—	—	30-211	—
3/8	BLK1160	GOEX12A	1212BASD	30-212	3112B
7/16	BLK1161	GOEX14A	1214BASD	30-214	3114B
1/2	BLK1162	GOEX16A	1216BASD	30-216	3116B
9/16	BLK1163	GOEX18A	1218BASD	30-218	3118B
5/8	BLK1164	GOEX20A	1220BASD	30-220	3120B
11/16	BLK1165	GOEX22A	1222BASD	30-222	3122B
3/4	BLK1166	GOEX24A	1224BASD	30-224	3124B
13/16	BLK1167A	GOEX26A	1226BASD	30-226	3126B
7/8	BLK1167	GOEX28A	1228BASD	30-228	3128B
15/16	BLK1168	GOEX30A	1230BASD	30-230	3130B
1	BLK1170	GOEX32A	1232BASD	30-232	3132B
1-1/16	BLK1171	GOEX34A	1234BASD	30-234	3134B
1-1/8	BLK1172	GOEX36	1236BASD	30-236	3136B
1-1/4	BLK1173	GOEX40	1240BASD	30-240	3140B
1-5/16	BLK1174	GOEX42	1242B	30-242	3142B
1-3/8	BLK1175	GOEX44	1244B	30-244	3144B
1-7/16	BLK1176	GOEX46A	1246B	30-246	3146B
1-1/2	BLK1177	GOEX48A	1248B	30-248	3148B
1-5/8	BLK1180	GOEX52A	1252B	30-252	3152B
1-11/16	BLK1182	GOEX54	1254B	30-254	3154B
1-3/4	BLK1184	GOEX56	1256B	30-256	3156B
1-13/16	BLK1186	GOEX58	1258B	30-258	3158B

Combination Wrenches - Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1-7/8	BLK1188	GOEX60	1260B	30-260	3160B
2	BLK1190	GOEX64	1264B	30-264	3164B
2-1/16	BLK1191	—	—	30-266	—
2-1/8	BLK1192	—	—	30-268	—
2-3/16	BLK1193	—	—	30-270	—
2-1/4	BLK1194	—	—	30-272	—
2-3/8	BLK1195	—	—	30-276	—
2-1/2	BLK1196	—	—	30-280	—

Combination Wrenches — Chrome — Metric

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
6MM	1106MM	—	—	—	MC6
7MM	1107MM	—	1207M	—	MC7
8MM	1108MM	OEXM80	1208M	—	MC8
9MM	1109MM	OEXM90A	1209M	—	MC9
10MM	1110MM	OEXM100A	1210M	52-210	MC10
11MM	1111MM	OEXM110A	1211M	52-211	MC11
12MM	1112MM	OEXM120A	1212M	52-212	MC12
13MM	1113MM	OEXM130A	1213M	52-213	MC13
14MM	1114MM	OEXM140A	1214M	52-214	MC14
15MM	1115MM	OEXM150A	1215M	52-215	MC15
16MM	1116MM	OEXM160A	1216M	52-216	MC16
17MM	1117MM	OEXM170A	1217M	52-217	MC17
18MM	1118MM	OEXM180A	1218M	52-218	MC18

Combination Wrenches — Chrome — Metric (cont)

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
19MM	1119MM	OEXM190A	1219M	52-219	MC19
20MM	1120MM	OEXM200A	1220M	52-220	MC20
21MM	1121MM	OEXM210A	1221M	52-221	MC21
22MM	1122MM	OEXM220A	1222M	52-222	MC22
23MM	1123MM	OEXM230A	1223M	52-223	MC23
24MM	1124MM	OEXM240A	1224M	52-224	MC24
25MM	1125MM	OEXM250A	1225M	52-225	MC25
26MM	1126MM	OEXM260A	1226M	52-226	MC26
27MM	1127MM	OEXM270A	1227M	52-227	MC27
28MM	1128MM	—	1228M	—	MC28
29MM	1129MM	OEXM290A	1229M	—	MC29
30MM	1130MM	OEXM300A	1230M	52-230	MC30
32MM	1132MM	OEXM320A	1232M	52-232	MC32
34MM	1134MM	OEXM340	—	—	—
36MM	1136MM	OEXM360	1236M	52-236	MC36
41MM	1141MM	—	1241M	52-241	MC41
46MM	1146MM	—	1246M	52-246	MC46
50MM	1150MM	—	1250M	—	MC50
55MM	1155MM	—	—	—	MC55
60MM	1160MM	—	—	—	MC60

Combination Wrenches — Ind. Black — Metric

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
6MM	BLK1106MM	—	N.A.	56-206	—
7MM	BLK1107MM	—	N.A.	56-207	—
8MM	BLK1108MM	—	N.A.	56-208	—
9MM	BLK1109MM	—	N.A.	56-209	—
10MM	BLK1110MM	GOEXM100A	N.A.	56-210	MC10B
11MM	BLK1111MM	GOEXM110A	N.A.	56-211	MC11B
12MM	BLK1112MM	GOEXM120A	N.A.	56-212	MC12B
13MM	BLK1113MM	GOEXM130A	N.A.	56-213	MC13B
14MM	BLK1114MM	GOEXM140A	N.A.	56-214	MC14B
15MM	BLK1115MM	GOEXM150A	N.A.	56-215	MC15B
16MM	BLK1116MM	GOEXM160A	N.A.	56-216	MC16B
17MM	BLK1117MM	GOEXM170A	N.A.	56-217	MC17B
18MM	BLK1118MM	GOEXM180A	N.A.	56-218	MC18B
19MM	BLK1119MM	GOEXM190A	N.A.	56-219	MC19B
20MM	BLK1120MM	GOEXM200A	N.A.	56-220	MC20B

Combination Wrenches — Ind. Black — Metric

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
21MM	BLK1121MM	GOEXM210A	N.A.	56-221	MC21B
22MM	BLK1122MM	GOEXM220A	N.A.	56-222	MC22B
23MM	BLK1123MM	GOEXM230A	N.A.	56-223	MC23B
24MM	BLK1124MM	GOEXM240A	N.A.	56-224	MC24B
25MM	BLK1125MM	—	N.A.	N.A.	MC25B
26MM	BLK1126MM	—	N.A.	N.A.	—
27MM	BLK1127MM	—	N.A.	N.A.	—
28MM	BLK1128MM	—	N.A.	N.A.	—
29MM	BLK1129MM	—	N.A.	N.A.	—
30MM	BLK1130MM	—	N.A.	N.A.	—
32MM	BLK1132MM	—	N.A.	N.A.	—
34MM	BLK1134MM	—	N.A.	N.A.	—
36MM	BLK1136MM	—	N.A.	N.A.	—
41MM	BLK1141MM	—	N.A.	N.A.	—
46MM	BLK1146MM	—	N.A.	N.A.	—
50MM	BLK1150MM	—	N.A.	N.A.	—
55MM	BLK1155MM	—	N.A.	N.A.	—
60MM	BLK1160MM	—	N.A.	N.A.	—

Double Head Open End Wrenches - Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/4 X 5/16	1020	V0810	3018	26-007	E810
5/16 X 11/32	1720	—	—	26-031	—
5/16 X 3/8	1721	V01012	3020	26-034	E1012
5/16 X 13/32	1021	—	—	—	—
3/8 X 7/16	1723	V01214	3021	26-043	E1214
3/8 X 1/2	1723A	—	—	—	26-046
7/16 X 1/2	1725	V01416	3025	26-058	E1416
7/16 X 9/16	1725A	—	—	26-064	E1418
1/2 X 9/16	1725B	V01618	3026	26-067	E1618
1/2 X 5/8	1726	—	—	—	—
9/16 X 5/8	1727	V01820	3030	26-079	E1820
9/16 X 11/16	1027C	—	—	—	—
19/32 X 11/16	1027	V01922	3033	—	E1922
5/8 X 11/16	1027B	V02022	3034	26-094	E2022
9/16 X 3/4	1728	—	—	—	—
5/8 X 3/4	1729	V02024	3031	26-097	E2024
11/16 X 3/4	1029B	V02224	3035	26-106	E2224
11/16 X 25/32	1029	—	—	3037	—
11/16 X 13/16	1029C	—	—	—	—
11/16 X 7/8	1030	—	—	—	—
3/4 X 13/16	1731	V02426	—	26-121	E2426
3/4 X 7/8	1731A	V02428	3039	26-124	E2428
13/16 X 7/8	1731B	V02628	3040	26-133	E2628
7/8 X 15/16	1033A	V02830	—	26-139	E2830
7/8 X 1	1733	—	—	—	E2832
15/16 X 1	1033C	V03032	3045	26-151	E3032

Double Head Open End Wrenches - Chrome (cont)

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
7/8 X 1-1/16	1034	—	3041	26-145	E2834
15/16 X 1-1/16	1034A	—	—	—	—
1 X 1-1/8	1735	—	—	26-163	E3236
1-1/16 X 1-1/8	1036B	—	3050	26-166	E3436
1-1/16 X 1-1/4	1037	V03440	3051	26-169	E3440
1-1/8 X 1-1/4	1737	—	—	26-172	E3640
1-1/8 X 1-5/16	1037A	—	—	—	E3642
1-1/4 X 1-5/16	1039B	V04042	3055	26-178	E4042
1-1/4 X 1-7/16	1039	—	—	—	—
1-5/16 X 1-1/2	1039A	—	—	26-187	—
1-3/8 X 1-7/16	1039C	V04446	3060	26-190	—
1-1/4 X 1-5/8	1040	—	—	—	—
1-7/16 X 1-5/8	1041	—	—	26-199	—
1-1/2 X 1-5/8	1041B	V04852	3070	26-202	—

Double Head Open End Wrenches - Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/4 X 5/16	BLK-1020	GV0810	—	—	—
5/16 X 11/32	BLK1720	—	—	—	—
5/16 X 3/8	BLK1721	GV01012	3020B	30-734	E1012B
5/16 X 13/32	BLK1021	—	—	—	—
3/8 X 7/16	BLK1723	GV01214	3021B	30-743	E1214B
3/8 X 1/2	BLK1723A	—	—	—	—
7/16 X 1/2	BLK1725	GV01416	3025B	30-758	E1416B
7/16 X 9/16	BLK1725A	—	—	—	—
1/2 X 9/16	BLK1725B	GV01618	3026B	30-767	E1618B
1/2 X 5/8	BLK1726	—	—	—	—
9/16 X 5/8	BLK1727	GV01820	3030B	30-779	E1820B
9/16 X 11/16	BLK1027C	—	—	—	—
19/32 X 11/16	BLK1027	—	—	—	—
5/8 X 11/16	BLK1027B	GV02022	3034B	30-794	E2022B
9/16 X 3/4	BLK1728	—	—	—	—
5/8 X 3/4	BLK1729	GV02024	3031B	30-797	E2024B
11/16 X 3/4	BLK1029B	GV02224	3035B	30-806	E2224B
11/16 X 25/32	BLK1029	—	—	—	—
11/16 X 13/16	BLK1029C	—	—	—	—
11/16 X 7/8	BLK-1030	—	—	—	—
3/4 X 13/16	BLK1731	GV02426	—	—	—
3/4 X 7/8	BLK1731A	GV02428	3039B	30-824	E2428B
13/16 X 7/8	BLK1731B	GV02628	3040B	—	E2628B
7/8 X 15/16	BLK1033A	GV02830	—	—	—
7/8 X 1	BLK1733	—	—	—	—
15/16 X 1	BLK1033C	GV03032	3045B	30-851	E3032B
7/8 X 1-1/16	BLK1034	—	—	—	—
15/16 X 1-1/16	BLK1034A	—	—	—	—
1 X 1-1/8	BLK1735	—	—	—	—
1-1/16 X 1-1/8	BLK1036B	—	3050B	—	E3436B
1-1/16 X 1-1/4	BLK1037	GV03440	3051B	30-869	E3440B
1-1/8X 1-1/4	BLK1737	—	—	30-872	—
1-1/8 X 1-5/16	BLK1037A	—	—	—	—
1-1/4 X 1-5/16	BLK1039B	GV04042	3055B	—	E4042B
1-1/4 X 1-7/16	BLK1039	—	—	—	E4046B
1-5/16 X 1-1/2	BLK1039A	—	—	—	—
1-3/8 X 1-7/16	BLK1039C	GV04446	3060B	—	—
1-1/4 X 1-5/8	BLK1040	—	—	—	—
1-7/16 X 1-5/8	BLK1041	—	—	30-896	—
1-1/2 X 1-5/8	BLK1041B	GV04852	3070B	30-902	—
1-11/16 X 1-7/8	BLK44A	—	—	—	—
1-13/16 X 2	BLK45	—	—	—	—
2-3/16 X 2-3/8	BLK49	—	—	—	—
2-1/4 X 2-7/16	BLK49A	—	—	—	—

Double Offset Box Wrenches — Short Pattern — 45° — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
5/16 X 3/8	9721	XS1012	N.A.	—	—
3/8 X 7/16	9723	XS1214	8160	27-143	476
7/16 X 1/2	9725	XS1416	N.A.	27-158	—
1/2 X 9/16	9725B	XS1618	8161	27-167	277
9/16 X 5/8	9727	XS1820	N.A.	27-179	—
5/8 X 11/16	9727A	—	8162	27-194	278
5/8 X 3/4	9729	XS2024	N.A.	—	—

Double Offset Box Wrenches Short Pattern — 45° — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
5/16 X 3/8	BLK9721	GXS01012	N.A.	N.A.	N.A.
3/8 X 7/16	BLK9723	GXS01214	N.A.	N.A.	N.A.
7/16 X 1/2	BLK9725	GXS01416	N.A.	N.A.	N.A.
1/2 X 9/16	BLK9725B	GXS01618	N.A.	N.A.	N.A.
9/16 X 5/8	BLK9727	GXS01820	N.A.	N.A.	N.A.
5/8 X 11/16	BLK9727A	—	N.A.	N.A.	N.A.
5/8 X 3/4	BLK9729	GXS02024	N.A.	N.A.	N.A.

TOOLS

Part Number Interchange

Double Offset Box Wrenches Long Pattern — 45° — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/8 X 7/16	8723	XB1214	8180	27-343	2840
7/16 X 1/2	8725	XB1416	N.A.	27-358	—
1/2 X 9/16	8725B	XB1618	8181	27-367	2843
9/16 X 5/8	8727	XB1820	N.A.	27-379	—
5/8 X 11/16	8727A	XB2022	8182	27-394	2846
5/8 X 3/4	8729	XB2024	N.A.	27-397	—
11/16 X 3/4	8029B	XB2224	N.A.	27-406	—
3/4 X 7/8	8731A	XB2428	8184	27-424	—
13/16 X 7/8	8731B	XB2628	N.A.	—	2852
7/8 X 15/16	8033A	XB2830	N.A.	27-439	—
15/16 X 1	8033C	XB3032	8185	27-451	2855
1 X 1-1/8	8735	—	N.A.	—	—
1-1/16 X 1-1/8	8735A	—	N.A.	27-466	2858
1-1/16 X 1-1/4	8037	XB3440	N.A.	27-469	—
1-1/8 X 1-5/16	8037A	—	N.A.	27-475	—
1-1/4 X 1-5/16	8039B	XB4042	N.A.	—	—
1-1/4 X 1-7/16	8039	—	N.A.	27-481	2864
1-5/16 X 1-1/2	8040A	—	N.A.	—	—
1-3/8 X 1-7/16	8040C	XB4446	N.A.	—	—
1-3/8 X 1-1/2	8040	—	N.A.	—	—
1-7/16 X 1-1/2	8040B	—	N.A.	—	—

Double Offset Box Wrenches Long Pattern — 45° — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/8 X 7/16	BLK8723	GXB1214	N.A.	32-243	2840B
7/16 X 1/2	BLK8725	GXB1416	N.A.	32-258	—
1/2 X 9/16	BLK8725B	GXB1618	N.A.	32-267	2843B
9/16 X 5/8	BLK8727	GXB1820	N.A.	32-279	—
5/8 X 11/16	BLK8727A	GXB2022	N.A.	—	2846B
5/8 X 3/4	BLK8729	GXB2024	N.A.	32-297	—
11/16 X 3/4	BLK8029B	GXB2224	N.A.	32-306	—
3/4 X 7/8	BLK8731A	—	N.A.	32-324	—
13/16 X 7/8	BLK8731B	GXB2628	N.A.	32-333	2852B
7/8 X 15/16	BLK8033A	GXB2830	N.A.	—	—
15/16 X 1	BLK8033C	GXB3032	N.A.	32-351	2855B
1 X 1-1/8	BLK8735	—	N.A.	—	—
1-1/16 X 1-1/8	BLK8735A	—	N.A.	32-366	2858B
1-1/16 X 1-1/4	BLK8037	GXB3440	N.A.	32-369	—
1-1/8 X 1-5/16	BLK8037A	—	N.A.	—	—
1-1/4 X 1-5/16	BLK8039B	GXB4042	N.A.	—	—
1-1/4 X 1-7/16	BLK8039	—	N.A.	—	2864B
1-5/16 X 1-1/2	BLK8040A	—	N.A.	—	—
1-3/8 X 1-7/16	BLK8040C	GXB4446	N.A.	—	—
1-3/8 X 1-1/2	BLK8040	—	N.A.	—	—
1-7/16 X 1-1/2	BLK8040B	—	N.A.	—	—

Hydraulic Wrenches Angle Openings — 15°-60° — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
11/32 X 11/32	3710A	VS11A	3322	N.A.	N.A.
3/8 X 3/8	3710	VS12A	3324	27-812	N.A.
7/16 X 7/16	3711	VS14A	3328	27-814	N.A.
1/2 X 1/2	3712	VS16A	3332	27-816	N.A.
9/16 X 9/16	3713	VS18A	3336	27-818	N.A.

Hydraulic Wrenches Angle Openings — 15°-60° — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
5/8 X 5/8	3714	VS20A	3340	27-820	N.A.
11/16 X 11/16	3715	VS22A	—	27-822	N.A.
3/4 X 3/4	3716	VS24A	—	27-824	N.A.
13/16 X 13/16	3717	VS26A	—	27-826	N.A.
7/8 X 7/8	3718	VS28A	—	27-828	N.A.
15/16 X 15/16	3719	VS30A	—	27-830	N.A.
1 X 1	3720	VS32A	—	27-832	N.A.
1-1/16 X 1-1/16	3721	VS34A	—	27-834	N.A.
1-1/8 X 1-1/8	3722	VS36A	—	27-836	N.A.
1-3/16 X 1-3/16	3722A	VS38A	—	N.A.	N.A.
1-1/4 X 1-1/4	3723	VS40A	—	27-840	N.A.
1-3/8 X 1-3/8	3724	VS42A	—	27-844	N.A.
1-7/16 X 1-7/16	3725	VS46A	—	27-846	N.A.
1-1/2 X 1-1/2	3726	VS48A	—	27-848	N.A.

Hydraulic Wrenches Angle Openings — 15°-60° — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
11/32 X 11/32	BLK3710A	—	N.A.	N.A.	N.A.
3/8 X 3/8	BLK3710	GVS12A	N.A.	N.A.	N.A.
7/16 X 7/16	BLK3711	GVS14A	N.A.	N.A.	N.A.
1/2 X 1/2	BLK3712	GVS16A	N.A.	N.A.	N.A.
9/16 X 9/16	BLK3713	GVS18A	N.A.	N.A.	N.A.
5/8 X 5/8	BLK3714	GVS20A	N.A.	N.A.	N.A.
11/16 X 11/16	BLK3715	GVS22A	N.A.	N.A.	N.A.
3/4 X 3/4	BLK3716	GVS24A	N.A.	N.A.	N.A.

Hydraulic Wrenches Angle Openings — 15°-60° — Ind. Black (cont)

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
13/16 X 13/16	BLK3717	GVS26A	N.A.	N.A.	N.A.
7/8 X 7/8	BLK3718	GVS28A	N.A.	N.A.	N.A.
15/16 X 15/16	BLK3719	GVS30A	N.A.	N.A.	N.A.
1 X 1	BLK3720	GVS32A	N.A.	N.A.	N.A.
1-1/16 X 1-1/16	BLK3721	—	N.A.	N.A.	N.A.
1-1/8 X 1-1/8	BLK3722	—	N.A.	N.A.	N.A.
1-3/16 X 1-3/16	BLK3722A	—	N.A.	N.A.	N.A.
1-1/4 X 1-1/4	BLK3723	—	N.A.	N.A.	N.A.
1-3/8 X 1-3/8	BLK3724	—	N.A.	N.A.	N.A.
1-7/16 X 1-7/16	BLK3725	—	N.A.	N.A.	N.A.
1-1/2 X 1-1/2	BLK3726	—	N.A.	N.A.	N.A.

Service Wrenches 30° — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/4	1224	N.A.	3524	28-024	N.A.
13/16	1226	N.A.	3526	—	N.A.
7/8	1228	N.A.	3528	28-028	N.A.
15/16	1230	N.A.	3530	28-030	N.A.
1	1232	N.A.	3532	28-032	N.A.
1-1/16	1234	N.A.	3534	28-034	N.A.
1-1/8	1236	N.A.	3536	28-036	N.A.
1-3/16	1238	N.A.	3538	28-038	N.A.
1-1/4	1240	N.A.	3540	28-040	N.A.
1-5/16	1236S	N.A.	—	—	N.A.
1-5/16	1242	N.A.	3542	28-042	N.A.
1-3/8	1244	N.A.	3544	28-044	N.A.
1-7/16	1246	N.A.	3546	28-046	N.A.
1-1/2	1248	N.A.	3548	28-048	N.A.
1-9/16	1250	N.A.	3550	28-050	N.A.
1-5/8	1252	N.A.	3552	28-052	N.A.
1-11/16	1254	N.A.	3554	—	N.A.
1-3/4	1256	N.A.	3556	28-056	N.A.
1-13/16	1258	N.A.	3558	—	N.A.
1-7/8	1260	N.A.	3560	28-060	N.A.
1-15/16	1262	N.A.	3562	—	N.A.
2	1264	N.A.	3564	28-064	N.A.
21/8	1268	N.A.	3568	28-068	N.A.
21/4	1272	N.A.	3572	28-072	N.A.
23/8	1276	N.A.	3576	28-076	N.A.
2-1/2	1272S	N.A.	3580	28-080	N.A.
2-9/16	1264S	N.A.	3582	—	N.A.

Service Wrenches 30° — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/4	BLK-1224	N.A.	N.A.	N.A.	N.A.
13/16	BLK1226	N.A.	N.A.	N.A.	N.A.
7/8	BLK1228	N.A.	N.A.	N.A.	N.A.
15/16	BLK-1230	N.A.	N.A.	N.A.	N.A.
1	BLK1232	N.A.	N.A.	N.A.	N.A.
1-1/16	BLK1234	N.A.	N.A.	N.A.	N.A.
1-1/8	BLK1236	N.A.	N.A.	N.A.	N.A.
1-3/16	BLK1238	N.A.	N.A.	N.A.	N.A.
1-1/4	BLK1240	N.A.	N.A.	N.A.	N.A.
1-5/16	BLK1236S	N.A.	N.A.	N.A.	N.A.
1-5/16	BLK1242	N.A.	N.A.	N.A.	N.A.
1-3/8	BLK1244	N.A.	N.A.	N.A.	N.A.
1-7/16	BLK1246	N.A.	N.A.	N.A.	N.A.
1-1/2	BLK1248	N.A.	N.A.	N.A.	N.A.
1-9/16	BLK1250	N.A.	N.A.	N.A.	N.A.
1-5/8	BLK1252	N.A.	N.A.	N.A.	N.A.
1-11/16	BLK1254	N.A.	N.A.	N.A.	N.A.
1-3/4	BLK1256	N.A.	N.A.	N.A.	N.A.
1-13/16	BLK1258	N.A.	N.A.	N.A.	N.A.
1-7/8	BLK1260	N.A.	N.A.	N.A.	N.A.
1-15/16	BLK1262	N.A.	N.A.	N.A.	N.A.
2	BLK1264	N.A.	N.A.	N.A.	N.A.
2-1/8	BLK1268	N.A.	N.A.	N.A.	N.A.
2-1/4	BLK1272	N.A.	N.A.	N.A.	N.A.
2-3/8	BLK1276	N.A.	N.A.	N.A.	N.A.
2-1/2	BLK1272S	N.A.	N.A.	N.A.	N.A.
2-9/16	BLK1264S	N.A.	N.A.	N.A.	N.A.

Straight Service Wrenches — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1	1932	N.A.	N.A.	N.A.	N.A.
1-1/8	1936	N.A.	N.A.	N.A.	N.A.
1-1/2	1948	N.A.	N.A.	N.A.	N.A.
1-5/8	1952	N.A.	N.A.	N.A.	N.A.
1-3/4	1956	N.A.	N.A.	N.A.	N.A.
2	1964	N.A.	N.A.	N.A.	N.A.
2-1/4	1972	N.A.	N.A.	N.A.	N.A.

Check Nut Wrenches 15° — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/2	601	N.A.	KE16	31-316	N.A.
7/16	601A	N.A.	KE14	31-314	N.A.
19/32	602	N.A.	KE19	—	N.A.
9/16	602A	N.A.	KE18	31-318	N.A.
11/16	603	N.A.	KE22	31-332	N.A.
5/8	603A	N.A.	KE20	31-320	N.A.
3/4	604A	N.A.	KE24	31-324	N.A.
7/8	605	N.A.	KE28	31-328	N.A.
13/16	605A	N.A.	KE26	31-326	N.A.
15/16	606A	N.A.	KE30	31-330	N.A.
1	606B	N.A.	KE32	31-332	N.A.
1-1/16	607	N.A.	KE34	31-334	N.A.
1-1/8	607A	N.A.	KE36	31-336	N.A.
1-1/4	608	N.A.	KE40	31-340	N.A.
1-5/16	608A	N.A.	KE42	—	N.A.
1-1/2	609	N.A.	KE48	31-348	N.A.
1-5/8	610	N.A.	KE52	31-352	N.A.
1-11/16	610A	N.A.	KE54	—	N.A.

Ratcheting Box Wrenches Straight Pattern — Chrome

Wrench Opening		Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.
1/4 X 5/16	6 pt	RB810	R810SA	1191	27-587
1/4 X 5/16	12 pt	RB810DH	R810B	1191T	27-588
3/8 X 7/16	6 pt	RB1214	R1214SA	1192	27-590
3/8 X 7/16	12 pt	RB1214DH	R1214B	1192T	27-591
1/2 X 9/16	6 pt	RB1618	R1618SA	1193	27-593
1/2 X 9/16	12 pt	RB1618DH	R1618A	1193T	27-594
5/8 X 11/16	12 pt	RB2022	R2022A	1994	27-596
5/8 X 3/4	12 pt	RB2024	R2024A	1996	27-599
11/16 X 13/16	12 pt	RB2226	—		—
3/4 X 7/8	12 pt	RB2428	R2428A	1995	27-602

Ratcheting Box Wrenches and Sets 25° Offset Pattern — Chrome

Wrench Opening		Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.
1/4 X 5/16	6 pt	RB0810	—	1181	27-613
3/8 X 7/16	6 pt	RB01214	—	1182	27-616
1/2 X 9/16	6 pt	RB01618	—	1183	27-619
5/8 X 11/16	12 pt	RB02022	RYA2022A	1984	27-622
5/8 X 3/4	12 pt	RB02024	—	1986	27-624
11/16 X 13/16	12 pt	RB02226	—		—
3/4 X 7/8	12 pt	RB02428	RYA2428	1985	27-626

Flare Nut Wrench 12 Pt. — Chrome

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/8	4112	N.A.	N.A.	N.A.	N.A.
7/16	4114	N.A.	N.A.	N.A.	N.A.
1/2	4116	N.A.	N.A.	N.A.	N.A.
9/16	4118	N.A.	N.A.	N.A.	N.A.
5/8	4120	N.A.	N.A.	N.A.	N.A.
11/16	4122	N.A.	N.A.	N.A.	N.A.
3/4	4124	N.A.	N.A.	N.A.	N.A.
13/16	4126	N.A.	N.A.	N.A.	N.A.
7/8	4128	N.A.	N.A.	N.A.	N.A.
15/16	4130	N.A.	N.A.	N.A.	N.A.
1	4132	N.A.	N.A.	N.A.	N.A.
1-1/16	4134	N.A.	N.A.	N.A.	N.A.
1-1/8	4136	N.A.	N.A.	N.A.	N.A.
1-1/4	4140	N.A.	N.A.	N.A.	N.A.
1-3/8	4144	N.A.	N.A.	N.A.	N.A.
1-1/2	4148	N.A.	N.A.	N.A.	N.A.

Flare Nut Wrench 12 Pt. — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/8	BLK4112	—	N.A.	N.A.	N.A.
7/16	BLK4114	—	N.A.	N.A.	N.A.
1/2	BLK4116	—	N.A.	N.A.	N.A.
9/16	BLK4118	RX18	N.A.	N.A.	N.A.
5/8	BLK4120	RX20	N.A.	N.A.	N.A.
11/16	BLK4122	RX22	N.A.	N.A.	N.A.
3/4	BLK4124	RX24	N.A.	N.A.	N.A.
13/16	BLK4126	RX26	N.A.	N.A.	N.A.
7/8	BLK4128	RX28	N.A.	N.A.	N.A.
15/16	BLK4130	RX30	N.A.	N.A.	N.A.
1	BLK4132	RX32	N.A.	N.A.	N.A.
1-1/16	BLK4134	RX34	N.A.	N.A.	N.A.
1-1/8	BLK4136	RX36	N.A.	N.A.	N.A.
1-1/4	BLK4140	RX40	N.A.	N.A.	N.A.
1-3/8	BLK4144	RX44	N.A.	N.A.	N.A.
1-1/2	BLK4148	RX48	N.A.	N.A.	N.A.

Part Number Interchange

Adjustable Wrenches 22-1/2° Angle — Cobalt

Wrench Length	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
6	A6	AD6	706	28-506	65306
8	A8	AD8	708	28-508	65308
10	A10	AD10	710	28-510	65310
12	A12	AD12	712	28-512	65312
15	A15	D715	715	28-515	65315
18	A18	D718	718	28-518	65318
24	A24	D724	724	28-524	65324

Adjustable Wrenches — Ind. Black

Wrench Length	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
6	A6T	DA26	706S	34-506	65306B
8	A8T	DA28	708S	34-508	65308B
10	A10T	DA210	710S	34-510	35310B
12	A12T	DA212	712S	34-512	65312B
15	A15T	DA215	715S	34-515	65315B
18	A18T	—	718S	34-518	65318B
24	A24T	—	724S	—	65324B

Set Screw Wrench — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/4 X 5/16	525	N.A.	N.A.	35-457	N.A.
5/16 X 3/8	527	N.A.	N.A.	35-463	N.A.
3/8 X 7/16	529	N.A.	N.A.	35-466	N.A.
1/2 X 5/8	534	N.A.	N.A.	35-478	N.A.

Single Head Open End Wrenches— Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/2	1	—	N.A.	31-016	1SE
9/16	702	—	N.A.	31-018	702SE
5/8	703	—	N.A.	—	703SE
11/16	3	—	N.A.	31-022	3SE
3/4	704	—	N.A.	31-024	704SE
13/16	705	—	N.A.	—	705SE
7/8	5	OE128B	N.A.	31-028	5SE
15/16	6A	OE130B	N.A.	31-030	6SE
1	706	OE132B	N.A.	31-032	706SE
1-1/16	7	OE134B	N.A.	31-034	7SE

Single Head Open End Wrenches — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1-1/8	707	OE136B	N.A.	31-036	707SE
1-1/4	8	OE140B	N.A.	31-040	8SE
1-5/16	8A	OE142B	N.A.	—	—
1-3/8	708A	—	N.A.	31-044	708ASE
1-7/16	9	OE146B	N.A.	31-046	9SE
1-1/2	709	OE148B	N.A.	31-048	709SE
1-5/8	10	—	N.A.	31-052	10SE
1-11/16	10A	—	N.A.	—	—
1-13/16	11	—	N.A.	31-058	11SE
1-7/8	11A	—	N.A.	—	11ASE
2	12	—	N.A.	31-064	12SE
2-1/16	12A	—	N.A.	—	—
2-3/16	13	—	N.A.	31-070	—
2-1/4	13A	—	N.A.	31-072	13ASE
2-3/8	14	—	N.A.	31-076	14SE
2-7/16	14A	—	N.A.	31-078	—
2-9/16	15	—	N.A.	31-082	15SE
2-5/8	15A	—	N.A.	31-084	—
2	16	—	N.A.	31-088	16SE
2-13/16	16B	—	N.A.	—	—
2-15/16	16A	—	N.A.	31-094	—
3	17A	—	N.A.	31-096	17ASE
3-1/8	17	—	N.A.	31-100	17SE
3-3/8	18A	—	N.A.	31-108	—
3-1/2	18	—	N.A.	31-112	—
3-3/4	19B	—	N.A.	31-120	—
3-7/8	19	—	N.A.	31-124	—
4-1/8	19C	—	N.A.	—	—
4-1/4	19A	—	N.A.	—	—
4-1/2	20B	—	N.A.	—	—
4-5/8	20	—	N.A.	—	—
5	20A	—	N.A.	—	—

Adjustable Face Spanner — Ind. Black

Extreme Capacity	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
2	482	AFS482	C482	34-151	AFS2
3	483	AFS483	C483	34-154	AFS3
4	484	AFS484	C484	34-157	AFS4

Pin Spanner — Ind. Black

For Circle Diameter	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1	452	N.A.	N.A.	34-201	N.A.
1-1/4	453	N.A.	N.A.	34-204	N.A.
1-1/2	454	N.A.	N.A.	34-207	N.A.
1-3/4	455	N.A.	N.A.	34-210	N.A.
2	456	N.A.	N.A.	34-213	N.A.
2-1/4	457	N.A.	N.A.	34-216	N.A.
2-1/2	458	N.A.	N.A.	34-219	N.A.
2-3/4	459	N.A.	N.A.	34-222	N.A.
3	460	N.A.	N.A.	34-225	N.A.
3-1/4	461	N.A.	N.A.	34-228	N.A.
3-1/2	462	N.A.	N.A.	34-231	N.A.
3-3/4	463	N.A.	N.A.	34-234	N.A.
4	464	N.A.	N.A.	34-237	N.A.
5	466	N.A.	N.A.	34-240	N.A.
6	468	N.A.	N.A.	34-243	N.A.

Face Spanner — Ind. Black

Center Distance of Pins	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1	418	N.A.	N.A.	34-101	N.A.
1-1/4	420	N.A.	N.A.	34-104	N.A.
1-1/2	422	N.A.	N.A.	34-107	N.A.
1-3/4	424	N.A.	N.A.	34-110	N.A.
2	426	N.A.	N.A.	34-113	N.A.
2-1/4	428	N.A.	N.A.	34-116	N.A.
2-1/2	430	N.A.	N.A.	34-119	N.A.
2-3/4	432	N.A.	N.A.	34-121	N.A.
3	434	N.A.	N.A.	34-124	N.A.
3-1/4	436	N.A.	N.A.	34-127	N.A.
3-1/2	438	N.A.	N.A.	34-130	N.A.
3-3/4	440	N.A.	N.A.	34-133	N.A.
4	442	N.A.	N.A.	34-136	N.A.

Adjustable Hook Spanner — Ind. Black

Capacity Range	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/4 to 2	471	AHS300	C471	34-301	AHS2
1-1/4 to 3	472	AHS301	C472	34-304	AHS3
2 to 4-3/4	474	AHS304	C474	34-307	AHS4
4-1/2 to 6-1/4	474A	AHS307	C474A	34-310	AHS6
6-1/8 to 8-3/4	474B	—	—	34-313	AHS8

Adjustable Pin Spanner — Ind. Black

Capacity Range	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/4 to 2	471	APS351	N.A.	34-351	APS2
3/4 to 2	0471A	—	N.A.	34-354	APS21
1-1/4 to 3	472	—	N.A.	34-357	APS3
1-1/4 to 3	0472A	—	N.A.	34-360	APS31
2 to 4-3/4	474	APS363	N.A.	34-363	—
4-1/2 to 6-1/4	0474A	APS366	N.A.	34-366	APS6

Construction Wrench 15° Angle — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
5/8	203A	N.A.	C203A	32-820	N.A.
11/16	203	N.A.	C203	32-822	N.A.
3/4	204A	N.A.	C204A	32-824	N.A.
7/8	205	N.A.	C205	32-828	N.A.
15/16	206	N.A.	C206C	32-830	N.A.
1	206B	N.A.	C206B	32-832	N.A.
1-1/16	207	N.A.	C207	32-834	N.A.
1-1/8	207A	N.A.	C207A	32-836	N.A.
1-1/4	208	N.A.	C208	32-840	N.A.
1-5/16	208A	N.A.	—	32-842	N.A.
1-7/16	209	N.A.	C209	32-846	N.A.
1-1/2	209A	N.A.	C209A	32-848	N.A.
1-5/8	210	N.A.	C210	32-852	N.A.
1-11/16	210A	N.A.	C210A	—	N.A.
1-13/16	211	N.A.	C211	32-858	N.A.
1-7/8	211A	N.A.	C211A	32-860	N.A.
2	212	N.A.	C212	32-864	N.A.

Structural Wrench Offset — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
5/8	903A	N.A.	C903A	32-520	903A
11/16	903	N.A.	C903	—	903
3/4	904A	N.A.	C904A	32-524	904A
13/16	905A	N.A.	C905A	—	—
7/8	905	N.A.	C905	32-528	905
15/16	906C	N.A.	C905B	32-530	906
1	906B	N.A.	C906B	32-532	906B
1-1/16	907	N.A.	C907	32-534	907
1-1/8	907A	N.A.	C907A	32-536	907A
1-1/4	908	N.A.	C908	32-540	908
1-5/16	908A	N.A.	C908A	32-542	908A
1-7/16	909	N.A.	C909	32-546	909
1-1/2	909A	N.A.	C909A	32-548	909A
1-5/8	910	N.A.	C910	32-552	910
1-11/16	910A	N.A.	C910A	32-554	—
1-13/16	911	N.A.	C911	32-558	911
1-7/8	911A	N.A.	C911A	32-560	911A
2	912	N.A.	C912	32-564	912

Structural Box Wrenches — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
13/16	8905A	N.A.	2613	—	N.A.
7/8	8905	N.A.	2614	32-728	N.A.
15/16	8906	N.A.	2615	32-730	N.A.
1	8906B	N.A.	2616	32-732	N.A.
1-1/16	8907	N.A.	2617	32-734	N.A.
1-1/8	8907A	N.A.	2618	32-736	N.A.
1-1/4	8908	N.A.	2620	32-740	N.A.
1-5/16	8908A	N.A.	2621	32-742	N.A.
1-7/16	8909	N.A.	2623	32-746	N.A.
1-1/2	8909A	N.A.	2624	32-748	N.A.
1-5/8	8910	N.A.	2626	32-752	N.A.
1-11/16	8910A	N.A.	2627	32-754	N.A.
1-13/16	8911	N.A.	2629	32-758	N.A.
1-7/8	8911A	N.A.	2630	32-760	N.A.
2	8912	N.A.	2632	32-764	N.A.
2-3/16	8913	N.A.	2635	32-770	N.A.
2-3/8	8914	N.A.	2638	32-776	N.A.
2-9/16	8915	N.A.	2641	32-782	N.A.
2-3/4	8916	N.A.	2644	32-788	N.A.

Striking Face Box Wrenches Offset Pattern — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1-1/16	8807	X340B	2617SW	33-034	66834
1-1/8	8807A	X360B	2618SW	33-036	66836
1-1/4	8808	X400C	2620SW	33-040	66840
1-5/16	8808A	X420B	2621SW	33-042	66842
1-3/8	8809B	X440B	—	—	66844
1-7/16	8809	X460B	2623SW	33-046	66846
1-1/2	8809A	X480B	2624SW	33-048	66848
1-5/8	8810	X520B	2626SW	33-052	66852
1-11/16	8810A	X540B	2627SW	33-054	66854
1-3/4	8811B	X560B	2628SW	33-056	66856
1-13/16	8811	X580B	2629SW	33-058	66858
1-7/8	8811A	X600B	2630SW	33-060	66860
1-15/16	8812A	—	—	33-062	66862
2	8812	X640B	2632SW	33-064	66864
2-1/8	8813B	—	2634SW	33-068	66868
2-3/16	8813	X700B	2635SW	33-070	66870
2-1/4	8813A	X720B	2636SW	33-072	66872
2-5/16	8814A	—	2637SW	33-074	66874
2-3/8	8814	X760B	2638SW	33-076	66876
2-1/2	8815B	—	2640SW	33-080	66880

Striking Face Box Wrenches Offset Pattern — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
2-9/16	8815	X820B	2641SW	33-082	66882
2-5/8	8815A	X840B	2642SW	33-084	66884
2-3/4	8816	X880B	2644SW	33-088	66888
2-15/16	8816B	X940B	2647SW	33-094	66894
3	8817	—	2648SW	33-096	66896
3-1/8	8817A	X1000B	2650SW	33-100	66899

Striking Face Box Wrenches Offset Pattern — Ind. Black — Metric

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
32MM	8832MM	N.A.	2632WM	59-032	66932
36MM	8836MM	N.A.	2636WM	59-036	66936
41MM	8841MM	N.A.	2641WM	59-041	66941
46MM	8846MM	N.A.	2646WM	59-046	66946
50MM	8850MM	N.A.	2650WM	59-050	66950
55MM	8855MM	N.A.	2655WM	59-055	66955
60MM	8860MM	N.A.	2660WM	59-060	66960
65MM	8865MM	N.A.	2665WM	59-065	66965
70MM	8870MM	N.A.	2670WM	59-070	66970
75MM	8875MM	N.A.	2675WM	59-075	66975
80MM	8880MM	N.A.	2680WM	59-080	66980

Striking Face 6 Pt. Box Wrenches Straight Pattern — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1-1/16	RN7063	N.A.	2717SW	33-354	N.A.
1-1/4	RN7075	N.A.	2720SW	33-540	N.A.
1-7/16	RN7088	N.A.	2723SW	33-546	N.A.
1-5/8	RN7100	N.A.	2726SW	33-552	N.A.
1-13/16	RN7113	N.A.	2729SW	33-558	N.A.
2	RN7125	N.A.	2732SW	33-564	N.A.
2-3/16	RN7138	N.A.	2735SW	33-570	N.A.
2-3/8	RN7150	N.A.	2738SW	33-576	N.A.
2-9/16	RN7163	N.A.	2741SW	33-582	N.A.
2-3/4	RN7175	N.A.	2744SW	33-588	N.A.
2-15/16	RN7188	N.A.	2747SW	33-594	N.A.
3-1/8	RN7200	N.A.	2750SW	33-600	N.A.
3-1/2	RN7225	N.A.	2756SW	33-612	N.A.
3-7/8	RN7250	N.A.	2762SW	33-624	N.A.

Part Number Interchange

Striking Face Box Wrenches — Straight Pattern 12 Pt. — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1-1/16	1807	—	SN17	—	N.A.
1-3/16	1808B	—	SN19	—	N.A.
1-1/4	1808	DX140	SN20	33-340	N.A.
1-5/16	1808A	DX142	USN321	33-342	N.A.
1-3/8	1809B	DX144	USN322	33-344	N.A.
1-7/16	1809	DX146	USN323	33-346	N.A.
1-1/2	1809A	DX148	USN324	33-348	N.A.
1-5/8	1810	DX152	USN326	33-352	N.A.
1-11/16	1810A	DX154	USN327	33-354	N.A.
1-3/4	1811B	DX156	USN328	33-356	N.A.
1-13/16	1811	DX158	USN329	33-358	N.A.
1-7/8	1811A	DX160	USN330	33-360	N.A.
2	1812	DX164	USN332	33-364	N.A.
2-1/16	1812B	DX166	USN333	33-366	N.A.
2-1/8	1813B	—	USN334	33-368	N.A.
2-3/16	1813	DX170	USN335	33-370	N.A.

Striking Face Box Wrenches — Straight Pattern 12 Pt. — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
2-1/4	1813A	DX172	USN336	33-372	N.A.
2-3/8	1814	DX176	USN338	33-376	N.A.
2-9/16	1815	DX182	USN341	33-382	N.A.
2-5/8	1815A	DX184	USN342	33-384	N.A.
2-3/4	1816	DX188	USN344	33-388	N.A.
2-15/16	1816B	DX194	USN347	33-394	N.A.
3	1817A	DX196	USN348	33-396	N.A.
3-1/8	1817	DX1100	USN350	33-400	N.A.
3-3/8	1818A	DX1108	USN354	33-408	N.A.
3-1/2	1818	DX1112	USN356	33-412	N.A.
3-3/4	1819B	DX1120	USN360	33-420	N.A.
3-7/8	1819	DX1124	USN362	33-424	N.A.
4-1/8	1820B	DX1132	USN366	33-432	N.A.
4-1/4	1820	DX1136	USN368	33-436	N.A.
4-1/2	1821B	DX1144	USN372	33-444	N.A.
4-5/8	1821	DX1148	USN374	33-458	N.A.

Machinist Wrench — 12 Pt. — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/2	801	N.A.	N.A.	N.A.	N.A.
9/16	802A	N.A.	N.A.	N.A.	N.A.
5/8	803A	N.A.	N.A.	N.A.	N.A.
11/16	803	N.A.	N.A.	N.A.	N.A.
3/4	804A	N.A.	N.A.	N.A.	N.A.
7/8	805	N.A.	N.A.	N.A.	N.A.
15/16	806	N.A.	N.A.	N.A.	N.A.
1	806B	N.A.	N.A.	N.A.	N.A.
1-1/16	807	N.A.	N.A.	N.A.	N.A.
1-1/8	807A	N.A.	N.A.	N.A.	N.A.
1-1/4	808	N.A.	N.A.	N.A.	N.A.
1-1/2	809A	N.A.	N.A.	N.A.	N.A.

Offset Socket Wrench — Square Opening — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
1/4	261J	N.A.	N.A.	—	N.A.
5/16	262H	N.A.	N.A.	35-310	N.A.
3/8	263H	N.A.	N.A.	35-312	N.A.
7/16	265H	N.A.	N.A.	35-314	N.A.
1/2	266H	N.A.	N.A.	35-316	N.A.
9/16	267H	N.A.	N.A.	—	N.A.
5/8	268H	N.A.	N.A.	35-320	N.A.
3/4	269H	N.A.	N.A.	35-324	N.A.
1-1/4	276H	N.A.	N.A.	—	N.A.

Offset Socket Wrench Hexagon Opening — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
7/16	263D	N.A.	N.A.	—	N.A.
1/2	264A	N.A.	N.A.	35-216	N.A.
9/16	265D	N.A.	N.A.	35-218	N.A.
5/8	266D	N.A.	N.A.	35-220	N.A.
3/4	267D	N.A.	N.A.	35-224	N.A.
7/8	269A	N.A.	N.A.	—	N.A.
15/16	270S	N.A.	N.A.	35-230	N.A.
1-1/16	271A	N.A.	N.A.	35-234	N.A.
1-1/8	271D	N.A.	N.A.	35-236	N.A.
1-1/4	273A	N.A.	N.A.	35-240	N.A.
1-7/16	275A	N.A.	N.A.	—	N.A.
1-1/2	275D	N.A.	N.A.	—	N.A.
1-5/8	276A	N.A.	N.A.	—	N.A.

Tee-Handle Socket Wrench Square Opening — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
3/16	961H	N.A.	N.A.	35-106	N.A.
1/4	961J	N.A.	N.A.	35-108	N.A.
5/16	962H	N.A.	N.A.	35-110	N.A.
3/8	963H	N.A.	N.A.	35-112	N.A.
7/16	965H	N.A.	N.A.	35-114	N.A.
1/2	966H	N.A.	N.A.	35-116	N.A.
9/16	967H	N.A.	N.A.	—	N.A.
5/8	968H	N.A.	N.A.	—	N.A.
3/4	969H	N.A.	N.A.	—	N.A.
7/8	971H	N.A.	N.A.	—	N.A.

Tee-Handle Socket Wrench Hexagon Opening — Ind. Black

Wrench Opening	Martin Part No.	Snap-On Part No.	Proto Part No.	Armstrong Part No.	Gray Part No.
5/16	961A	N.A.	N.A.	35-010	N.A.
3/8	962D	N.A.	N.A.	35-012	N.A.
7/16	963D	N.A.	N.A.	35-014	N.A.
1/2	964A	N.A.	N.A.	35-016	N.A.
9/16	965D	N.A.	N.A.	35-018	N.A.
5/8	966D	N.A.	N.A.	35-020	